


QWidget



QAbstractButton

animateClick	iconSize	setCheckable
autoExclusive	isChecked	setChecked
autoRepeat	isChecked	setDown
autoRepeatDelay	isDown	setIcon
autoRepeatInterval	nextCheckState	setIconSize
checkStateSet	pressed	setShortcut
click	released	setText
clicked	setAutoExclusive	shortcut
group	setAutoRepeat	text
hitButton	setAutoRepeatDelay	toggle
icon	setAutoRepeatInterval	toggled

QFrame

Box	Shape	frameRect	setFrameRect
HLine	Shape_Mask	frameShadow	setFrameShadow
NoFrame	StyleMask	frameShape	setFrameShape
Panel	StyledPanel	frameStyle	setFrameStyle
Plain	Sunken	frameWidth	setLineWidth
Raised	VLine	initStyleOption	setMidLineWidth
Shadow	WinPanel	lineWidth	
Shadow_Mask	drawFrame	midLineWidth	

QAbstractSlider

SliderAction	repeatAction
SliderChange	setInvertedAppearance
SliderMove	setInvertedControls
SliderNoAction	setMaximum
SliderOrientationChange	setMinimum
SliderPageStepAdd	setOrientation
SliderPageStepSub	setPageStep
SliderRangeChange	setRange
SliderSingleStepAdd	setRepeatAction
SliderSingleStepSub	setSingleStep
SliderStepsChange	setSliderDown
SliderToMaximum	setSliderPosition
SliderToMinimum	setTracking
SliderValueChange	setValue
actionTriggered	singleStep
hasTracking	sliderChange
invertedAppearance	sliderMoved
invertedControls	sliderPosition
isSliderDown	sliderPressed
maximum	sliderReleased
minimum	triggerAction
orientation	value
pageStep	valueChanged
rangeChanged	

QAbstractSpinBox		
ButtonSymbols	isReadOnly	
CorrectToNearestValue	keyboardTracking	
CorrectToPreviousValue	lineEdit	
CorrectionMode	selectAll	
NoButtons	setAccelerated	
PlusMinus	setAlignment	
StepDownEnabled	setButtonSymbols	
StepEnabled	setCorrectionMode	
StepEnabledFlag	setFrame	
StepNone	setGroupSeparatorShown	
StepUpEnabled	setKeyboardTracking	
UpDownArrows	setLineEdit	
alignment	setReadOnly	
buttonSymbols	setSpecialValueText	
clear	setWrapping	
correctionMode	specialValueText	
editingFinished	stepBy	
fixup	stepDown	
hasAcceptableInput	stepEnabled	
hasFrame	stepUp	
initStyleOption	text	
interpretText	validate	
isAccelerated	wrapping	
isGroupSeparatorShown		

QCalendarWidget			
HorizontalHeaderFormat	isDateEditEnabled	setMaximumDate	
ISOWeekNumbers	isGridVisible	setMinimumDate	
LongDayNames	isNavigationBarVisible	setNavigationBarVisible	
NoHorizontalHeader	maximumDate	setSelectedDate	
NoSelection	minimumDate	setSelectionMode	
NoVerticalHeader	monthShown	setVerticalHeaderFormat	
SelectionMode	paintCell	setWeekdayTextFormat	
ShortDayNames	selectedDate	showNextMonth	
SingleLetterDayNames	selectionChanged	showNextYear	
SingleSelection	selectionMode	showPreviousMonth	
VerticalHeaderFormat	setCurrentPage	showPreviousYear	
activated	setDateEditAcceptDelay	showSelectedDate	
clicked	setDateEditEnabled	showToday	
currentPageChanged	setDateRange	updateCell	
dateEditAcceptDelay	setDateTextFormat	updateCells	
dateTextFormat	setFirstDayOfWeek	verticalHeaderFormat	
firstDayOfWeek	setGridVisible	weekdayTextFormat	
headerTextFormat	setHeaderTextFormat	yearShown	
horizontalHeaderFormat	setHorizontalHeaderFormat		

QDialog	
Accepted	isSizeGripEnabled
DialogCode	open
Rejected	reject
accept	rejected
accepted	result
done	setModal
exec	setResult
exec_	setSizeGripEnabled
finished	

139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207

QComboBox	
AdjustToContents	itemData
AdjustToContentsOnFirstShow	itemDelegate
AdjustToMinimumContentsLength	itemIcon
AdjustToMinimumContentsLengthWithIcon	itemText
InsertAfterCurrent	lineEdit
InsertAlphabetically	maxCount
InsertAtBottom	maxVisibleItems
InsertAtCurrent	minimumContentsLength
InsertAtTop	model
InsertBeforeCurrent	modelColumn
InsertPolicy	removeItem
NoInsert	rootModelIndex
SizeAdjustPolicy	setCompleter
__len__	setCurrentIndex
activated	setCurrentText
addItem	setDuplicatesEnabled
addItems	setEditText
clear	setEditable
clearEditText	setFrame
completer	setIconSize
count	setInsertPolicy
currentData	setItemData
currentIndex	setItemDelegate
currentIndexChanged	setItemIcon
currentText	setItemText
currentTextChanged	setLineEdit
duplicatesEnabled	setMaxCount
editTextChanged	setMaxVisibleItems
findData	setMinimumContentsLength
findText	setModel
hasFrame	setModelColumn
hidePopup	setRootModelIndex
highlighted	setSizeAdjustPolicy
iconSize	setValidator
initStyleOption	setView
insertItem	showPopup
insertItems	sizeAdjustPolicy
insertPolicy	validator
insertSeparator	view
isEditable	

QDesktopWidget	
availableGeometry	screenCount
isVirtualDesktop	screenCountChanged
primaryScreen	screenGeometry
primaryScreenChanged	screenNumber
resized	workAreaResized
screen	

QDialogButtonBox		
Abort	No	YesToAll
AcceptRole	NoButton	accepted
ActionRole	NoRole	addButton
Apply	NoToAll	button
ApplyRole	Ok	buttonRole
ButtonLayout	Open	buttons
ButtonRole	RejectRole	centerButtons
Cancel	Reset	clear
Close	ResetRole	clicked
DestructiveRole	RestoreDefaults	helpRequested
Discard	Retry	orientation
GnomeLayout	Save	rejected
Help	SaveAll	removeButton
HelpRole	StandardButton	setCenterButtons
Ignore	StandardButtons	setOrientation
InvalidRole	WinLayout	setStandardButtons
KdeLayout	Yes	standardButton
MacLayout	YesRole	standardButtons

QDockWidget	
AllDockWidgetFeatures	initStyleOption
DockWidgetClosable	isAreaAllowed
DockWidgetFeature	isFloating
DockWidgetFeatures	setAllowedAreas
DockWidgetFloatable	setFeatures
DockWidgetMovable	setFloating
DockWidgetVerticalTitleBar	setTitleBarWidget
NoDockWidgetFeatures	setWidget
allowedAreas	titleBarWidget
allowedAreasChanged	toggleViewAction
dockLocationChanged	topLevelChanged
features	visibilityChanged
featuresChanged	widget

QFocusFrame
initStyleOption
setWidget
widget

QKeySequenceEdit
clear
editingFinished
keySequence
keySequenceChanged
setKeySequence

QGroupBox		
alignment	isFlat	setTitle
clicked	setAlignment	title
initStyleOption	setCheckable	toggled
isChecked	setChecked	
isChecked	setFlat	

QLineEdit			
ActionPosition	displayText	selectionStart	
EchoMode	dragEnabled	setAlignment	
LeadingPosition	echoMode	setClearButtonEnabled	
NoEcho	editingFinished	setCompleter	
Normal	end	setCursorMoveStyle	
Password	getTextMargins	setCursorPosition	
PasswordEchoOnEdit	hasAcceptableInput	setDragEnabled	
TrailingPosition	hasFrame	setEchoMode	
alignment	hasSelectedText	setFrame	
backspace	home	setInputMask	
clear	initStyleOption	setMaxLength	
completer	inputMask	setModified	
copy	insert	setPlaceholderText	
createStandardContextMenu	isClearButtonEnabled	setReadOnly	
cursorBackward	isModified	setSelection	
cursorForward	isReadOnly	setText	
cursorMoveStyle	isRedoAvailable	setTextMargins	
cursorPosition	isUndoAvailable	setValidator	
cursorPositionAt	maxLength	text	
cursorPositionChanged	paste	textChanged	
cursorRect	placeholderText	textEdited	
cursorWordBackward	redo	textMargins	
cursorWordForward	returnPressed	undo	
cut	selectAll	validator	
del_	selectedText		
deselect	selectionChanged		

QMainWindow			
AllowNestedDocks	insertToolBarBreak	setMenuBar	
AllowTabbedDocks	isAnimated	setMenuWidget	
AnimatedDocks	isDockNestingEnabled	setStatusBar	
DockOption	isSeparator	setTabPosition	
DockOptions	menuBar	setTabShape	
ForceTabbedDocks	menuWidget	setToolButtonStyle	
GroupedDragging	removeDockWidget	setUnifiedTitleAndToolBarOnMac	
VerticalTabs	removeToolBar	splitDockWidget	
addDockWidget	removeToolBarBreak	statusBar	
addToolBar	resizeDocks	tabPosition	
addToolBarBreak	restoreDockWidget	tabShape	
centralWidget	restoreState	tabifiedDockWidgetActivated	
corner	saveState	tabifiedDockWidgets	
createPopupMenu	setAnimated	tabifyDockWidget	
dockOptions	setCentralWidget	takeCentralWidget	
dockWidgetArea	setCorner	toolBarArea	
documentMode	setDockNestingEnabled	toolBarBreak	
iconSize	setDockOptions	toolButtonStyle	
iconSizeChanged	setDocumentMode	toolButtonStyleChanged	
insertToolBar	setIconSize	unifiedTitleAndToolBarOnMac	

QMdiSubWindow	
RubberBandMove	setKeyboardSingleStep
RubberBandResize	setOption
SubWindowOption	setSystemMenu
SubWindowOptions	setWidget
aboutToActivate	showShaded
isShaded	showSystemMenu
keyboardPageStep	systemMenu
keyboardSingleStep	testOption
mdiArea	widget
setKeyboardPageStep	windowStateChanged

QMenu		
aboutToHide	hideTearOffMenu	setActiveAction
aboutToShow	hovered	setDefaultAction
actionAt	icon	setIcon
actionGeometry	initStyleOption	setNoReplayFor
activeAction	insertMenu	setSeparatorsCollapsible
addMenu	insertSection	setTearOffEnabled
addSection	insertSeparator	setTitle
addSeparator	isEmpty	setToolTipsVisible
clear	isTearOffEnabled	showTearOffMenu
columnCount	isTearOffMenuVisible	title
defaultAction	menuAction	toolTipsVisible
exec	popup	triggered
exec_	separatorsCollapsible	

QMenuBar	
actionAt	insertMenu
actionGeometry	insertSeparator
activeAction	isDefaultUp
addMenu	isNativeMenuBar
addSeparator	setActiveAction
clear	setCornerWidget
cornerWidget	setDefaultUp
hovered	setNativeMenuBar
initStyleOption	triggered

QOpenGLWidget	
NoPartialUpdate	grabFramebuffer
PartialUpdate	initializeGL
UpdateBehavior	isValid
aboutToCompose	makeCurrent
aboutToResize	paintGL
context	resizeGL
defaultFramebufferObject	resized
doneCurrent	setFormat
format	setUpdateBehavior
frameSwapped	updateBehavior

QProgressBar		
BottomToTop	orientation	setRange
Direction	reset	setTextDirection
TopToBottom	resetFormat	setTextVisible
alignment	setAlignment	setValue
format	setFormat	text
initStyleOption	setInvertedAppearance	value
isTextVisible	setMaximum	valueChanged
maximum	setMinimum	
minimum	setOrientation	

QTabBar			
ButtonPosition	expanding	setTabTextColor	
LeftSide	iconSize	setTabToolTip	
RightSide	initStyleOption	setTabWhatsThis	
RoundedEast	insertTab	setTabsClosable	
RoundedNorth	isMovable	setUsesScrollButtons	
RoundedSouth	isTabEnabled	shape	
RoundedWest	minimumTabSizeHint	tabAt	
SelectLeftTab	moveTab	tabBarClicked	
SelectPreviousTab	removeTab	tabBarDoubleClicked	
SelectRightTab	selectionBehaviorOnRemove	tabButton	
SelectionBehavior	setAccessibleTabName	tabCloseRequested	
Shape	setAutoHide	tabData	
TriangularEast	setChangeCurrentOnDrag	tabIcon	
TriangularNorth	setCurrentIndex	tabInserted	
TriangularSouth	setDocumentMode	tabLayoutChange	
TriangularWest	setDrawBase	tabMoved	
__len__	setElideMode	tabRect	
accessibleTabName	setExpanding	tabRemoved	
addTab	setIconSize	tabSizeHint	
autoHide	setMovable	tabText	
changeCurrentOnDrag	setSelectionBehaviorOnRemove	tabTextColor	
count	setShape	tabToolTip	
currentChanged	setTabButton	tabWhatsThis	
currentIndex	setTabData	tabsClosable	
documentMode	setTabEnabled	usesScrollButtons	
drawBase	setTabIcon		
elideMode	setTabText		

QTabWidget			
East	currentWidget	setIconSize	tabBarClicked
North	documentMode	setMovable	tabBarDoubleClicked
Rounded	elideMode	setTabBar	tabCloseRequested
South	iconSize	setTabBarAutoHide	tabIcon
TabPosition	indexOf	setTabEnabled	tabInserted
TabShape	initStyleOption	setTabIcon	tabPosition
Triangular	insertTab	setTabPosition	tabRemoved
West	isMovable	setTabShape	tabShape
__len__	isTabEnabled	setTabText	tabText
addTab	removeTab	setTabToolTip	tabToolTip
clear	setCornerWidget	setTabWhatsThis	tabWhatsThis
cornerWidget	setCurrentIndex	setTabsClosable	tabsClosable
count	setCurrentWidget	setUsesScrollButtons	usesScrollButtons
currentChanged	setDocumentMode	tabBar	widget
currentIndex	setElideMode	tabBarAutoHide	

QToolBar			
actionAt	insertSeparator	setIconSize	
actionGeometry	insertWidget	setMovable	
actionTriggered	isAreaAllowed	setOrientation	
addSeparator	isFloatable	setToolButtonStyle	
addWidget	isFloating	toggleViewAction	
allowedAreas	isMovable	toolButtonStyle	
allowedAreasChanged	movableChanged	toolButtonStyleChanged	
clear	orientation	topLevelChanged	
iconSize	orientationChanged	visibilityChanged	# end
iconSizeChanged	setAllowedAreas	widgetForAction	# pg7
initStyleOption	setFloatable		# [415
			#- 483]

QSplashScreen
clearMessage
drawContents
finish
message
messageChanged
pixmap
setPixmap
showMessage

QStatusBar
addPermanentWidget
addWidget
clearMessage
currentMessage
hideOrShow
insertPermanentWidget
insertWidget
isSizeGripEnabled
messageChanged
reformat
removeWidget
setSizeGripEnabled
showMessage

QSplitterHandle
closestLegalPosition
moveSplitter
opaqueResize
orientation
setOrientation
splitter

QSizeGrip

QRubberBand
Line
Rectangle
Shape
initStyleOption
shape

QWizardPage		
buttonText	nextId	setSubTitle
cleanupPage	pixmap	setTitle
completeChanged	registerField	subTitle
field	setButtonText	title
initializePage	setCommitPage	validatePage
isCommitPage	setField	wizard
isComplete	setFinalPage	
isFinalPage	setPixmap	

End QWidget

the junk that vscode would let me paste side by side (like paper)
Ted Nelson said the PUI was a paper simulator, but it was dummed down paper:
Example: I cant write on this, I can't put two boxes next to each other, I can't even
move the cursor to the end of the line, which MS Dos's 16Bit Edit could do.

QFrame				QFocusFrame
Box	Shape	frameRect	setFrameRect	initStyleOption
HLine	Shape_Mask	frameShadow	setFrameShadow	setWidget
NoFrame	StyleMask	frameShape	setFrameShape	widget
Panel	StyledPanel	frameStyle	setFrameStyle	
Plain	Sunken	frameWidth	setLineWidth	
Raised	VLine	initStyleOption	setMidLineWidth	
Shadow	WinPanel	lineWidth		
Shadow_Mask	drawFrame	midLineWidth		

QDockWidget			
QDesktopWidget			
AllDockWidgetFeatures	initStyleOption	availableGeometry	
screenCount			
DockWidgetClosable	isAreaAllowed	isVirtualDesktop	
screenCountChanged			
DockWidgetFeature	isFloating	primaryScreen	
screenGeometry			
DockWidgetFeatures	setAllowedAreas	primaryScreenChanged	
screenNumber			
DockWidgetFloatable	setFeatures	resized	
workAreaResized			
DockWidgetMovable	setFloating		
screen			
DockWidgetVerticalTitleBar	setTitleBarWidget		
NoDockWidgetFeatures	setWidget		
allowedAreas	titleBarWidget		
allowedAreasChanged	toggleViewAction		
dockLocationChanged	topLevelChanged		
features	visibilityChanged		
featuresChanged	widget		

QAbstractSlider			
QAbstractSpinBox			
SliderAction	repeatAction	ButtonSymbols	
isReadOnly			
SliderChange	setInvertedAppearance	CorrectToNearestValue	
keyboardTracking			
SliderMove	setInvertedControls	CorrectToPreviousValue	
lineEdit			
SliderNoAction	setMaximum	CorrectionMode	
selectAll			
SliderOrientationChange	setMinimum	NoButtons	
setAccelerated			
SliderPageStepAdd	setOrientation	PlusMinus	
setAlignment			
SliderPageStepSub	setPageStep	StepDownEnabled	

	setButtonSymbols		
603	SliderRangeChange	setRange	StepEnabled
	setCorrectionMode		
604	SliderSingleStepAdd	setRepeatAction	StepEnabledFlag
	setFrame		
605	SliderSingleStepSub	setSingleStep	StepNone
	setGroupSeparatorShown		
606	SliderStepsChange	setSliderDown	StepUpEnabled
	setKeyboardTracking		
607	SliderToMaximum	setSliderPosition	UpDownArrows
	setLineEdit		
608	SliderToMinimum	setTracking	alignment
	setReadOnly		
609	SliderValueChange	setValue	buttonSymbols
	setSpecialValueText		
610	actionTriggered	singleStep	clear
	setWrapping		
611	hasTracking	sliderChange	correctionMode
	specialValueText		
612	invertedAppearance	sliderMoved	editingFinished
	stepBy		
613	invertedControls	sliderPosition	fixup
	stepDown		
614	isSliderDown	sliderPressed	hasAcceptableInput
	stepEnabled		
615	maximum	sliderReleased	hasFrame
	stepUp		
616	minimum	triggerAction	initStyleOption
	text		
617	orientation	value	interpretText
	validate		
618	pageStep	valueChanged	isAccelerated
	wrapping		
619	rangeChanged		
	isGroupSeparatorShown		
620			
621			
622			
623			