

NULL FUNCTIONS

- 1) Show all the employees with their salary, if salary is NULL, display 0

```
SELECT employees-id,  
       name,  
       department  
       IF NULL (salary, '0') AS salary-  
       with-default.
```

FROM Employees ;

employee-id	Name	department	Salary-with- default
1	Alice	HR	5000
2	Bob	IT	0
3	Charlie	NULL	7000
4	Dana	Finance	0

- 2) Show employee name with their department. If department is NULL show "Not Assigned".

```
SELECT employee-id,  
       name  
       IF NULL (department, 'Not Assigned') AS  
       department-name.
```

FROM Employees ;

employee-id	name	department-name
1	Alice	HR
2	Bob	IT
3	Charlie	NOT Assigned
4	Dana	Finance

3) Find orders with NULL customers_id using IS NULL()

```
SELECT order_id,  
       customer_id  
FROM Orders  
WHERE customer_id IS NULL;
```

Order_id	customers_id
103	NULL

A) Show all orders. if delivery_date is NULL, Show Pending

```
SELECT order_id,  
       customer_id  
IF NULL (delivery_date, 'Pending') AS delivery  
       Status
```

```
FROM Orders;
```

Order_id	Customer_id	delivery Status
101	201	2024-12-01
102	202	Pending
103	NULL	2024-12-03

5) Show all students and their grades. Replace NULL with 0

```
SELECT Student_id,  
       name  
IF NULL (grade, '0') AS Final_grade  
FROM Students;
```

Student-id	Name	Final grade
1	Ethan	85
2	Maya	0
3	Olivia	90

6) Count students who haven't been graded.

```
SELECT COUNT(*) AS not-graded-count
FROM Students
WHERE grade IS NULL
```

Not-graded-count 1

7) Show product name, price, and final price after discount (assume 0 if discount is NULL)

```
SELECT product-id,
       name,
       price IFNULL(discount, 0) AS final-
       price
FROM Products
```

Product-id	Name	Final-price
S01	Keyboard	25
S02	Mouse	10
S03	Monitor	100

(8) Count how many customers have no email

```
SELECT COUNT(*) AS missing-email-count
FROM Customers
WHERE email IS NULL
```

missing-email-count
2

a) Replace email with NO email

```
SELECT customer-id,
       name,
       IFNULL(email, 'No Email') AS email-display
FROM Customers
```

Customer-id	Name	email-display
1	Linda	No Email
2	Joseph	joseph@mail.com
3	Nia	No Email

10) Replace NULL payment method

```
SELECT payment-id,
       IFNULL(method, 'Unknown') AS method-display,
       Status
FROM Payments
```

payment-id	method-display	Status
301	Credit	NULL
302	PayPal	Success
303	Unknown	Failed

11) Replace Null quantity with 0

```
SELECT item-id,  
       item-name,  
       IFNULL(quantity, 0) AS quantity-checked
```

item-id	item-name	quantity-checked
1	Pen	0
2	Notebook	150
3	Graser	0

12) First available reward

```
SELECT emp-id,  
       COALESCE(bonus, commission) AS First-available-  
       reward  
FROM Employees - Extra
```

emp-id	First-available-reward
1	300
2	100
3	NULL

13) Count classes without proof

```
SELECT COUNT(*) AS no-room-count  
FROM Classes  
WHERE
```

no_Room-count
2

14) Replace Attendance Status

```
SELECT student-id,  
       date,  
       IF NULL (status, 'Not Marked') AS attendance-  
       Status  
FROM Attendance;
```

Student id	date	attendance - status
1	2025-04-01	Not Marked
2	2025-04-01	Present
3	2025-04-01	Absent.

15) Replace account type and balance

```
SELECT SELECT account-id,  
       IF NULL (account-type, 'Unknown') AS type-display,  
       IF NULL (Balance, 0) AS balance-checked  
FROM Bank - Accounts
```

Account-id	type-display	balance-checked
A 1	savings	0
A 2	current	5000
A 3	unknown	2000

16) Replace NULL start date

```
SELECT project-id,  
       title,  
       IFNULL (start-date, 'TBD') AS start-display  
FROM projects
```

project-id	title	start-display
1	Website Revamp	2025-01-10
2	Mobile App	TBD
3	Data Migration	TBD

17) Replace comment and rating

```
SELECT review-id,  
       product-id,  
       IFNULL (comment, 'No Comment') AS comment-  
       display  
       IFNULL (rating, 0) AS rating-display
```

Review-id	product-id	comment-display	rating-display
1	S001	Great Product	4
2	S002	No comment	0
3	S003	Works Fine	3

18) Use Coalesce for supplier contact

```
SELECT supplier-id,  
       name,  
       Coalesce (phone, alt-phone, 'No Contact') AS Contact  
       Number  
FROM Suppliers
```

Supplier - id	Name	Contact - Number
1	Global Goods	123456789
2	Best Supplies	987654321
3	Value Source	No Contact

11) Replace all NULL Settings

```
SELECT user-id,
IFNULL(theme, 'Light') AS theme-set,
IFNULL(Language, 'English') AS Language-set,
IFNULL(timezone, 'UTC') AS timezone-set
```

User - id	theme-set	Language-set	timezone-set
1	Light	English	UTC
2	Dark	English	UTC+1
3	Light	English	UTC

20) Replace NULL issue and technician

```
SELECT record-id,
machine-id,
IFNULL(issue, 'Unknown Issue') AS issue-log,
IFNULL(technician, 'Not Assigned') AS technician-name
FROM Maintenance
```

Record-id	Machine-id	issue-log	technician-name
1	M101	Overheating	Not Assigned
2	M102	Unknown Issue	Not Assigned
3	M103	Jammed	Alex