SER 321 B Session

SI Session

Sunday, November 24th 2024

7:00 pm - 8:00 pm MST

Agenda

- Assignment 5 Example Tracing
- Distributed Structure Review
- Consensus Review
- RAFT
- Peer to Peer

SI Session Expectations

Thanks for coming to the **SER 321** SI session. We have a packed agenda and we are going to try to get through as many of our planned example problems as possible. This session will be recorded and shared with others.

- If after this you want to see additional examples, please visit the drop-in tutoring center.
- We will post the link in the chat now and at the end of the session.
  - tutoring.asu.edu
- Please keep in mind we are recording this session and it will be made available for you to review 24-48 hours after this session concludes.
- Finally, please be respectful to each other during the session.

Interact with us:

Zoom Features

Zoom Chat

- Use the chat feature to interact with the presenter and respond to presenter's questions.
- Annotations are encouraged

SER 321
Assignment 5

How is Assignment 5 going?

Have we figured out our general structure?

SER 321

Assignment 5 Visualization

What does a ‘node’ represent in our structure?



SER 321

Assignment 5 Visualization

What does a ‘node’ represent in our structure?



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321

Assignment 5 Visualization

Let's depict the Example…



SER 321
Distributed Systems

Main and Worker

Peer to Peer

Which is which?



SER 321
Distributed Systems

Main and Worker

Peer to Peer

Which is which?

Peer to Peer





Main and Worker

What structure did we depict in the assign 5 example?

SER 321
Consensus

"General agreement or trust amongst a group"

Types of Consensus?



SER 321

RAFT

RAFT is a great consensus example!

Leader Election

Log Replication





The Secret Lives of Data is a different visualization of Raft. It's more guided and less interactive, so it may be a gentler starting point.

SER 321
Communication

Workers only do their task then report back



Main is in charge of everything

SER 321
Communication

How do we handle the client in a Peer to Peer system?



Request is sent to the *current leader*

or

Peer that received the request *acts as the leader*

SER 321
Communication

What about ***adding*** a Peer to the Cluster?



SER 321
Communication

What about ***adding*** a Peer to the Cluster?

Assuming we want to allow the peer to join…

Is that all?



SER 321
Communication

What about ***adding*** a Peer to the Cluster?

Assuming we want to allow the peer to join…

Three Additional Steps:

1.
2.
3.



SimplePeerToPeer

SER 321

Communication

Remember that the OS allocates a new port for the client socket!

Run With:

```
gradle runPeer --args "Name Port"
```





We are going to take a closer look at the code in a moment!




```
gradle runPeer --args "Peer8000 8000"
```

SimplePeerToPeer

SER 321
Communication

```
gradle runPeer --args "Peer7000 7000"
```

```
> Task :runPeer
Hello Peer7000 and welcome! Your port will be 7000
> Who do you want to listen to? Enter host:port
<==========----> 75% EXECUTING [21s]
> :runPeer
```








```
gradle runPeer --args "Peer8000 8000"
```

```
> Task :runPeer
Hello Peer8000 and welcome! Your port will be 8000
> Who do you want to listen to? Enter host:port
<==========----> 75% EXECUTING [21s]
> :runPeer
```

SimplePeerToPeer

SER 321
Communication

```
gradle runPeer --args "Peer7000 7000"
```

```
> Task :runPeer
Hello Peer7000 and welcome! Your port will be 7000
> Who do you want to listen to? Enter host:port
<==========----> 75% EXECUTING [21s]
> :runPeer
```








```
> Task :runPeer
Hello Peer8000 and welcome! Your port will be 8000
> Who do you want to listen to? Enter host:port
<<===<==<<==<=<==========----> 75% EXECUTING [1m 56s]
> You can now start chatting (exit to exit)
<==========----> 75% EXECUTING [2m 3s]
> :runPeer
```

SimplePeerToPeer

SER 321
Communication

What will happen?

```
> Task :runPeer
Hello Peer7000 and welcome! Your port will be 7000
> Who do you want to listen to? Enter host:port
<==========----> 75% EXECUTING [21s]
> :runPeer
```

```
> Task :runPeer
Hello Peer8000 and welcome! Your port will be 8000
> Who do you want to listen to? Enter host:port
<<===<==<<==<=<==========----> 75% EXECUTING [1m 56s]
> You can now start chatting (exit to exit)
<<<==<=<==========----> 75% EXECUTING [3m 33s]
<==========----> 75% EXECUTING [3m 37s]
hi 7000
```

```
PS C:\ASU\SER321\examples_repo\ser321examples\Sockets\S
Starting a Gradle Daemon, 1 busy and 1 stopped Daemons
```

```
> Task :runPeer
Hello Peer7000 and welcome! Your port will be 7000
> Who do you want to listen to? Enter host:port
<==========----> 75% EXECUTING [2m 48s]
> :runPeer
```

Why?






```
> Task :runPeer
Hello Peer8000 and welcome! Your port will be 8000
> Who do you want to listen to? Enter host:port
<<===<==<<==<=<==========----> 75% EXECUTING [1m 56s]
> You can now start chatting (exit to exit)
<<<==<=<==========----> 75% EXECUTING [3m 13s]
> :runPeer
hi 7000
```

SER 321
Communication

```
> Task :runPeer
Hello Peer7000 a
> Who do you wan
<=<====<==<===<=
> :runPeer
localhost:8000
```

```
> Task :runPeer
Hello Peer8000 and welcome! Your port will be 8000
> Who do you want to listen to? Enter host:port
<===<<====<=<=<==========----> 75% EXECUTING [3m 4s]
> You can now start chatting (exit to exit)
[Peer7000]: Hi Peer8000!
<==========----> 75% EXECUTING [4m 4s]
> :runPeer
```




```
PS C:\ASU\SER321\examples_repo\ser321examples\Sockets\
```

```
> Task :runPeer
Hello Peer7000 and welcome! Your port will be 7000
> Who do you want to listen to? Enter host:port
<=<====<==<===<==========----> 75% EXECUTING [3m 43s]
> You can now start chatting (exit to exit)
<<<=<===<==<<==========----> 75% EXECUTING [3m 58s]
<==========----> 75% EXECUTING [4m 1s]
Hi Peer8000!
```

SER 321
Communication

```
> Task :runPeer
Hello Peer7000 and welcome! Your port will be 7000
> Who do you want to listen to? Enter host:port
<=<====<==<===<----------> 75% EXECUTING [3m 22s]
> :runPeer
localhost:8000
```



Let's take a closer look at the Code!

What shape represents the **ClientThread?**

```
> Task :runPeer
Hello Peer8000 and welcome! Your port will be 8000
> Who do you want to listen to? Enter host:port
<<===<==<<==<=<----------> 75% EXECUTING [1m 56s]
> You can now start chatting (exit to exit)
<----------> 75% EXECUTING [2m 3s]
> :runPeer
```

SimplePeerToPeer

SER 321
Communication

```java
public static void main (String[] args) throws Exception {

    BufferedReader bufferedReader = new BufferedReader(new InputStreamReader(System.in));
    String username = args[0];
    System.out.println("Hello " + username + " and welcome! Your port will be " + args[1]);

    // starting the Server Thread, which waits for other peers to want to connect
    ServerThread serverThread = new ServerThread(args[1]);
    serverThread.start();
    Peer peer = new Peer(bufferedReader, args[0], serverThread);
    peer.updateListenToPeers();
```

ServerThread

Peer

```java
public class ServerThread extends Thread{
    2 usages
    private ServerSocket serverSocket;
    2 usages
    private Set<Socket> listeningSockets = new HashSet<~>();

    1 usage
    public ServerThread(String portNum) throws IOException {
        serverSocket = new ServerSocket(Integer.valueOf(portNum));
    }

    Starting the thread, we are waiting for clients wanting to talk to us, then save the socket in a list
    public void run() {
        try {
            while (true) {
                Socket sock = serverSocket.accept();
                listeningSockets.add(sock);
            }
        } catch (Exception e) {...}
    }

    Sending the message to the OutputStream for each socket that we saved
    1 usage
    void sendMessage(String message) {
        try {
            for (Socket s : listeningSockets) {
                PrintWriter out = new PrintWriter(s.getOutputStream(), true);
                out.println(message);
            }
        } catch(Exception e) {...}
    }
}
```

ClientThread

```java
public class ClientThread extends Thread {
    2 usages
    private BufferedReader bufferedReader;

    1 usage
    public ClientThread(Socket socket) throws IOException {
        bufferedReader = new BufferedReader(new InputStreamReader(socket.getInputStream()));
    }
    public void run() {
        while (true) {
            try {
                JSONObject json = new JSONObject(bufferedReader.readLine());
                System.out.println("[" + json.getString("username")+"]: " + json.getString("message"));
            } catch (Exception e) {...}
        }
    }
}
```

SimplePeerToPeer

SER 321
Communication

```
public static void main (String[] args) throws Exception {

    BufferedReader bufferedReader = new BufferedReader(new InputStreamReader(System.in));
    Strin
    Syste

    // st
```

```
public class ClientThread extends Thread {
    2 usages
    private BufferedReader bufferedReader;

    1 usage
    public ClientThread(Socket socket) throws IOException {
        bufferedReader = new BufferedReader
            (new InputStreamReader(socket.getInputStream()));
    }
    public void run() {
        while (true) {
            try {
                JSONObject json =
                    new JSONObject(bufferedReader.readLine());
                System.out.println
                    ("[" + json.getString("username")+"]: "
                        + json.getString("message"));
            } catch (Exception e) {...}
        }
    }
}
```

ClientThread

```
public void updateListenToPeers() throws Exception {
    System.out.println("> Who do you want to listen to? Enter host:port");
    String input = bufferedReader.readLine();
    String[] setupValue = input.split(" ");
    for (int i = 0; i < setupValue.length; i++) {
        String[] address = setupValue[i].split(":");
        Socket socket = null;
        try {
            socket = new Socket(address[0], Integer.valueOf(address[1]));
            new ClientThread(socket).start();
        } catch (Exception c) {
            if (socket != null) {
                socket.close();
            } else {
                System.out.println("Cannot connect, wrong input");
                System.out.println("Exiting: I know really user friendly");
                System.exit(0);
            }
        }
    }
    askForInput();
```

Peer.updateListenToPeers

SER 321

Scratch Space

Upcoming Events

SI Sessions:

- Tuesday, November 26th at 10:00 am MST
- ~~Thursday, November 28th at 7:00 pm MST~~ **CANCELLED - Happy Thanksgiving!**
- Sunday, December 1st at 7:00 pm MST - **2 hour Review Session**
- Tuesday, December 3rd at 10:00 am MST - **Q&A Session**

Review Sessions:

- Sunday, December 1st at 7:00 pm MST - **2 hour Review Session**
- Tuesday, December 3rd at 10:00 am MST - **Q&A Session**

Questions?

Survey:

https://asuasn.info/ASNSurvey

42

More Questions?

Check out our other resources!

tutoring.asu.edu



1. **Click on ‘Go to Zoom’ to log onto our Online Tutoring Center.**
2. **Click on ‘View the tutoring schedule’ to see when tutors are available for specific courses.**

More Questions?

Check out our other resources!

tutoring.asu.edu/online-study-hub







Don't forget to check out the Online Study Hub for additional resources!

Expanded Writing Support Available

Including Grammarly for Education, at no cost!



tutoring.asu.edu/expanded-writing-support

*Available slots for this pilot are limited

Additional Resources

- Course Repo
- Gradle Documentation
- GitHub SSH Help
- Linux Man Pages
- OSI Interactive
- MDN HTTP Docs
  - Requests
  - Responses
- JSON Guide
- org.json Docs
- javax.swing package API
- Swing Tutorials
- Dining Philosophers Interactive
- Austin G Walters Traffic Comparison
- RAFT