SER 321 B Session

SI Session

Monday, April 8th 2024

7:00 pm - 8:00 pm MST

Agenda

Protocol Buffer Speed-Run

Threads!

- Review Pitfalls
- Threading Examples
- Concurrency Constructs

SI Session Expectations

Thanks for coming to the **SER 321** SI session. We have a packed agenda and we are going to try to get through as many of our planned example problems as possible. This session will be recorded and shared with others.

- If after this you want to see additional examples, please visit the drop-in tutoring center.
- We will post the link in the chat now and at the end of the session.
  - tutoring.asu.edu
- Please keep in mind we are recording this session and it will be made available for you to review 24-48 hours after this session concludes.
- Finally, please be respectful to each other during the session.

Interact with us:

Zoom Features

Zoom Chat

- Use the chat feature to interact with the presenter and respond to presenter's questions.
- Annotations are encouraged

SER 321
Protocol Buffers

How do we feel about Protocol Buffers?

SER 321
Threading Pitfalls

Check out the recording for the solution!

Starvation	A thread is only able to acquire some of the resources it needs
Deadlock	More than one thread accesses a single resource at the same time
Race Condition	A thread never gains access to the resource it needs

SER 321
Threading Pitfalls

What's the difference?

Starvation

A thread never gains access to the resource it needs

vs.

Deadlock

A thread is only able to acquire some of the resources it needs

Check out the recording for the solution!

NetworkDeadlock

SER 321
Threading Pitfalls

As the project name implies, we encounter a ***deadlock***.

But what happened?

Client

```
class SockClient {
    public static void main (String args[]) throws Exception {
        Socket      sock = new Socket( host: "localhost",  port: 8888);    //Any IP name

        ObjectInputStream in = new ObjectInputStream(sock.getInputStream());
        ObjectOutputStream out = new ObjectOutputStream(sock.getOutputStream());

        String s = (String) in.readObject();
        out.writeObject("Back at you");

        in.close();
        out.close();
        sock.close();
    }
}
```

Server

```
class SockServer {
    public static void main (String args[]) throws Exception {

        int count = 0;
        ServerSocket    serv = new ServerSocket( port: 8888);

        Socket sock = serv.accept();

        ObjectInputStream in = new ObjectInputStream(sock.getInputStream());
        ObjectOutputStream out = new ObjectOutputStream(sock.getOutputStream());

        String s = (String) in.readObject();
        System.out.println("Received " + s);
        out.writeObject("Back at you");
        System.out.println("Received " + s);

        in.close();
        out.close();
        sock.close();
    }
```

Check out the recording for the discussion!

```
PS C:\ASU\SER321\examples_repo\ser321examples\Threads\NetworkDeadlock> gradle
server
<=========----> 75% EXECUTING [1m 33s]
> :server
```

```
PS C:\ASU\SER321\examples_repo\ser321examples\Threads\NetworkDeadlock> gradle
client
Starting a Gradle Daemon, 1 busy and 1 stopped Daemons could not be reused, us
e --status for details
<=========----> 75% EXECUTING [53s]
> :client
```

JavaThreadSock

SER 321

Threads

```
public void run() {
  try {
    // setup read/write channels for connection
    ObjectInputStream in = new ObjectInputStream(conn.getInputStream());
    ObjectOutputStream out = new ObjectOutputStream(conn.getOutputStream());

    // read the digit being send
    String s = (String) in.readObject();
    int index;
    // while client hasn't ended
    while (!s.equals("end")) {
      Boolean validInput = true;

      // checks if input only contains digits
      if (!s.matches( expr: "\\d+")) {
        validInput = false;
        out.writeObject("Not a number: https://qph.is/2yDymkn");
      }
      // if it contains only numbers
      if (validInput) {
        // convert to an integer
        index = Integer.valueOf(s);
        System.out.println("From client " + id + " get string " + index);
        if (index > -1 & index < buf.length) {
          // if valid, pull the line from the buffer array above and write it to socket
          out.writeObject(buf[index]);
        } else if (index == 5) {
          // fun surprise for mostly correct
          out.writeObject("Close but out of range: https://youtu.be/dQw4w9WgXcQ");
        } else {
          // really wrong
          out.writeObject("index out of range");
        }
      }
      //  wait for next token from the user
      s = (String) in.readObject();
    }
    // on close, clean up
    System.out.println("Client " + id + " closed connection.");
    in.close();
    out.close();
    conn.close();
  } catch (Exception e) {
    e.printStackTrace();
  }
}
```

Client A

Server

```
public static void main(String args[]) throws IOException {
  Socket sock = null;
  int id = 0;
  try {
    if (args.length != 1) {
      System.out.println
          ("Usage: gradle ThreadedSockServer --args=<port num>");
      System.exit( code: 0);
    }
    int portNo = Integer.parseInt(args[0]);
    if (portNo <= 1024)
      portNo = 8888;
    ServerSocket serv = new ServerSocket(portNo);

    while (true) {
      System.out.println
          ("Threaded server waiting for connects on port " + portNo);
      sock = serv.accept();
      System.out.println
          ("Threaded server connected to client-" + id);
      // create thread
      ThreadedSockServer myServerThread =
          new ThreadedSockServer(sock, id++);
      // run thread and don't care about managing it
      myServerThread.start();
    }
  } catch (Exception e) {
    e.printStackTrace();
  } finally {
    if (sock != null) sock.close();
  }
```

Check out the recording for the discussion!

JavaThreadSock

SER 321

Threads

```
public void run() {
  try {
    // setup read/write channels for connection
    ObjectInputStream in = new ObjectInputStream(conn.getInputStream());
    ObjectOutputStream out = new ObjectOutputStream(conn.getOutputStream

    // read the digit being send
    String s = (String) in.readObject();
    int index;
    // while client hasn't ended
    while (!s.equals("end")) {
      Boolean validInput = true;

      // checks if input only contains digits
      if (!s.matches( expr: "\\d+")) {
        validInput = false;
        out.writeObject("Not a number: https://gph.is/2yDymkn");
      }
      // if it contains only numbers
      if (validInput) {
        // convert to an integer
        index = Integer.valueOf(s);
        System.out.println("From client " + id + " get string " + index);
        if (index > -1 & index < buf.length) {
          // if valid, pull the line from the buffer array above and write it to socket
          out.writeObject(buf[index]);
        } else if (index == 5) {
          // fun surprise for mostly correct
          out.writeObject("Close but out of range: https://youtu.be/dQw4w9WgXcQ");
        } else {
          // really wrong
          out.writeObject("index out of range");
        }
      }
      //  wait for next token from the user
      s = (String) in.readObject();
    }
    // on close, clean up
    System.out.println("Client " + id + " closed connection.");
    in.close();
    out.close();
    conn.close();
  } catch (Exception e) {
    e.printStackTrace();
  }
}
```

Client A

Client B

Server

```
public static void main(String args[]) throws IOException {
  Socket sock = null;
  int id = 0;
  try {
    if (args.length != 1) {
      System.out.println
          ("Usage: gradle ThreadedSockServer --args=<port num>");
      System.exit( code: 0);
    }
    int portNo = Integer.parseInt(args[0]);
    if (portNo <= 1024)
      portNo = 8888;
    ServerSocket serv = new ServerSocket(portNo);

    while (true) {
      System.out.println
          ("Threaded server waiting for connects on port " + portNo);
      sock = serv.accept();
      System.out.println
          ("Threaded server connected to client-" + id);
      // create thread
      ThreadedSockServer myServerThread =
          new ThreadedSockServer(sock, id++);
      // run thread and don't care about managing it
      myServerThread.start();
    }
  } catch (Exception e) {
    e.printStackTrace();
  } finally {
    if (sock != null) sock.close();
  }
```

Check out the recording for the discussion!

SER 321

Concurrency Structures

Can we name some concurrency structures?

Check out the recording for the discussion!

SER 321

Scratch Space

Questions?

Survey:

http://bit.ly/ASN2324

13

Upcoming Events

SI Sessions:

- Thursday, April 11th at 7:00 pm MST
- Sunday, April 14th at 7:00 pm MST
- Monday, April 15th at 7:00 pm MST

Review Sessions:

- Sunday, April 21st at 7:00 pm MST
- **Thursday, April 25th Session is *cancelled***

More Questions?

Check out our other resources!

tutoring.asu.edu



1. **Click on ‘Go to Zoom’ to log onto our Online Tutoring Center.**
2. **Click on ‘View the tutoring schedule’ to see when tutors are available for specific courses.**

More Questions?

Check out our other resources!

tutoring.asu.edu/online-study-hub







Don't forget to check out the Online Study Hub for additional resources!

Expanded Writing Support Available

Including Grammarly for Education, at no cost!



tutoring.asu.edu/expanded-writing-support

*Available slots for this pilot are limited

Additional Resources

- Course Repo
- Gradle Documentation
- GitHub SSH Help
- Linux Man Pages
- OSI Interactive
- MDN HTTP Docs
  - Requests
  - Responses
- JSON Guide
- org.json Docs
- javax.swing package API
- Swing Tutorials
- Dining Philosophers Interactive
- Austin G Walters Traffic Comparison