SER 321 B Session

SI Session

Thursday October 26th 2023

7:00 - 8:00 pm MST

Agenda

Client Socket

Assignment 3.1 - Protocol

Assignment 3 GUI

SI Session Expectations

Thanks for coming to the **SER 321** SI session. We have a packed agenda and we are going to try to get through as many of our planned example problems as possible. This session will be recorded and shared with others.

- If after this you want to see additional examples, please visit the drop-in tutoring center.
- We will post the link in the chat now and at the end of the session.
  - tutoring.asu.edu
- Please keep in mind we are recording this session and it will be made available for you to review 24-48 hours after this session concludes.
- Finally, please be respectful to each other during the session.

Interact with us:

Zoom Features

Zoom Chat

- Use the chat feature to interact with the presenter and respond to presenter's questions.
- Annotations are encouraged

SER 321
Client Socket

Remember that the OS will dynamically allocate a new port for the Client Socket!



Let's look at the print statements added to the Echo_Java code

SER 321
Client Socket

Client or Server?

```
String host = args[0];
Socket server = new Socket(host, port);
System.out.println("Connected to server at " + host + ":" + port);
System.out.println("Values of the Socket Object for the Server:");
System.out.println("Host: " + server.getLocalAddress());
System.out.println("Remote Port: " + server.getPort());
System.out.println("Local Port: " + server.getLocalPort());
```

Let's look at the print statements added to the Echo_Java code

SER 321

Client Socket

Client or Server?

```
ServerSocket sock = new ServerSocket(port);
System.out.println("Server ready for connections");
System.out.println("Server is listening on port: " + port);
System.out.println("-----");
System.out.println("Values of the ServerSocket Object:");
System.out.println("Inet Address: " + sock.getInetAddress());
System.out.println("Local Port: " + sock.getLocalPort());
```

```
nection");
clientSock = sock.accept(); // blocking wait
PrintWriter out = new PrintWriter(clientSock.getOutputStream(), autoFlush: true);
InputStream input = clientSock.getInputStream();
System.out.println("Server connected to client");
System.out.println("-----");
System.out.println("Values of the Client Socket Object after Connection:");
System.out.println("Inet Address: " + clientSock.getInetAddress());
System.out.println("Local Address: " + clientSock.getLocalAddress());
System.out.println("Local Port: " + clientSock.getLocalPort());
System.out.println("Allocated Client Socket (Remote Port): " + clientSock.getPort());
```

Let's look at the print statements added to the Echo_Java code

SER 321

Client Socket

Client or Server?

```
PS C:\ASU\SER321\examples_repo\ser321examples\Sockets\
Starting a Gradle Daemon (subsequent builds will be fa

> Task :runServer
Server ready for connections
Server is listening on port: 9099
-----
Values of the ServerSocket Object:
Inet Address: 0.0.0.0/0.0.0.0
Local Port: 9099
Server waiting for a connection
Server connected to client
-----
Values of the Client Socket Object after Connection:
Inet Address: /127.0.0.1
Local Address: /127.0.0.1
Local Port: 9099
Allocated Client Socket (Remote Port): 14096
<==========----> 75% EXECUTING [1m 9s]
> :runServer
```

```
Windows PowerShell

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights re

Install the latest PowerShell for new features and

PS C:\ASU\SER321\examples_repo\ser321examples\Sock
Starting a Gradle Daemon, 1 busy Daemon could not

> Task :runClient
Connected to server at localhost:9099
Values of the Socket Object for the Server:
Host: /127.0.0.1
Remote Port: 9099
Local Port: 14096
String to send>
<==========----> 75% EXECUTING [42s]
> :runClient
```

SER 321
Client Socket

```
Values of the Client Socket Object after Connection:
Inet Address: /127.0.0.1
Local Address: /127.0.0.1
Local Port: 9099
Allocated Client Socket (Remote Port): 14096
```



SER 321
Client Socket

```
Values of the Client Socket Object after Connection:
Inet Address: /127.0.0.1
Local Address: /127.0.0.1
Local Port: 9099
Allocated Client Socket (Remote Port): 14096
```



SER 321
Client Socket

```
Values of the Client Socket Object after Connection:
Inet Address: /127.0.0.1
Local Address: /127.0.0.1
Local Port: 9099
Allocated Client Socket (Remote Port): 14096
```



Why can't we stay like this?

SER 321
Client Socket

```
Values of the Client Socket Object after Connection:
Inet Address: /127.0.0.1
Local Address: /127.0.0.1
Local Port: 9099
Allocated Client Socket (Remote Port): 14096
```



Why can't we stay like this?

SER 321
Client Socket

```
Values of the Client Socket Object after Connection:
Inet Address: /127.0.0.1
Local Address: /127.0.0.1
Local Port: 9099
Allocated Client Socket (Remote Port): 14096
```



SER 321
Client Socket

```
Values of the Client Socket Object after Connection:
Inet Address: /127.0.0.1
Local Address: /127.0.0.1
Local Port: 9099
Allocated Client Socket (Remote Port): 14096
```



SER 321

Working with Sockets

So the connection is established, now what?

Need to get the Input and Output streams!

Read **from** server

Write **to** server

```
String host = args[0];
Socket server = new Socket(host, port);
System.out.println("Connected to server at " + host + ":" + port);
InputStream input = server.getInputStream();
OutputStream output = server.getOutputStream();
BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
```

Read from console

```
standardInput = System.in
```

Need this in your gradle task if you want to read from the console!

SER 321
Assignment 3 Part 1

Play around with the code first! Want to be familiar with it before you start!

Make sure your server is **robust**!

Does not crash!

Handles bad input

Handles client disconnect

Do we have questions on how to go about making the server robust?

Keep the protocol handy at all times!

If you don't follow the protocol, the system won't know what you are talking about!

SER 321
Assignment 3 Part 2

Let's review swing a bit before we dive in…

Panel

Panels hold the content that is displayed! You will put objects like buttons, pictures, and other panels, inside an external panel.



SER 321
Assignment 3 Part 2

Let's review swing a bit before we dive in…

Objects

Buttons, Text,
Labels, Pictures

For Images we will use an *ImageIcon*. The others prepend a *J* to the object name - *JButton, JTextArea, JLabel, etc.*



SER 321

Assignment 3 Part 2

Let's take a quick peek at the UI in Assignment 3 Part 2

PicturePanel

OutputPanel




```
try {
    picturePanel.insertImage( fname: "img/hi.png",  row: 0,  col: 0); // hard coded to open this image
    // -- image (not path) should be read from server message
} catch (Exception e){
    System.out.println(e);
}
```

SER 321

Assignment 3 Part 2

Let's take a quick peek at the UI in Assignment 3 Part 2

PicturePanel

OutputPanel




```
String string = this.bufferedReader.readLine(); // wait for answer
JSONObject json = new JSONObject(string); // assumes answer is a JSON
outputPanel.appendOutput(json.getString( key: "value")); // write output value to output panel
```

SER 321
Assignment 3 Part 2



Picture Panel has *two* methods of updating the displayed image already!

```
Insert an image at position at (col, row)
Params: fname – - filename of image to display
        row – - image box row
        col – - image box column
Returns: true if image was found and set, false otherwise
Throws: IOException – - File error
        PicturePanel.InvalidCoordinateException – - Invalid coordinate attempted
1 usage
public boolean insertImage(String fname, int row, int col) throws IOException, InvalidCoordinateException {...}

Insert an image at position at (col, row)
Params: image – - filename of image to display
        row – - image box row
        col – - image box column
Returns: true if image was found and set, false otherwise
Throws: IOException – - File error
        PicturePanel.InvalidCoordinateException – - Invalid coordinate attempted
no usages
public void insertImage(ByteArrayInputStream image, int row, int col) throws IOException, InvalidCoordinateException {...}
```

SER 321

Assignment 3 Part 2

Let’s take a quick peek at the UI in Assignment 3 Part 2

```
public void submitClicked()
```

Let’s take a closer look together!

Questions?

Survey:

https://bit.ly/asn_survey

23

Upcoming Events

SI Sessions:

- Sunday, October 29th 2023 at 7:00 pm MST
- Monday, October 30th 2023 at 4:00 pm MST
- Thursday, November 2nd, 2023 at 7:00 pm MST

Review Sessions:

- TBD

More Questions?

Check out our other resources!

tutoring.asu.edu



1. **Click on ‘Go to Zoom’ to log onto our Online Tutoring Center.**
2. **Click on ‘View the tutoring schedule’ to see when tutors are available for specific courses.**

More Questions?

Check out our other resources!

tutoring.asu.edu/online-study-hub







Don't forget to check out the Online Study Hub for additional resources!

Additional Resources

CoureRepo