

ATLIQ MEDIA · CODEBASICS RPC #21

Tamil Nadu Assembly Election 2026

AtliQ Media — Neutral Election Briefing

DASHBOARD REUSE GUIDE

ECI public data only · 234 constituencies · 2021 vs 2026

Generated: May 28, 2026 · Descriptive analysis · No predictions, no causal claims

Dashboard Reuse Guide

Reusing the dashboard for another election

What is reusable today

Layer	Reusable?	How
Pipeline	Yes	<code>scripts/build_processed_data.py</code> + <code>src/metrics.py</code> — swap CSVs in <code>data/raw/</code> , keep <code>ac_number</code> join
Advanced metrics	Yes	<code>src/advanced_metrics.py</code> — ENP, Pedersen, Gallagher LSq, swing, anti-incumbency, race competitiveness all compute generically from any two-election dataset with normalized parties
API	Yes	FastAPI reads <code>data/processed/*.csv</code> — logic is not TN-specific; new <code>/api/advanced/*</code> endpoints follow the same pattern
React app	Mostly	Party colors in <code>web/src/lib/colors.ts</code> ; copy in page components; metadata in <code>config/election.json</code>
Deep insights page	Yes	<code>web/src/pages/DeepInsights.tsx</code> is data-driven — only the glossary block carries jurisdiction-neutral copy
Maps	Partial	TN district GeoJSON + <code>district_to_geo.json</code> — replace for other states
Insights text	Generated	<code>api/services.py</code> <code>get_insights()</code> and <code>_deep_bullets()</code> — recomputed from processed tables

What is NOT in the starter pack (cannot add without new data)

- Polling **booth**-level results
- Voter **age** / demographic tables
- **2026 turnout** (blank in provided CSV; 2021 turnout used on Ballots & turnout page)

Steps for another state or India-wide (next cycle)

1. **Prepare ECI CSVs** with the same logical columns: `ac_number`, `candidate`, `party`, `votes`, `constituency`, optional `turnout`, `region`, `reserved`.
2. Copy files into `data/raw/` (or update paths in `config/election.json`).

3. Build `data/processed/party_normalize.csv` for new party label variants.

4. Run:

```
source .venv/bin/activate
python scripts/build_processed_data.py
python scripts/build_district_map_geo.py # after adding GeoJSON + district_to_geo.json
```

5. Update `web/src/lib/colors.ts` for any new major parties.

6. Replace `web/public/geo/tn_districts_map.geojson` (or add a state-specific map component).

7. Start API + web:

```
uvicorn api.main:app --reload --port 8000
cd web && npm run dev
```

Config-driven UI

Feature	Status
Election metadata (<code>config/election.json</code>)	Done — jurisdiction, years, regions, file paths
<code>GET /api/meta</code>	Done — returns <code>election.json</code>
Dynamic titles from API in React	Partial — sidebar copy is still TN-specific
Upload CSV in browser	Not built — post-hackathon
Multi-state GeoJSON picker	Not built — one map per deployment

Research threads → dashboard pages (internal mapping)

Thread	Dashboard pages
Geographic patterns	Geography, Statewide mosaic
Seat flips	Seat flows, Statewide KPIs
Vote share / new entrant	Statewide, Explorer
Reserved seats	Reserved
Turnout	Ballots & turnout (2021 only in starter data)
Margins / fragmentation	Margins, Statewide KPIs
Electoral arithmetic (extra)	Deep insights — ENP, Pedersen, Gallagher, swing heatmap

Insights panels use `/api/insights?year=` — bullets only, keyed by page (`overview`, `flows`, `margins`, `deep`, etc.).

Advanced metric endpoints (regenerated automatically)

All `/api/advanced/*` endpoints read from CSVs written by `src/advanced_metrics.build_advanced_tables`:

- `/api/advanced/summary` — ENP / Pedersen / Gallagher / incumbent-loss headline indices
- `/api/advanced/enp-by-region`
- `/api/advanced/pedersen-by-region`
- `/api/advanced/swing-by-region` (party × region matrix)
- `/api/advanced/anti-incumbency`
- `/api/advanced/representation-gap` (vote share vs seat share)
- `/api/advanced/district-flips`
- `/api/advanced/bellwethers`
- `/api/advanced/race-types`

All require: (a) normalized party labels, (b) `ac_comparison.csv` joined across two elections, (c) `region` and `reserved` columns from the master.