
	CATHOLIC HIGH S	CHOOL 2020 – UPF	PER INTERSCHOOL	. 0 110	<
	3 1 1	ANA =	$\frac{1}{2} + \frac{1}{12} + \frac{3}{12} = \frac{1}{12}$ nmon fraction.	E 13/ 60	65
	$\frac{1}{2} + \frac{1}{2} + \frac{1}{2}$	1600	. 12	12 17 47	
/ 1.	Simplify: $\frac{2}{3} \cdot \frac{3}{4}$. Express	your answer as a cor	nmon fraction.	(/	4
(/	$\frac{1}{2} + \frac{1}{2} + \frac{1}{2} = 6$, vi 3	12) 13 12) 13 12 13		
	3 4 5	+ 12 + 12 /	13 /	10	
19	20 15 .12	100	12/ 13 200	2 - 100	
	60 60 600 de la	- 47	47. 11	7-194	
	100 m	60	-0410		
12	(60		1520120 30	12340	M
2.	What is the result when Ellen s	tarts with the integer	123,456 and performs	the following	130
	sequence of operations: subtract	at 6, divide by 10, su	btract 5, divide by 10, s	ubtract 4,	2 4
	divide by 10, subtract 3, divide	by 10, subtract 2, di	vide by 10?	+2	3.4
	11 611	6. 94 0. 694	12 4E/3		4 . 0
	11.44	o colu	12 5	1234	1904
	- 2.00	000	12345	123-4	2
	8 - 99			1 2	100
3.	Let $a = 1.234$, $b = 2.34$, and c	= 3.4. Round the st	a + b + c to the near	est hundredth.	10
	1009mog-1101				
	1.234 .	, 0	ערו		
	42,34	60	1 1 1	145	
	0 4				
	6 974	(rp. a		
4.	The graph shows the weight in	pounds of an average	e Atlantic cod given its	age in years.	
	How many years old is an aver				
			to the second second		
	Atlantic Cod				
	₹40 20	110			
	20	4			
100	g 10				
	E 0 2 4 6 8 10				
	9 0 2 4 6 8 10 Age in Years				
	8				
1					
10	\				
(\5.)	Mellie has 6 pairs of pants and				
	consists of a pair of pants and	이 회장 그는 그 집에 가장하는 아이들이 그렇게 하는 것이 되어 되었다.		nake now	
	compared to the number that sl	he could make befor	e this purchase?	80 1	7 S
				00	US
6.	Congruent segments are used t	o form equilateral tr	iangles in this sequence	so that each	

6. Congruent segments are used to form equilateral triangles in this sequence so that each figure contains one more triangle than the preceding figure. Figure 3 of the sequence is made with seven congruent segments. How many congruent segments must be used to make Figure 25 of the sequence?

Figure 1 Figure 3
Figure 2 Figure 4


7 8 4 10 11 12 13 14 15 16 17 18 19 20 51 42 23 24 25 26 21 28 29

It costs 2.5 cents to copy a page. How many pages can you copy for \$20? 7.



The counting numbers are written in a table with six columns so that in each successive 8. row the numbers alternate between increasing from left to right and increasing from right to left, as shown. What is the first number in the 15th row?

1	2	3	4	5	6
12	11	10	9	8	7
13	14	15	16	17	18
24	23	22	21	20	19
25					



Karina wrote the addition problem shown here on the board. However, one digit is 9. incorrect. When written correctly, the number containing the incorrect digit is what fourdigit integer?


Suppose that by using the spare tire on her car as much as she uses the other four tires, 10. Coleen drives the car 80,000 miles. What is the wear, in miles, on each tire?

5 / 20,000


11.


What integer is closest to the value of $\sqrt[3]{1000}$? $\sqrt[3]{6}$ 6 · 6 · 6 · 6 · 6 · 6 · 6 · $\sqrt[3]{216}$ $\sqrt[3]{6}$ $\sqrt[3]{6}$

A quarter-circle of radius 3 units is drawn at each of the vertices of a square with sides of 6 units. The area of the shaded region can be expressed in the form $a-b\pi$ square units, where a and b are both integers. What is the value of a+b?



12.







2-41=




The sequence \underline{A}_n is such that $a_n = 2a_{n-1} + 1$. If $a_6 = 191$ and $a_5 = 95$, what is the value 14. of a,?




A garden is laid out in the fashion shown in the diagram. If only the shaded isosceles 15. triangles are used for planting, what is the total area, in square feet, that is to be used for





Consider the rectangular region with the following points as vertices: 16.

How many points with integer coordinates will be strictly in the interior of this rectangular region?






When a number is multiplied by its multiplicative inverse, the answer is 1. Find the 17.



What is the mean of all three-digit numbers that can be created using each of the digits 1, 18. 2, and 3 exactly once?

					1		1-	Sec:	-
				1	1 1				
								h row and ex	
rom ea		lumn.	What		m of the four	r numbers t	hat prod	uce the least	possible
A Outic	N.E.			41					
3.0	5	7	14		14			29	
15	8	6	4		1.1				
2	9	10-	11		90.00	2			
13	12	15	e1		1				
335					3 0 0 00		2 25	22	
								me rate, how	
		ld it ta er.	-	The state of the s	a 4200-ft* la	awn? Expr	ess your	answer to the	e nearest
VIIOIC	Humb	J. 3	120	0.0	600	. 60		2000	4200
			-130	10	1	10 E	- 5	10 -	4 201 Find the
	156	00		78	10	3	200	175.4	9 201
				20			//	1.200	4 201
cigniv	4	ARRIVE -	lane	mlared to	m a lime and	Alana Alana	and the total	Const. C.	The date.
					ii di titito Datori	titut mit i	ar Jonnes	I face to face	. Find the
					n a line such ace area of th	titut mit i	ar Jonnes	I face to face	. Find the
					ii di titito Datori	titut mit i	ar Jonnes	I face to face	Find the
				the surfa	ii di titito Datori	titut mit i	ar Jonnes	I face to face	Find the
			units in	the surfa	ace area of th	e resulting	solid.	I face to face	Find the
			units in	the surfa	ace area of th	e resulting	solid.	8 8 8 E	5 1.8
numbe	r of so	quare t	units in	the surfa	t 85	resulting	solid.	11 8S	5 1 4
Seven	r of so	quare u	units in	the surfa	t 85	ne resulting	solid.		S 1 k
Seven	math le, so	studen	units in	the surfa	t 85	e resulting	solid.	1 8 Se cost as ever	5 nly as ow many
Seven	math le, so	studen	units in	the surfa	t 85	e resulting	solid.	1 8 Se cost as ever	5 nly as ow many
Seven	math le, so	studen	units in	the surfa	t 85	e resulting	solid.	1 8 Se cost as ever	5 nly as ow many
Seven	math le, so	studen	units in	the surfa	t 85	e resulting	solid.	1 8 Se cost as ever	5 nly as ow many
Seven	math le, so	studen	units in	the surfa	t 85	e resulting	solid.		5 nly as ow many
Seven	math le, so	studen some :	anits in	red \$15.0 s paid \$2 nount?	t 85 00 worth of 1 14 each, an	t SS t	solid.	1 8 Se cost as ever .15 each. Ho	5 nly as ow many
Seven possib studen	math le, so ts paid	studen some sid the le	anits in	the surfa 85 red \$15.0 s paid \$2 nount?	t 85	t SS t	solid.	1 8 Se cost as ever .15 each. Ho	5 nly as ow many
Seven possib studen Zan ha	math le, so ts paid	studentsome sid the letted the ber is	anits in the students esser and is rule for the more the more the students esser and the students essert e	red \$15.0 s paid \$2 pount? or general ss, double an 25, st	t 85 00 worth of 1 14 each, an 2 114 ating sequentle the number	the resulting	solid. 85 + y split the spaid \$2 2.14 5.70 3.30 le numb	th 85 1 85 1 1 85 e cost as ever .15 each. Ho	5 nly as ow many -15 2 2 - 3 0
Seven possib studen Zan ha If a	math le, so ts paid	studentsome side the letter is ber is e, if Za	anits in ts order students esser an is rule fr 25 or le more the more the m starts	red \$15.0 s paid \$2 nount?	ating sequentle the number of the sequentle the sequentle the number of the sequentle the sequentle the sequentle the sequentle the number of the sequentle the number of the sequentle the sequentle the sequentle the sequentle the sequentle the sequentle the number of the sequentle	pizza. The d the other om it.	y split the spaid \$2	1 8 S 1 8 S 1 1 8 S e cost as ever 15 each. Ho	sow many
Seven possib studen Zan ha If a	math le, so ts paid as crea a num a num ample er in Z	studentsome side the letter is ber is e, if Za an's s	anits in the students esser and the students esser and the starts equence the starts expected the s	red \$15.0 s paid \$2 nount?	ating sequentle the number of the she gets the what is the su	pizza. The d the other om it.	y split the spaid \$2	th 85 1 85 1 1 85 e cost as ever .15 each. Ho	sow many
Seven possib studen Zan ha If a	math le, so ts paid as crea a num a num ample er in Z	studentsome side the letter is ber is e, if Za an's s	is rule for the more than starts equence the more than the mo	red \$15.0 spaid \$2 nount?	ating sequence the number of the sequence?	the resulting	y split the spaid \$2	1 8 S 1 8 S 1 1 8 S e cost as ever 15 each. Ho	sow many
Seven possib studen Zan ha If a For ex number	math le, so ts paid as crea a num a num ample er in Z	studentsome side the letter is ber is e, if Za an's s	is rule for the more than starts equence the more than the mo	red \$15.0 spaid \$2 nount?	ating sequence the number of the sequence?	the resulting	y split the spaid \$2	1 8 S 1 8 S 1 1 8 S e cost as ever 15 each. Ho	sow many
Seven possib studen Zan ha If a	math le, so ts paid as crea a num a num ample er in Z	studentsome side the letter is ber is e, if Za an's s	is rule for the more than starts equence the more than the mo	red \$15.0 spaid \$2 nount?	ating sequentle the number of the she gets the what is the su	the resulting	y split the spaid \$2	1 8 S 1 8 S 1 1 8 S e cost as ever 15 each. Ho	sow many





29.

Find a number between 100 and 999 such that

- the sum of the digits is 12,
- . the hundreds digit equals the sum of the tens and units digit, and
- · one greater than the tens digit equals the hundreds digit.



27. Ben and Jerry each have a collection of toy animals. Ben collects only two-legged toy animals and Jerry collects only toy animals with four legs. Jerry has 10 more toy animals than Ben. There are 220 legs in their combined collections. How many toy animals does Jerry have?

Jerry have?

$$2 \times 4 \times -40$$

$$6 \times -40 = 200$$
28. If $\frac{3}{2-x} + \frac{2}{y+3} = 1$ and $\frac{2}{2-x} + \frac{8}{y+3} = 2$, what is the value of $\frac{4}{x^2}$?

$$\frac{6}{7-x} + \frac{4}{7-x} = 1 \frac{2}{x^2} + \frac{6}{y+3} = 1 \frac{2}{y+3} = 1 \frac{2}{x^2} + \frac{6}{y+3} = 1 \frac{2}{y+3} = 1 \frac{2}{$$

There are 12 red marbles and 12 black marbles in a jar. What is the least number of marbles that must be removed so that the ratio of red to black marbles remaining in the jar is 4 to 3?

Susie has 5Q+1 quarters, and Richard has Q+5 quarters. If they were to each exchange
their quarters for the same amounts of money in dimes, how many more dimes than
Richard would Susie have? Express your answer in terms of Q.