Device Analytics Report - Weekly

Generated: 2025-07-05 05:37:18 Period: Weekly Total Devices: 12 Data Points: 152

■ Alert Distribution Summary

Overall Alert Distribution

Battery Alerts (288)
Power Alerts (380)
Tamper Alerts (38)

8.9% 11.8%
1.2%

78.1%

Tissue Alerts (2516)

Battery Alert Breakdown

Critical (1-10%) (156) 54.2% 45.8% Low (11-20%) (132)

Tissue Alert Breakdown

Empty (268)

Low (466)

10.7%

18.5%

70.8%

Full (1782)

Device: D3 (Room 2, Floor 2)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W15	17	E:2 L:1 F:14	C:2 L:1 O:0	1	Off:1 No:5	56.8%	315
Week 2025-W16	18	E:3 L:4 F:11	C:1 L:3 O:0	1	Off:0 No:2	56.1%	284
Week 2025-W17	22	E:1 L:4 F:17	C:1 L:1 O:0	0	Off:0 No:3	69.0%	311
Week 2025-W18	19	E:2 L:3 F:14	C:1 L:0 O:0	0	Off:1 No:4	55.9%	345
Week 2025-W19	24	E:2 L:8 F:14	C:2 L:0 O:0	0	Off:0 No:4	57.4%	353
Week 2025-W20	23	E:1 L:7 F:15	C:0 L:2 O:0	2	Off:0 No:4	68.4%	323
Week 2025-W21	19	E:3 L:2 F:14	C:3 L:1 O:0	0	Off:0 No:5	55.6%	382
Week 2025-W22	22	E:1 L:1 F:20	C:0 L:1 O:0	0	Off:2 No:5	62.1%	329
Week 2025-W23	18	E:2 L:6 F:10	C:2 L:1 O:0	1	Off:0 No:2	69.7%	351
Week 2025-W24	24	E:2 L:3 F:19	C:0 L:1 O:0	0	Off:0 No:4	62.6%	326
Week 2025-W25	21	E:1 L:3 F:17	C:0 L:0 O:0	1	Off:0 No:2	72.6%	277
Week 2025-W26	22	E:2 L:1 F:19	C:2 L:0 O:0	0	Off:2 No:5	59.7%	343

■ *Battery Alert Details:*

- Week 2025-W15: BATTERY_LOW (18.0%) at 2025-04-13T20:35:07
- Week 2025-W15: BATTERY_CRITICAL (1.0%) at 2025-04-16T15:02:22
- Week 2025-W15: BATTERY_CRITICAL (1.8%) at 2025-04-17T18:34:32
- Week 2025-W16: BATTERY_LOW (13.2%) at 2025-04-24T09:05:15
- Week 2025-W16: BATTERY_CRITICAL (1.0%) at 2025-04-25T14:33:07

Device: f (Room 2, Floor 12)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W14	1	E:0 L:0 F:1	C:0 L:0 O:0	0	Off:0 No:0	71.0%	528
Week 2025-W15	17	E:5 L:4 F:8	C:1 L:0 O:0	0	Off:1 No:3	65.3%	264
Week 2025-W16	12	E:1 L:1 F:10	C:0 L:1 O:0	0	Off:0 No:3	60.9%	265
Week 2025-W17	11	E:0 L:2 F:9	C:0 L:0 O:0	0	Off:1 No:2	68.5%	315
Week 2025-W18	17	E:3 L:3 F:11	C:2 L:1 O:0	0	Off:0 No:0	55.7%	341
Week 2025-W19	14	E:2 L:2 F:10	C:2 L:1 O:0	0	Off:0 No:2	57.4%	355
Week 2025-W20	25	E:2 L:5 F:18	C:1 L:1 O:0	0	Off:0 No:4	65.7%	373
Week 2025-W21	15	E:0 L:3 F:12	C:2 L:1 O:0	1	Off:0 No:2	59.6%	318
Week 2025-W22	12	E:0 L:2 F:10	C:2 L:0 O:0	0	Off:1 No:1	62.9%	386
Week 2025-W23	13	E:2 L:4 F:7	C:0 L:0 O:0	0	Off:0 No:1	68.7%	313
Week 2025-W24	18	E:3 L:2 F:13	C:2 L:2 O:0	0	Off:0 No:1	57.3%	354
Week 2025-W25	21	E:2 L:3 F:16	C:0 L:0 O:0	0	Off:1 No:4	64.6%	340
Week 2025-W26	17	E:2 L:3 F:12	C:1 L:1 O:0	0	Off:0 No:2	55.9%	393

■ *Battery Alert Details:*

• Week 2025-W15: BATTERY_CRITICAL (1.0%) at 2025-04-13T15:16:08
• Week 2025-W16: BATTERY_LOW (15.9%) at 2025-04-22T18:51:35
• Week 2025-W18: BATTERY_LOW (10.3%) at 2025-05-07T07:29:12
• Week 2025-W18: BATTERY_CRITICAL (8.4%) at 2025-05-07T14:11:23
• Week 2025-W18: BATTERY_CRITICAL (3.7%) at 2025-05-09T15:26:09

Device: smartdispenser (Room 2, Floor 0)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W14	3	E:0 L:1 F:2	C:0 L:0 O:0	0	Off:0 No:0	58.4%	288
Week 2025-W15	13	E:1 L:3 F:9	C:1 L:2 O:0	0	Off:1 No:1	53.6%	373
Week 2025-W16	20	E:0 L:3 F:17	C:0 L:1 O:0	0	Off:0 No:3	57.8%	291
Week 2025-W17	16	E:0 L:4 F:12	C:1 L:0 O:0	0	Off:2 No:2	67.9%	370
Week 2025-W18	20	E:4 L:7 F:9	C:3 L:0 O:0	0	Off:0 No:3	56.2%	349
Week 2025-W19	23	E:2 L:6 F:15	C:0 L:1 O:0	1	Off:1 No:2	58.9%	320
Week 2025-W20	20	E:3 L:5 F:12	C:2 L:0 O:0	0	Off:3 No:1	59.5%	271
Week 2025-W21	22	E:4 L:4 F:14	C:1 L:1 O:0	2	Off:0 No:3	59.7%	301
Week 2025-W22	19	E:2 L:2 F:15	C:1 L:1 O:0	0	Off:0 No:3	65.4%	308
Week 2025-W23	15	E:2 L:1 F:12	C:1 L:2 O:0	1	Off:1 No:2	54.7%	307
Week 2025-W24	23	E:0 L:7 F:16	C:1 L:2 O:0	0	Off:1 No:4	57.4%	308
Week 2025-W25	18	E:2 L:6 F:10	C:0 L:1 O:0	0	Off:0 No:3	58.6%	374
Week 2025-W26	17	E:2 L:0 F:15	C:0 L:2 O:0	0	Off:0 No:5	64.6%	325

■ *Battery Alert Details:*

• Week 2025-W15: BATTERY_CRITICAL (2.8%) at 2025-04-13T10:59:35
• Week 2025-W15: BATTERY_LOW (19.2%) at 2025-04-14T22:37:34
• Week 2025-W15: BATTERY_LOW (13.1%) at 2025-04-19T09:14:41
• Week 2025-W16: BATTERY_LOW (13.9%) at 2025-04-21T06:44:08
• Week 2025-W17: BATTERY_CRITICAL (1.0%) at 2025-04-28T01:09:19

Device: smt (Room 2, Floor 1)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W15	9	E:1 L:1 F:7	C:1 L:3 O:0	0	Off:1 No:0	38.4%	316
Week 2025-W16	14	E:1 L:4 F:9	C:0 L:1 O:0	0	Off:0 No:2	56.3%	323
Week 2025-W17	20	E:0 L:3 F:17	C:2 L:3 O:0	0	Off:1 No:3	43.9%	358
Week 2025-W18	19	E:2 L:6 F:11	C:0 L:1 O:0	0	Off:2 No:3	59.3%	337
Week 2025-W19	12	E:0 L:2 F:10	C:0 L:2 O:0	0	Off:0 No:1	64.0%	305
Week 2025-W20	8	E:1 L:2 F:5	C:0 L:0 O:0	0	Off:0 No:0	70.5%	281
Week 2025-W21	18	E:0 L:1 F:17	C:0 L:1 O:0	1	Off:1 No:3	67.6%	276
Week 2025-W22	14	E:1 L:4 F:9	C:0 L:0 O:0	0	Off:0 No:1	73.9%	322
Week 2025-W23	12	E:2 L:2 F:8	C:1 L:0 O:0	0	Off:0 No:1	60.2%	398
Week 2025-W24	15	E:2 L:3 F:10	C:2 L:0 O:0	0	Off:0 No:0	59.3%	359
Week 2025-W25	11	E:0 L:0 F:11	C:0 L:0 O:0	0	Off:0 No:1	52.7%	376
Week 2025-W26	12	E:0 L:3 F:9	C:2 L:0 O:0	0	Off:0 No:1	54.5%	343

■ *Battery Alert Details:*

• Week 2025-W15: BATTERY_LOW (12.6%) at 2025-04-13T07:04:29
• Week 2025-W15: BATTERY_CRITICAL (1.0%) at 2025-04-14T06:20:36
• Week 2025-W15: BATTERY_LOW (12.8%) at 2025-04-16T22:51:52
• Week 2025-W16: BATTERY_LOW (19.4%) at 2025-04-20T17:58:58
• Week 2025-W17: BATTERY_LOW (19.9%) at 2025-04-27T14:14:42

Device: Dev 10 (Room 1, Floor 6)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W15	14	E:3 L:3 F:8	C:2 L:0 O:0	0	Off:1 No:1	57.8%	279
Week 2025-W16	10	E:1 L:1 F:8	C:1 L:0 O:0	0	Off:0 No:1	60.2%	373
Week 2025-W17	14	E:1 L:3 F:10	C:0 L:0 O:0	0	Off:1 No:1	68.5%	362
Week 2025-W18	11	E:0 L:2 F:9	C:2 L:0 O:0	0	Off:1 No:0	46.6%	309
Week 2025-W19	22	E:4 L:6 F:12	C:0 L:1 O:0	0	Off:0 No:1	68.7%	324
Week 2025-W20	10	E:1 L:1 F:8	C:3 L:0 O:0	1	Off:0 No:2	42.0%	369
Week 2025-W21	11	E:2 L:2 F:7	C:0 L:1 O:0	1	Off:0 No:2	52.8%	279
Week 2025-W22	19	E:2 L:3 F:14	C:0 L:1 O:0	0	Off:0 No:2	66.2%	332
Week 2025-W23	9	E:0 L:3 F:6	C:1 L:0 O:0	1	Off:0 No:0	65.8%	246
Week 2025-W24	15	E:3 L:1 F:11	C:0 L:1 O:0	0	Off:1 No:1	64.4%	390
Week 2025-W25	18	E:1 L:4 F:13	C:0 L:1 O:0	0	Off:0 No:3	69.3%	397
Week 2025-W26	11	E:1 L:1 F:9	C:2 L:1 O:0	0	Off:0 No:2	50.4%	345

■ *Battery Alert Details:*

- Week 2025-W15: BATTERY_CRITICAL (1.0%) at 2025-04-15T12:43:49
- Week 2025-W15: BATTERY_CRITICAL (1.0%) at 2025-04-18T15:33:19
- Week 2025-W16: BATTERY_CRITICAL (1.0%) at 2025-04-22T13:30:14
- Week 2025-W18: BATTERY_CRITICAL (1.0%) at 2025-05-04T06:41:00
- Week 2025-W18: BATTERY_CRITICAL (1.0%) at 2025-05-06T23:43:46

Device: Dev 7 (Room 7, Floor 7)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W15	27	E:2 L:5 F:20	C:5 L:6 O:0	0	Off:1 No:2	43.2%	332
Week 2025-W16	22	E:2 L:6 F:14	C:1 L:1 O:0	0	Off:0 No:1	52.4%	367
Week 2025-W17	10	E:1 L:4 F:5	C:2 L:0 O:0	0	Off:1 No:1	48.8%	392
Week 2025-W18	23	E:3 L:6 F:14	C:0 L:0 O:0	0	Off:0 No:4	70.0%	337
Week 2025-W19	12	E:3 L:4 F:5	C:0 L:2 O:0	0	Off:0 No:4	64.4%	306
Week 2025-W20	19	E:1 L:5 F:13	C:3 L:0 O:0	1	Off:0 No:1	62.2%	292
Week 2025-W21	15	E:1 L:2 F:12	C:1 L:1 O:0	0	Off:0 No:3	52.7%	414
Week 2025-W22	15	E:6 L:1 F:8	C:3 L:0 O:0	0	Off:0 No:2	60.9%	279
Week 2025-W23	22	E:1 L:5 F:16	C:0 L:3 O:0	0	Off:1 No:1	56.7%	257
Week 2025-W24	16	E:0 L:5 F:11	C:2 L:1 O:0	1	Off:0 No:3	58.1%	335
Week 2025-W25	17	E:1 L:6 F:10	C:0 L:2 O:0	0	Off:0 No:3	51.6%	340
Week 2025-W26	16	E:1 L:2 F:13	C:1 L:0 O:0	1	Off:0 No:1	59.6%	277

■ *Battery Alert Details:*

- Week 2025-W15: BATTERY_CRITICAL (4.5%) at 2025-04-13T03:02:48
- Week 2025-W15: BATTERY_LOW (15.2%) at 2025-04-13T15:29:27
- Week 2025-W15: BATTERY_CRITICAL (1.0%) at 2025-04-13T18:13:17
- Week 2025-W16: BATTERY_CRITICAL (3.9%) at 2025-04-23T20:01:45
- Week 2025-W16: BATTERY_LOW (10.6%) at 2025-04-26T11:49:22

Device: Dev 5 (Room 5, Floor 5)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W14	3	E:2 L:0 F:1	C:0 L:0 O:0	0	Off:0 No:1	50.5%	126
Week 2025-W15	20	E:1 L:7 F:12	C:1 L:0 O:0	1	Off:0 No:4	58.5%	258
Week 2025-W16	23	E:4 L:4 F:15	C:3 L:1 O:0	0	Off:1 No:3	57.7%	345
Week 2025-W17	16	E:0 L:6 F:10	C:3 L:0 O:0	0	Off:0 No:2	61.9%	270
Week 2025-W18	26	E:2 L:2 F:22	C:1 L:2 O:0	0	Off:2 No:4	61.6%	353
Week 2025-W19	21	E:1 L:4 F:16	C:4 L:0 O:0	0	Off:1 No:1	55.8%	274
Week 2025-W20	19	E:3 L:1 F:15	C:4 L:1 O:0	1	Off:1 No:0	52.9%	357
Week 2025-W21	15	E:0 L:3 F:12	C:1 L:0 O:0	0	Off:0 No:3	63.9%	398
Week 2025-W22	19	E:3 L:1 F:15	C:0 L:2 O:0	0	Off:1 No:0	62.0%	385
Week 2025-W23	36	E:4 L:8 F:24	C:1 L:2 O:0	1	Off:2 No:4	66.4%	316
Week 2025-W24	24	E:5 L:3 F:16	C:0 L:1 O:0	0	Off:0 No:3	63.2%	352
Week 2025-W25	24	E:2 L:5 F:17	C:1 L:1 O:0	0	Off:1 No:2	63.3%	326
Week 2025-W26	26	E:3 L:5 F:18	C:0 L:3 O:0	1	Off:2 No:1	59.6%	305

■ *Battery Alert Details:*

• Week 2025-W15: BATTERY_CRITICAL (1.0%) at 2025-04-16T00:54:09
• Week 2025-W16: BATTERY_CRITICAL (1.0%) at 2025-04-22T18:07:17
• Week 2025-W16: BATTERY_LOW (13.2%) at 2025-04-23T14:44:28
• Week 2025-W16: BATTERY_CRITICAL (3.4%) at 2025-04-24T13:31:18
• Week 2025-W17: BATTERY_CRITICAL (6.4%) at 2025-04-27T09:46:08

Device: Dev 4 (Room 4, Floor 1)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W14	4	E:2 L:0 F:2	C:0 L:1 O:0	0	Off:0 No:0	62.4%	284
Week 2025-W15	18	E:1 L:1 F:16	C:3 L:3 O:0	0	Off:0 No:2	41.1%	246
Week 2025-W16	17	E:3 L:1 F:13	C:2 L:0 O:0	0	Off:0 No:2	56.4%	332
Week 2025-W17	17	E:2 L:4 F:11	C:2 L:2 O:0	1	Off:1 No:4	57.6%	313
Week 2025-W18	17	E:2 L:1 F:14	C:3 L:1 O:0	0	Off:0 No:1	53.2%	337
Week 2025-W19	17	E:0 L:5 F:12	C:1 L:2 O:0	0	Off:0 No:3	60.5%	377
Week 2025-W20	16	E:0 L:5 F:11	C:2 L:2 O:0	0	Off:0 No:2	61.2%	298
Week 2025-W21	17	E:1 L:1 F:15	C:0 L:3 O:0	0	Off:0 No:3	65.7%	343
Week 2025-W22	13	E:1 L:1 F:11	C:0 L:0 O:0	0	Off:1 No:2	70.9%	317
Week 2025-W23	23	E:2 L:3 F:18	C:0 L:0 O:0	0	Off:0 No:2	64.4%	332
Week 2025-W24	17	E:2 L:3 F:12	C:0 L:1 O:0	0	Off:1 No:2	62.2%	324
Week 2025-W25	15	E:1 L:6 F:8	C:1 L:1 O:0	0	Off:0 No:0	61.1%	311
Week 2025-W26	20	E:3 L:4 F:13	C:2 L:4 O:0	0	Off:1 No:2	54.6%	322

■ *Battery Alert Details:*

- Week 2025-W14: BATTERY_LOW (10.5%) at 2025-04-12T13:26:52
- Week 2025-W15: BATTERY_LOW (17.8%) at 2025-04-13T16:05:55
- Week 2025-W15: BATTERY_CRITICAL (5.7%) at 2025-04-13T23:29:45
- Week 2025-W15: BATTERY_LOW (16.0%) at 2025-04-14T00:32:53
- Week 2025-W16: BATTERY_CRITICAL (2.3%) at 2025-04-21T23:35:55

Device: Dev 1 (Room 7, Floor 1)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W14	4	E:0 L:2 F:2	C:1 L:0 O:0	0	Off:0 No:1	51.5%	258
Week 2025-W15	28	E:3 L:4 F:21	C:4 L:0 O:0	0	Off:0 No:1	60.8%	330
Week 2025-W16	18	E:3 L:5 F:10	C:1 L:2 O:0	0	Off:0 No:5	51.2%	321
Week 2025-W17	22	E:3 L:2 F:17	C:1 L:1 O:0	2	Off:2 No:1	58.8%	351
Week 2025-W18	23	E:2 L:4 F:17	C:1 L:1 O:0	0	Off:2 No:3	61.7%	342
Week 2025-W19	16	E:0 L:2 F:14	C:1 L:0 O:0	0	Off:1 No:1	58.2%	359
Week 2025-W20	14	E:2 L:3 F:9	C:0 L:0 O:0	1	Off:0 No:2	62.8%	250
Week 2025-W21	19	E:0 L:3 F:16	C:1 L:1 O:0	0	Off:1 No:5	58.6%	321
Week 2025-W22	17	E:1 L:2 F:14	C:0 L:0 O:0	0	Off:0 No:2	70.7%	311
Week 2025-W23	22	E:5 L:2 F:15	C:0 L:2 O:0	1	Off:0 No:2	68.2%	353
Week 2025-W24	19	E:3 L:6 F:10	C:0 L:1 O:0	0	Off:0 No:6	67.4%	378
Week 2025-W25	22	E:4 L:2 F:16	C:0 L:1 O:0	0	Off:1 No:2	72.7%	338
Week 2025-W26	19	E:5 L:4 F:10	C:1 L:0 O:0	0	Off:0 No:3	59.6%	324

■ *Battery Alert Details:*

• Week 2025-W14: BATTERY_CRITICAL (1.0%) at 2025-04-12T18:30:58
• Week 2025-W15: BATTERY_CRITICAL (1.0%) at 2025-04-15T02:06:42
• Week 2025-W15: BATTERY_CRITICAL (1.0%) at 2025-04-15T16:36:26
• Week 2025-W15: BATTERY_CRITICAL (8.3%) at 2025-04-18T16:07:36
• Week 2025-W16: BATTERY_CRITICAL (4.2%) at 2025-04-21T16:46:15

Device: Dev 3 (Room 1, Floor 2)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W14	1	E:1 L:0 F:0	C:0 L:0 O:0	0	Off:0 No:0	76.7%	305
Week 2025-W15	15	E:1 L:8 F:6	C:2 L:2 O:0	0	Off:0 No:2	51.6%	326
Week 2025-W16	11	E:1 L:0 F:10	C:0 L:2 O:0	0	Off:1 No:1	55.9%	260
Week 2025-W17	13	E:0 L:4 F:9	C:1 L:0 O:0	0	Off:0 No:3	53.1%	304
Week 2025-W18	10	E:1 L:3 F:6	C:2 L:0 O:0	0	Off:0 No:1	43.2%	306
Week 2025-W19	17	E:2 L:4 F:11	C:0 L:2 O:0	0	Off:0 No:3	60.9%	299
Week 2025-W20	8	E:0 L:3 F:5	C:1 L:0 O:0	0	Off:0 No:0	69.7%	229
Week 2025-W21	16	E:2 L:4 F:10	C:1 L:1 O:0	0	Off:1 No:2	55.4%	370
Week 2025-W22	19	E:0 L:2 F:17	C:0 L:2 O:0	1	Off:0 No:2	59.8%	331
Week 2025-W23	9	E:2 L:1 F:6	C:0 L:0 O:0	0	Off:1 No:0	69.6%	299
Week 2025-W24	15	E:4 L:3 F:8	C:0 L:1 O:0	0	Off:0 No:3	65.8%	294
Week 2025-W25	14	E:1 L:4 F:9	C:0 L:0 O:0	0	Off:0 No:1	63.8%	414
Week 2025-W26	18	E:1 L:2 F:15	C:0 L:1 O:0	1	Off:0 No:1	68.4%	357

■ *Battery Alert Details:*

- Week 2025-W15: BATTERY_LOW (18.7%) at 2025-04-15T04:32:52
- Week 2025-W15: BATTERY_LOW (17.7%) at 2025-04-15T21:34:27
- Week 2025-W15: BATTERY_CRITICAL (3.3%) at 2025-04-18T19:44:01
- Week 2025-W16: BATTERY_LOW (14.1%) at 2025-04-22T07:21:23
- Week 2025-W16: BATTERY_LOW (14.7%) at 2025-04-25T01:27:41

Device: Dev2 (Room 12, Floor 6)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W14	2	E:0 L:1 F:1	C:0 L:0 O:0	0	Off:0 No:0	48.7%	283
Week 2025-W15	18	E:4 L:3 F:11	C:0 L:1 O:0	0	Off:0 No:2	61.3%	338
Week 2025-W16	21	E:1 L:6 F:14	C:0 L:0 O:0	0	Off:1 No:2	74.5%	328
Week 2025-W17	19	E:3 L:4 F:12	C:1 L:0 O:0	0	Off:0 No:3	54.6%	294
Week 2025-W18	24	E:2 L:4 F:18	C:0 L:2 O:0	0	Off:0 No:2	63.1%	340
Week 2025-W19	9	E:1 L:2 F:6	C:1 L:0 O:0	0	Off:0 No:2	68.3%	334
Week 2025-W20	27	E:4 L:1 F:22	C:2 L:0 O:0	1	Off:0 No:1	65.0%	232
Week 2025-W21	14	E:1 L:2 F:11	C:0 L:1 O:0	1	Off:1 No:1	63.3%	349
Week 2025-W22	19	E:4 L:4 F:11	C:1 L:0 O:0	0	Off:0 No:0	53.3%	339
Week 2025-W23	18	E:1 L:4 F:13	C:0 L:1 O:0	0	Off:0 No:0	66.6%	309
Week 2025-W24	18	E:2 L:1 F:15	C:3 L:0 O:0	2	Off:0 No:2	56.6%	283
Week 2025-W25	14	E:2 L:1 F:11	C:3 L:0 O:0	0	Off:0 No:1	54.5%	382
Week 2025-W26	15	E:3 L:2 F:10	C:2 L:1 O:0	0	Off:1 No:1	56.8%	263

■ *Battery Alert Details:*

- Week 2025-W15: BATTERY_LOW (10.8%) at 2025-04-13T09:01:41
- Week 2025-W17: BATTERY_CRITICAL (2.9%) at 2025-04-27T01:11:04
- Week 2025-W18: BATTERY_LOW (11.6%) at 2025-05-04T23:27:53
- Week 2025-W18: BATTERY_LOW (11.3%) at 2025-05-07T13:50:30
- Week 2025-W19: BATTERY_CRITICAL (3.1%) at 2025-05-12T08:27:25

Device: nh8 (Room 1, Floor 2)

Period	Entries	Tissue Alerts	Battery Alerts	Tamper	Power Issues	Battery(%)	Usage
Week 2025-W14	1	E:1 L:0 F:0	C:0 L:0 O:0	0	Off:0 No:1	53.5%	178
Week 2025-W15	10	E:2 L:1 F:7	C:1 L:0 O:0	1	Off:0 No:0	47.3%	454
Week 2025-W16	18	E:3 L:0 F:15	C:3 L:0 O:0	0	Off:0 No:2	49.0%	382
Week 2025-W17	15	E:2 L:3 F:10	C:4 L:0 O:0	1	Off:0 No:4	49.1%	390
Week 2025-W18	24	E:3 L:8 F:13	C:2 L:0 O:0	0	Off:0 No:7	64.1%	292
Week 2025-W19	21	E:5 L:2 F:14	C:0 L:1 O:0	1	Off:2 No:1	57.5%	314
Week 2025-W20	15	E:0 L:3 F:12	C:1 L:2 O:0	1	Off:1 No:3	45.7%	350
Week 2025-W21	9	E:0 L:0 F:9	C:0 L:0 O:0	0	Off:0 No:0	60.5%	366
Week 2025-W22	13	E:2 L:3 F:8	C:2 L:0 O:0	0	Off:0 No:2	64.8%	385
Week 2025-W23	24	E:3 L:0 F:21	C:0 L:1 O:0	1	Off:0 No:4	63.6%	318
Week 2025-W24	17	E:1 L:2 F:14	C:1 L:2 O:0	0	Off:0 No:3	52.6%	323
Week 2025-W25	11	E:2 L:2 F:7	C:1 L:1 O:0	0	Off:0 No:3	43.0%	287
Week 2025-W26	15	E:2 L:6 F:7	C:0 L:1 O:0	0	Off:0 No:5	70.6%	342

■ *Battery Alert Details:*

• Week 2025-W15: BATTERY_CRITICAL (1.0%) at 2025-04-16T19:06:13
• Week 2025-W16: BATTERY_CRITICAL (1.0%) at 2025-04-20T19:44:39
• Week 2025-W16: BATTERY_CRITICAL (1.4%) at 2025-04-21T12:12:14
• Week 2025-W16: BATTERY_CRITICAL (1.0%) at 2025-04-25T20:53:46
• Week 2025-W17: BATTERY_CRITICAL (5.2%) at 2025-04-28T20:28:37