


Git & GitHub Task 2

Task 1: Install Git

Commands Executed:

`git --version`

Screenshot Evidence:



```
DELL@KHADEER MINGW64 ~/Desktop
$ git --version
git version 2.51.1.windows.1


DELL@KHADEER MINGW64 ~/Desktop
$
```

Task 2: Create a repo in GitHub with README.md and .gitignore

Commands Executed:

Repository created using GitHub UI.

Screenshot Evidence:




Task 3: Clone the created repo to local

Commands Executed:

git clone [git@github.com:khadeer329/GitTask.git](https://github.com/khadeer329/GitTask.git)

Screenshot Evidence:



Task 4: Create two files in local repo

Commands Executed:

touch file1.txt file2.txt

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ touch file1 file2

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ ll
total 1
-rw-r--r-- 1 DELL 197121 9 Jul  8 15:03 README.md
-rw-r--r-- 1 DELL 197121 0 Jul  8 15:15 file1
-rw-r--r-- 1 DELL 197121 0 Jul  8 15:15 file2
```

Task 5: Commit two files and push to central Repository

Commands Executed:

git add .

git commit -m "Add two files"

git push origin main

Screenshot Evidence:

 **GitTask** (Public) Pin Watch (0)

main 1 Branch 0 Tags

Go to file T Add file <> Code

khadeer329 Two Files Added 8e3451b · now 2 Commits

.gitignore	Initial commit	26 minutes ago
README.md	Initial commit	26 minutes ago
file1	Two Files Added	now
file2	Two Files Added	now

README 

Task 6: Create a branch in local and create a sample file and push to central

Commands Executed:

```
git checkout -b feature-branch
touch sample.txt
git add .
git commit -m "Add sample file"
git push -u origin feature-branch
```

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git checkout release
Switched to branch 'release'

DELL@KHADEER MINGW64 ~/Desktop/GitTask (release)
$ touch Samplefile

DELL@KHADEER MINGW64 ~/Desktop/GitTask (release)
$ git add .


DELL@KHADEER MINGW64 ~/Desktop/GitTask (release)
$ git commit -m "Samplefiles Added"
[release 1f13b8b] Samplefiles Added
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Samplefile

DELL@KHADEER MINGW64 ~/Desktop/GitTask (release)
$ git push
fatal: The current branch release has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin release

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

DELL@KHADEER MINGW64 ~/Desktop/GitTask (release)
$ git push -u origin release
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 246 bytes | 246.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'release' on GitHub by visiting:
remote:   https://github.com/khadeer329/GitTask/pull/new/release
remote:
To github.com:khadeer329/GitTask.git
 * [new branch]      release -> release
branch 'release' set up to track 'origin/release'.
```



Task 7: Create a branch in GitHub and clone that to local

Commands Executed:

git fetch origin

git checkout devops

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git branch --list
devops
* main
release
```

Task 8: Merge the created branch with master in Git local

Commands Executed:

git checkout main
git merge devops

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git merge devops
Already up to date.
```

Task 9: Merge the created branch with master in GitHub by sending a Pull Request

Commands Executed:

Create Pull Request → Merge

Screenshot Evidence:

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about](#)



base: main

←

compare: devops

✓ Able to merge. These branches can be automatically merged.



Add a title *

file added

Add a description

Write

Preview

H B I  <>  |    |  @   

Add your description here...

file added #2

 Open [khadeer329](#) wants to merge 1 commit into [main](#) from [devops](#) 

 Conversation **0**  Commits **1**  Checks **0**  Files changed **1**

 **khadeer329** commented [now](#) Owner ...


No description provided.



  [file added](#)

[7ef9ffa](#)

  **No conflicts with base branch**
Merging can be performed automatically.

 Merge pull request  You can also merge this with the command line. [View command line instructions.](#)

Still in progress? [Convert to draft](#)

 ...

Task 10: Create a file in local and send that to branch in GitHub

Commands Executed:

```
touch alpabet
```

```
git add .
```

```
git commit -m "Add alpabet"
```

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ touch alpabet

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ ll
total 2
-rw-r--r-- 1 DELL 197121  9 Jul  8 15:34 README.md
-rw-r--r-- 1 DELL 197121  0 Jul  8 15:49 Samplefile
-rw-r--r-- 1 DELL 197121  0 Jul  8 19:33 alpabet
-rw-r--r-- 1 DELL 197121  0 Jul  8 15:35 file1
-rw-r--r-- 1 DELL 197121  0 Jul  8 15:35 file2
-rw-r--r-- 1 DELL 197121 43 Jul  8 18:46 password

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ ls
README.md Samplefile alpabet file1 file2 password

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git add alpabet

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   alpabet
```

Task 11: Clone only a branch from GitHub to local

Commands Executed:

```
git clone -b devops --single-branch git@github.com:khadeer329/GitTask.git
```

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/khadeer/GitTask (main)
$ git branch
devops
* main
```

Task 12: Create a file with all passwords and make that untrackable with Git

Commands Executed:

```
echo passwords.txt >> .gitignore
```


Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ vi .gitignore

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ cat .gitignore
# Compiled class file
*.class

# Log file
*.log

# BlueJ files
*.ctxt

# Mobile Tools for Java (J2ME)
.mtj.tmp/

# Package Files #
*.jar
*.war
*.nar
*.ear
*.zip
*.tar.gz
*.rar

# virtual machine crash logs, see http://www.java.com/en/download/help/error_hotspot.xml
hs_err_pid:
password
```

Task 13: Make a commit and reset without saving changes

Commands Executed:

git reset --hard HEAD~1

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git reset --hard HEAD~1
HEAD is now at d6963ab password file added

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git log
commit d6963ab3e7e009cc44ad287bb3709ba82a2a0d46 (HEAD -> main)
Author: khadeer329 <khadeershaik0329@gmail.com>
Date: Wed Jul 8 18:48:38 2026 +0530

    password file added

commit b6ace00660dd2d6573e090fad8c6c9c418b7d5b3
Merge: 5052ded 1f13b8b
Author: khadeer329 <155939706+khadeer329@users.noreply.github.com>
Date: Wed Jul 8 15:41:33 2026 +0530

    Merge pull request #1 from khadeer329/release

    Samplefiles Added

commit 1f13b8b7b7defe3be4c055b8c4915e7d6a9306b3 (origin/release, release)
Author: khadeer329 <khadeershaik0329@gmail.com>
Date: Wed Jul 8 15:39:12 2026 +0530

    Samplefiles Added
```

Task 14: Revert a committed commit to the older version

Commands Executed:

git revert <commit-id>

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git log -n 1
commit f99bf9a6e8fcf3ee6974fae71ac7819a10130261 (HEAD -> main)
Author: khadeer329 <khadeershaik0329@gmail.com>
Date: Wed Jul 8 19:19:49 2026 +0530

    Revert "Merge pull request #2 from khadeer329/devops"

    This reverts commit da3164f8fb2e55f05732381388eb26102e4ed2fa, reversing
    changes made to b6ace00660dd2d6573e090fad8c6c9c418b7d5b3.

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git commit --amend -m "Reverted to pervious version"
[main ee2fac9] Reverted to pervious version
Date: Wed Jul 8 19:19:49 2026 +0530
1 file changed, 0 insertions(+), 0 deletions(-)
rename file => alpabet (100%)

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git log -n 1
commit ee2fac9b7e9b810a40d9ceb11984eb45e5f26852 (HEAD -> main)
Author: khadeer329 <khadeershaik0329@gmail.com>
Date: Wed Jul 8 19:19:49 2026 +0530

    Reverted to pervious version
```

Task 15: Push a file to stash without saving changes

Commands Executed:

git stash

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git add alpabet

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   alpabet

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git stash
Saved working directory and index state WIP on main: f99bf9a Revert "Merge pull request #2 from khadeer329/devops"

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ ls
README.md Samplefile file1 file2 password
```

Task 16: Undo the stash file and start working again

Commands Executed:

git stash pop

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git stash list
stash@{0}: WIP on main: f99bf9a Revert "Merge pull request #2 from khadeer329/devops"

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git stash pop
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   alpabet

Dropped refs/stash@{0} (86c885f50dda319e629eb82d2bded8e0f93ac6cf)
```

Task 17: Generate SSH key and configure into GitHub

Commands Executed:

ssh-keygen

cat /c/Users/DELL/.ssh/id_ed25519.pub

Screenshot Evidence:


```
DELL@KHADEER MINGW64 ~/Desktop/GitPractices (master)
$ ssh-keygen
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/DELL/.ssh/id_ed25519):
Enter passphrase for "/c/Users/DELL/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/DELL/.ssh/id_ed25519
Your public key has been saved in /c/Users/DELL/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:tFdVF/DiFG7kiaii/ncsLRY7K7PLqZ1HnmdesdsUB6g DELL@KHADEER
The key's randomart image is:
+--[ED25519 256]--+
|               +OO+|
|      .  .  .  * .+ |
|     .. o.O .  |
|    .....+ o  |
|   . SE.. o .  |
|  . .O . . o o  |
|   . o *  o .  |
|  . ooo@ *. +  |
|   ooOO.X. . .  |
+-----[SHA256]-----+
```

Task 18: Configure webhooks to GitHub

Commands Executed:

GitHub → Settings → Webhooks

Screenshot Evidence:




Task 19: Basic understanding of .git folder

Commands Executed:

cd .git

ls

Screenshot Evidence:




Task 20: Check all the logs of Git

Commands Executed:

git log

git log --oneline --graph --all

Screenshot Evidence:



Task 21: Rename the commit message

Commands Executed:

git commit --amend -m "Reverted to pervoius version"

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git log -n 1
commit f99bf9a6e8fcf3ee6974fae71ac7819a10130261 (HEAD -> main)
Author: khadeer329 <khadeershaik0329@gmail.com>
Date:   Wed Jul 8 19:19:49 2026 +0530

    Revert "Merge pull request #2 from khadeer329/devops"

    This reverts commit da3164f8fb2e55f05732381388eb26102e4ed2fa, reversing
    changes made to b6ace00660dd2d6573e090fad8c6c9c418b7d5b3.

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git commit --amend -m "Reverted to pervious version"
[main ee2fac9] Reverted to pervious version
Date: Wed Jul 8 19:19:49 2026 +0530
1 file changed, 0 insertions(+), 0 deletions(-)
rename file => alpabet (100%)

DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git log -n 1
commit ee2fac9b7e9b810a40d9ceb11984eb45e5f26852 (HEAD -> main)
Author: khadeer329 <khadeershaik0329@gmail.com>
Date:   Wed Jul 8 19:19:49 2026 +0530

    Reverted to pervious version
```

Task 22: Merge multiple commits into single commit

Commands Executed:

git rebase -i HEAD~3

Screenshot Evidence:

```
DELL@KHADEER MINGW64 ~/Desktop/GitTask (main)
$ git log
commit ded2bd155708fc02ca154bb5ec750ac05e680a15 (HEAD -> main)
Author: khadeer329 <khadeershaik0329@gmail.com>
Date:   Wed Jul 8 18:48:38 2026 +0530

    password file added

    file added

    Reverted to pervious version
```