

feature	prerequisites	test case	procedure	data	expected result	actual result	status	comments
get	The Server is running Create Civil using http://localhost:3000/add/	Verify that the GET /get/all endpoint returns all civil records successfully, including correct status code, valid response structure, and complete data.	1. Open Postman. 2. Select the GET method. 3.Put the endpoint http://localhost:3000/get/all		Return a status code of 200 (OK) and ensure that the Civils data appears correctly in the response, including all details.	The status code is 200 (OK). Civils data appears correctly in the response, except for gender and date of birth.	fail	This is bug
	The Server is running Create Civil using http://localhost:3000/add/	Verify that the 'GET /get/1' endpoint successfully return a single record with that ID when the user associated with that ID exists,including the correct status code, a valid response structure, and complete data.	1. Open Postman. 2. Select the GET method. 3.Put the endpoint http://localhost:3000/get/1		Return a status code of 200 (OK) and ensure that the entity with this identifier appears correctly in the response, including all details.	The status code is 200 (OK). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is bug
	The Server is running Create Civil using http://localhost:3000/add/	Verify that the 'GET /get/AB' endpoint returns the correct status code and the appropriate response structure when the id invalid.	1. Open Postman. 2. Select the GET method. 3.Put the endpoint http://localhost:3000/get/AB		Return a status code of 400 (Bad Request) and ensure that the response contains an error message indicating that the Civil ID format is invalid.	The status code is 200 (OK). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is bug
	The Server is running Create Civil using http://localhost:3000/add/	Verify that the 'GET /get/111' endpoint returns the correct status code and the appropriate response structure when the ID doesn't exist.	1. Open Postman. 2. Select the GET method. 3.Put the endpoint http://localhost:3000/get/111		It returns a 404 (Not Found) status code and ensures that the response contains an error message indicating that the civil cannot be found with this ID.	The status code is 404 (Not Found). An error message appears in the response containing "Not Found".	pass	
	The Server is running Create Civil using http://localhost:3000/add/	Verify that the 'GET /get/' endpoint returns the correct status code and the appropriate response structure when the id empty.	1. Open Postman. 2. Select the GET method. 3.Put the endpoint http://localhost:3000/get/		Return a 404 (Not Found) status code and ensure that an error message is returned indicating that no ID was provided in the request.	Return a 404 (Not Found) status code and ensure that the response body contains the message "Cannot GET /get/", indicating that the endpoint requires a valid ID parameter	pass	
Add	The Server is running	Verify that 'POST /add/' return the correct status code and the appropriate response structure	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "12311", "Age": "22", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return a status code 201 (Created) and ensure that the reponse return all data	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is bug
	The Server is running	Ensure that a request to 'POST /add/' with an empty FirstName returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "", "LastName": "Qaabar", "ID": "12311", "Age": "22", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 400 (Bad request) and ensure that no civil data has been added and return error massage.	The status code is 400 (Bad request). The civil was not added, and the response is an error message saying: "Missing First Name".	pass	
	The Server is running	Ensure that a request to 'POST /add/' with an empty LastName returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "", "ID": "12311", "Age": "22", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 400 (Bad request) and ensure that no civil data has been added and return error massage.	The status code is 400 (Bad request). The civil was not added, and the response is an error message saying: "Missing Last Name".	pass	
	The Server is running	Ensure that a request to 'POST /add/' with an empty ID returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "", "Age": "22", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 400 (Bad request) and ensure that no civil data has been added and return error massage.	The status code is 400 (Bad request). The civil was not added, and the response is an error message saying: "Missing ID".	pass	
	The Server is running	Make sure that a request to 'POST /add/' with an existing ID returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "1", "Age": "22", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 404 (Not Found) and ensure that no civil data has been added and return error massage.	The status code is 404 (Not Found). The civil was not added, and the response is an error message saying: "Civil Already Exists".	pass	
	The Server is running	Make sure that a request to 'POST /add/' with an invalid ID data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "AB", "Age": "22", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return error massage.	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is bug
	The Server is running	Make sure that a request to 'POST /add/' with an empty age data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return error massage.	The status code is 400 (Bad request). The civil was not added, and the response is an error message saying: "Missing Age".	pass	
	The Server is running	Make sure that a request to 'POST /add/' with an invalid age data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "AB", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return error massage.	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
	The Server is running	Make sure that a request to 'POST /add/' with an less than zero age data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "-1", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return error massage.	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
	The Server is running	Make sure that a request to 'POST /add/' with an zero age data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "0", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return a status code 201 (Created) and ensure that the reponse return all data	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug

The Server is running	Make sure that a request to 'POST /add' with an more than zero age data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "1", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Rerturn a status code 201 (Created) and ensure that the reponse return all data	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
The Server is running	Make sure that a request to 'POST /add' with an less than 120 age data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "119", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Rerturn a status code 201 (Created) and ensure that the reponse return all data	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
The Server is running	Make sure that a request to 'POST /add' with an 120 age data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "120", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Rerturn a status code 201 (Created) and ensure that the reponse return all data	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
The Server is running	Make sure that a request to 'POST /add' with an more than 120 age data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "121", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Rerturn a status code 400 (Bad Request) and ensure that the reponse return all data	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
The Server is running	Make sure that a request to 'POST /add' with an empty mobile data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return error massage.	The status code is 400 (Bad request). The civil was not added, and the response is an error message saying: "Missing Mobile".	pass	
The Server is running	Make sure that a request to 'POST /add' with an existing mobile number returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "0569974804", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 404 (Not Found) and ensure that no civil data has been added and return error massage.	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
The Server is running	Make sure that a request to 'POST /add' with an invalid mobile number data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "AB12345678", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return error massage.	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
The Server is running	Make sure that a request to 'POST /add' with valid gender data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "0569974804", "Gender": "Male", "DOB": "31-12-2025" }	Rerturn a status code 201 (Created) and ensure that the reponse return all data	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
The Server is running	Make sure that a request to 'POST /add' with accepted male gender data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "0569974804", "Gender": "Male", "DOB": "31-12-2025" }	Rerturn a status code 201 (Created) and ensure that the reponse return all data	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
The Server is running	Make sure that a request to 'POST /add' with accepted female gender data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "0569974804", "Gender": "Female", "DOB": "31-12-2025" }	Rerturn a status code 201 (Created) and ensure that the reponse return all data	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
The Server is running	Make sure that a request to 'POST /add' with an empty gender data returns the correct status code and does not create a civil.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "0569974804", "Gender": "", "DOB": "31-12-2025" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return error massage.	The status code is 201 (Created). Civil data appear correctly in the response, except for gender and date of birth.	fail	This is Bug
The Server is running	Make sure that a request to 'POST /add' with a future DOB data returns the correct status code and does not create a civil record.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "0569974804", "Gender": "Male", "DOB": "31-12-2027" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return an error message	The status code is 201 (Created). Civil data appears correctly in the response , except for gender and date of birth	fail	This is Bug

	The Server is running	Make sure that a request to 'POST /add' with an invalid day (0) in DOB data returns the correct status code and does not create a civil record.	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "0569974804", "Gender": "Male", "DOB": "0-12-2025" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return an error message	The status code is 201 (Created). Civil data appears correctly in the response, except for gender and date of birth	fail	This is Bug
	The Server is running	Make sure that a request to 'POST /add' with an invalid month (0) in DOB data returns the correct status code and does not create a civil record	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "0569974804", "Gender": "Male", "DOB": "31-0-2025" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return an error message	The status code is 201 (Created). Civil data appears correctly in the response, except for gender and date of birth	fail	This is Bug
	The Server is running	Make sure that a request to 'POST /add' with an empty DOB data returns the correct status code and does not create a civil record	1. Open Postman. 2. Select the POST method. 3.Put the endpoint http://localhost:3000/add/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "123", "Age": "22", "Mobile": "0569974804", "Gender": "Male", "DOB": "" }	Return status code 400 (Bad Request) and ensure that no civil data has been added and return an error message	The status code is 201 (Created). Civil data appears correctly in the response, except for gender and date of birth	fail	This is Bug
edit	The Server is running Create Civil using http://localhost:3000/add/	Make sure that a valid 'PUT /edit' request updates the civil record details correctly and returns a success status code.	1. Open Postman. 2. Select the PUT method. 3.Put the endpoint http://localhost:3000/edit/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "1", "Age": "22", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	Return status code 200 (OK) and the updated civil data should appear correctly in the response body	The status code is 200 (OK), but fields like gender and date of birth completely disappear from the response body	fail	This is Bug
	The Server is running Create Civil using http://localhost:3000/add/	Make sure that a 'PUT /edit' request with an ID that does not exist in the database returns an appropriate error status code	1. Open Postman. 2. Select the PUT method. 3.Put the endpoint http://localhost:3000/edit/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "12333", "Age": "22", "Mobile": "0569974805", "Gender": "Male", "DOB": "31-12-2025" }	return status code 404 (Not Found) or 400 (Bad Request) with a proper JSON error message	The status code returned is 200 OK, and the response body displays plain text: "Civil Does Not Exist"	fail	This is Bug
	The Server is running Create Civil using http://localhost:3000/add/	Make sure that a 'PUT /edit' request with invalid DOB data (Future date, Day 0, Month 0, or Empty) returns status code 400 (Bad Request) and rejects the update.	1. Open Postman. 2. Select the PUT method. 3.Put the endpoint http://localhost:3000/edit/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "12333", "Age": "22", "Mobile": "0569974805", "Gender": "Male", "DOB": "00-00-2025" }	Return status code 400 (Bad Request) and ensure that no invalid updates are saved	he status code is 200 OK, the server accepts the invalid dates, and fields like gender and DOB drop from the response.	fail	This is Bug
	The Server is running Create Civil using http://localhost:3000/add/	Make sure that a 'PUT /edit' request with an empty gender field returns status code 400 (Bad Request) and does not update the record	1. Open Postman. 2. Select the PUT method. 3.Put the endpoint http://localhost:3000/edit/ 4.put the data in the body	{ "FirstName": "Khader", "LastName": "Qaabar", "ID": "12333", "Age": "22", "Mobile": "0569974805", "Gender": "", "DOB": "31-12-2025" }	Return status code 400 (Bad Request) and return a "Gender cannot be empty" error message	The status code is 200 OK, the server accepts the empty gender, and deletes the Gender field from the response body	fail	This is Bug
delete	The Server is running Create Civil using http://localhost:3000/add/	Make sure that a 'DELETE /delete/{id}' request with a valid, existing civil record ID removes the record from the system and returns the correct status code	1. Open Postman. 2. Select the DELETE method. 3.Put the endpoint http://localhost:3000/delete/1		Return status code 204 (No Content) indicating successful deletion, and the response body should be empty	The status code is 204 (No Content) and the response body is blank	pass	
	The Server is running Create Civil using http://localhost:3000/add/	Make sure that a 'DELETE /delete/{id}' request with a non-existing or invalid civil record ID returns the proper error status code	1. Open Postman. 2. Select the DELETE method. 3.Put the endpoint http://localhost:3000/delete/111		Return status code 404 (Not Found) indicating that the record does not exist	The status code is 404 (Not Found) and the response body displays plain text: "Not Found"	pass	