

Feature	Test Case Id	Prerequisites	Test Case	Procedure	Test Data	Expected Result	Actual Result	Post Requisites	Status	Comments
Search Hotels	TC-1	Server is running	Ensure that the endpoint returns the default paginated list of hotels when no query parameters are provided.	1. Send GET request to /api/hotels	URL: http://localhost:3000/api/hotels	The response status code must be "200 OK," and the response must include the values "success: true" and "page: 1", in addition to a list of 5 hotels.	he API returned a "200 OK" status, including 5 hotels, success: true, and valid pagination metadata (page: 1, pageSize: 5, totalCount: 30).		Pass	
	TC-2	Server is running	Ensure that the endpoint correctly filters hotels by city name.	1. Send GET request with city parameter.	URL: /api/hotels?city=Dubai	The response status code must be "200 OK". The array must include only hotels with the value "Dubai" in the "city" field.	The API returned a 200 (OK) success status, and all the hotels in the array belong to Dubai.		Pass	
	TC-3	Server is running	Ensure that the endpoint correctly handles filtering by a non-existent city name.	1. Send GET request with a non-existent city parameter.	URL:api/hotels?city=UnknownCity	The response status code must be "200 OK". The hotels array must be empty and count must be 0.	The API returned a "200 OK" status with a count of 0 and an empty hotels array [].		Pass	
	TC-4	Server is running	Ensure that the endpoint correctly filters hotels containing a specific amenity in their array.	1. Send GET request with the amenity parameter.	URL: /api/hotels?amenity=pool	The response status code must be "200 OK". The array must include only hotels with "pool" in their amenities.	The API returned a 200 (OK) success status, and all the hotels in the array contain "pool" in their amenities.		Pass	
	TC-5	Server is running	Ensure that the endpoint correctly filters hotels by a maximum price value.	1. Send GET request with the maxPrice parameter.	URL: /api/hotels?maxPrice=300	The response status code must be "200 OK". The array must include only hotels with a price less than or equal to 300.	The API returned a 200 (OK) success status, and all the hotels in the array have a price more than or equal to 300.		Fail	This is a bug
	TC-6	Server is running	Ensure that the endpoint correctly filters hotels by a minimum rating value.	1. Send GET request with the minRating parameter.	URL: /api/hotels?minRating=4	The response status code must be "200 OK". The array must include only hotels with a rating greater than or equal to the specified minimum rating.	The API returned a 200 (OK) success status, and all the hotels in the array have a rating greater than or equal to 4.		Pass	
	TC-7	Server is running	Ensure that the endpoint correctly fetches a specific page using the page query parameter.	1. Send GET request with the page parameter.	URL: /api/hotels?page=2	The response status code must be "200 OK". The response must include the value "page: 2" in the pagination metadata.	The API returned a "200 OK" status, including valid pagination metadata (page: 2).		Pass	
	TC-8	Server is running	Ensure the system handles invalid negative page numbers gracefully without crashing.	1. Send GET request with a negative page parameter.	URL: /api/hotels?page=-1	Status code: 400 Bad Request OR defaults to page 1 (200 OK) without crashing.	The API returned a 200 OK status and gracefully defaulted to page: 1 containing the first 5 hotels.		Pass	
	TC-9	Server is running	Ensure that the system handles illogical negative numerical values in price filters.	1. Send GET request with a negative price parameter.	URL: /api/hotels?maxPrice=-100	Status code: 400 Bad Request OR returns an empty list (as no price is < 0).	The API returned a 200 OK status, but ignored the negative constraint and returned the standard default list of 5 hotels.		Fail	This is a bug
	TC-10	Server is running, Hotel ID HTL-101 is valid.	Ensure that sending valid booking details successfully creates a booking.	1. Send POST request to /api/bookings with full payload.	URL: http://localhost:3000/api/bookings Body: { "hotelId": "HTL-101", "customerName": "John Doe", "numberOfPeople": 1, "numberOfBeds": 1, "twinBeds": 0, "checkinDate": "2026-08-01", "checkoutDate": "2026-08-05" }	The response status code must be "201 Created". Response must include success: true, confirmed status, and generated booking ID.	The API returned a successful response with 201 created status code, success: true, status "confirmed", unique booking ID BKG-545660, and calculated amount.	Cancel Booking	Pass	
					URL: /api/bookings Body: { "hotelId": "HTL-101", "numberOfPeople": 1, "numberOfBeds": 1, "twinBeds": 0, "checkinDate": "2026-08-01", "checkoutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message.	The API returned status 400 Bad Request and success: false with the message "Missing required booking fields".	Cancel Booking	Pass	
					URL: /api/bookings Body: { "hotelId": "HTL-101", "numberOfPeople": 1, "numberOfBeds": 1, "twinBeds": 0, "checkinDate": "2026-08-01", "checkoutDate": "2026-08-05" }	The response status code must be "409 Conflict" with an error message.	The API returned status code 409 Conflict success: false with the message "No rooms available for selected dates".	Cancel Booking	Pass	
					URL: /api/bookings Body: Check-in "2026-08-05", Check-out "2026-08-01".	The response status code must be "400 Bad Request" with an error message.	The API returned status 400 Bad Request and success: false with the message "Invalid date range".	Cancel Booking	Pass	
	TC-14	Server is running	Ensure that the system rejects a booking request when trying to book a non-existent hotel ID.	1. Send POST request to /api/bookings with a non-existent hotel ID.	URL: /api/bookings Body: { "hotelId": "HTL-9999", "customerName": "John Doe", "people": 1, "beds": 1, "twinBeds": 0, "checkinDate": "2026-08-01", "checkoutDate": "2026-08-05" }	The response status code must be "404 Not Found" with an error message.	The API returned status 404 Not Found with success: false and the message "Hotel not found".	Cancel Booking	Pass	
					URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "John Doe", "people": 0, "beds": 1, "twinBeds": 0, "checkinDate": "2026-08-01", "checkoutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message rejecting zero guests.	The API created a confirmed booking with ID BKG-339279 and returned status 201 with success: true.	Cancel Booking	Fail	This is a bug
					URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "John Doe", "people": 1, "beds": -1, "twinBeds": 0, "checkinDate": "2026-08-01", "checkoutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message rejecting negative bed values.	The API created a confirmed booking with ID BKG-31887 and returned status 200/201 with success: true and beds: -1.	Cancel Booking	Fail	This is a bug
	TC-16	Server is running	Ensure that the system rejects a booking request with an invalid or negative number of beds.	1. Send POST request to /api/bookings with beds set to -1.	URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "John Doe", "people": 1, "beds": 1, "twinBeds": 0, "checkinDate": "2026-07-02", "checkoutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message rejecting past dates.	The API created a confirmed booking with ID BKG-229176 and returned status 200/201 with success: true for a past check-in date.	Cancel Booking	Fail	This is a bug
	TC-17	Server is running	Ensure that the system rejects a booking request where check-in date is in the past.	Send POST request to /api/bookings with a past check-in date (e.g. "2026-07-02").	URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "John Doe", "people": 1, "beds": 1, "twinBeds": 0, "checkinDate": "2026-07-02", "checkoutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message rejecting invalid date formats.	The API returned status 400 Bad Request with success: false and the message "Invalid date range".	Cancel Booking	Pass	
	TC-18	Server is running	Ensure that the system rejects a booking request with an invalid date format (e.g. text string instead of YYYY-MM-DD).	Send POST request to /api/bookings with an invalid text string ("GFSFSDFSDF").	URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "John Doe", "people": 1, "beds": 1, "twinBeds": 0, "checkinDate": "GFSFSDFSDF", "checkoutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message rejecting invalid date formats.	The API returned status 400 Bad Request with success: false and the message "Invalid date range".	Cancel Booking	Pass	

Create Booking

TC-19	Server is running	Ensure that the system rejects a booking request when customerName is an empty string.	Send POST request to /api/bookings with customerName set to "".	URL: /api/bookings Body: { "hotelId": "HTL-101", "customerName": "", "people": 1, "beds": 1, "twinBeds": 0, "checkInDate": "2026-08-01", "checkOutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message.	The API returned status 400 Bad Request with success: false and the message "Missing required booking fields".	Cancel Booking	Pass	
TC-20	Server is running	Ensure that the system rejects a booking request when twinBeds is set to a negative value.	Send POST request to /api/bookings with twinBeds set to -1.	URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "Test", "people": 1, "beds": 1, "twinBeds": -1, "checkInDate": "2026-08-01", "checkOutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message.	The API created a confirmed booking with ID BKG-626338 and returned status 201 with success: true and twinBeds: -1.	Cancel Booking	Fail	This is a bug
TC-21	Server is running	Ensure that the system rejects a booking request where check-in and check-out dates are on the same day.	Send POST request to /api/bookings with checkInDate and checkOutDate set to the same date ("2026-08-01").	URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "Test", "people": 1, "beds": 1, "twinBeds": 0, "checkInDate": "2026-08-01", "checkOutDate": "2026-08-01" }	The response status code must be "400 Bad Request" with an error message rejecting zero-night stays.	The API returned status 400 Bad Request with success: false and the message "Invalid date range".	Cancel Booking	Pass	
TC-22	Server is running	Ensure that the system rejects a booking request where checkOutDate is set to a date before checkInDate.	Send POST request to /api/bookings with checkOutDate earlier than checkInDate.	URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "Test", "people": 1, "beds": 1, "twinBeds": 0, "checkInDate": "2026-08-05", "checkOutDate": "2026-08-01" }	The response status code must be "400 Bad Request" with an error message rejecting reversed dates.	The API returned status 400 Bad Request with success: false and the message "Invalid date range".	Cancel Booking	Pass	
TC-23	Server is running	Ensure that the system rejects a booking request when missing a required payload field (e.g. omitting hotelId).	Send POST request to /api/bookings with hotelId set to an empty string ("").	URL: /api/bookings Body: { "hotelId": "", "customerName": "Test", "people": 1, "beds": 1, "twinBeds": 0, "checkInDate": "2026-08-01", "checkOutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message indicating missing required fields.	The API returned status 400 Bad Request with success: false and the message "Missing required booking fields".	Cancel Booking	Pass	
TC-24	Server is running	Ensure that the system rejects a booking request when payload contains invalid JSON data types (e.g. people passed as a string/invalid value).	Send POST request to /api/bookings with people set to "one".	URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "Test", "people": "one", "beds": 1, "twinBeds": 0, "checkInDate": "2026-08-01", "checkOutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message rejecting invalid data types.	The API created a confirmed booking with ID BKG-444532, returning people: null and amount: null instead of rejecting the request.	Cancel Booking	Fail	This is a bug
TC-25	Server is running	Ensure that the system rejects a booking request when payload contains invalid JSON data types (e.g. beds passed as a string/invalid value).	Send POST request to /api/bookings with beds set to "one".	URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "Test", "people": 1, "beds": "one", "twinBeds": 0, "checkInDate": "2026-08-01", "checkOutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message rejecting invalid data types.	The API created a confirmed booking with ID BKG-444532, returning beds: null instead of rejecting the request.	Cancel Booking	Fail	This is a bug
TC-26	Server is running	Ensure that the system rejects a booking request when payload contains invalid JSON data types (e.g. twinBeds passed as a string/invalid value).	Send POST request to /api/bookings with twinBeds set to "one".	URL: /api/bookings Body: { "hotelId": "HTL-102", "customerName": "Test", "people": 1, "beds": "one", "twinBeds": "one", "checkInDate": "2026-08-01", "checkOutDate": "2026-08-05" }	The response status code must be "400 Bad Request" with an error message rejecting invalid data types.	The API created a confirmed booking with ID BKG-444532, returning twinBeds: null instead of rejecting the request.	Cancel Booking	Fail	This is a bug
TC-27	Server is running room is booked/closed from 2026-08-01 to 2026-08-05	Ensure the system rejects a booking request that partially overlaps the start boundary of an existing reservation (checkInDate before, checkOutDate inside).	Send POST request to /api/bookings	URL: /api/bookings { "hotelId": "HTL-101", "customerName": "Test", "people": 1, "beds": 1, "twinBeds": 0, "checkInDate": "2026-07-30", "checkOutDate": "2026-08-03" }	409 Conflict with an error message indicating dates are unavailable.	Actual Result: 409 Conflict returned with response body: { "success": false, "message": "No rooms available for selected dates" }		Pass	
TC-28	Server is running room is booked/closed from 2026-08-01 to 2026-08-05	Ensure the system rejects a booking request that partially overlaps the end boundary of an existing reservation (checkInDate inside closed range, checkOutDate after).	Send POST request to /api/bookings	URL: /api/bookings { "hotelId": "HTL-101", "customerName": "Test", "people": 1, "beds": 1, "twinBeds": 0, "checkInDate": "2026-08-03", "checkOutDate": "2026-08-07" }	409 Conflict with an error message indicating dates are unavailable.	Actual Result: 409 Conflict returned with response body: { "success": false, "message": "No rooms available for selected dates" }		Pass	

TC-29	Server is running room is booked/closed from 2026-08-01 to 2026-08-05	e: Ensure the system rejects a booking request that completely spans across and encloses an existing unavailable period (checkinDate before the start, checkOutDate	Send POST request to /api/bookings	URL: /api/bookings { "hotelId": "HTL-101", "customerName": "Test", "people": 1, "beds": 1, "twinBeds": 0, "checkinDate": "2026-07-28", "checkOutDate": "2026-08-08" }	409 Conflict with an error message indicating dates are unavailable.	Actual Result: 409 Conflict returned with response body: { "success": false, "message": "No rooms available for selected dates" }	Pass	
TC-30	Server is running room is booked/closed from 2026-08-05	Ensure the system allows a booking where checkOutDate touches the exact checkinDate of an existing reservation (checking in on August 1st when the next reservation starts August 1st).	Send POST request to /api/bookings	URL: /api/bookings { "hotelId": "HTL-101", "customerName": "Test", "people": 1, "beds": 1, "twinBeds": 0, "checkinDate": "2026-07-28", "checkOutDate": "2026-08-01" }	The response status code must be "201 Created". Response must include success: true, confirmed status, and generated booking ID.	The API returned a successful response with 201 created status code, success: true, status "confirmed", and calculated amount.	Pass	
TC-31	Server is running room is booked/closed from 2026-08-01 to 2026-08-05	Ensure the system allows a booking where checkinDate touches the exact checkOutDate of an existing reservation (checking in on August 5th when the previous reservation ends August 5th).	Send POST request to /api/bookings	URL: /api/bookings { "hotelId": "HTL-101", "customerName": "Test", "people": 1, "beds": 1, "twinBeds": 0, "checkinDate": "2026-07-28", "checkOutDate": "2026-08-01" }	The response status code must be "201 Created". Response must include success: true, confirmed status, and generated booking ID.	The API returned a successful response with 201 created status code, success: true, status "confirmed", and calculated amount.	Pass	
Cancel Booking	Server is running; a valid active booking exists in the system.	Ensure that sending a DELETE request with a valid booking ID successfully cancels the booking and updates its status.	Send Delete request api/bookings/bookingId		The status must be 200 OK, with 'success: true', the message "Booking cancelled", and the updated status "cancelled".	A "200 OK" status was returned with 'success: true', the message "Booking cancelled", and the updated status "cancelled".	Pass	
TC-33	Server is running;	Ensure the system rejects a cancellation request when providing a booking ID that does not exist	Send Delete request api/bookings/bookingId		404 Not Found status code with an error message indicating the booking was not found.	{ "success": false, "message": "Booking not found" }	Pass	
TC-34	Server is running; booking BKG-450251 has already been cancelled in a previous step.	Ensure the system handles idempotency or prevents duplicate cancellations for an already cancelled reservation.	Send Delete request api/bookings/bookingId		400 Bad Request or 400 Conflict stating the booking is already cancelled	A "200 OK" status was returned with 'success: true', the message "Booking cancelled", and the updated status "cancelled".	Fail	This is a bug
List Bookings	Server is running There are bookings for this hotel.	Ensure that the booking list endpoint returns the correct response and status code when a valid hotel id is entered.	Send Get request api/bookings?hotelId=HTL-101		It must return a 200 OK status code when returning all bookings associated with this hotel.	A status code of 200 (OK) was returned, along with all bookings associated with the submitted hotel id.	Cancel Booking	Pass
TC-36	Server is running	Ensure that the endpoint returns an empty array when a valid hotel ID with no existing bookings is provided	Send GET request to api/bookings?hotelId=HTL-106		It must return a 200 OK status code along with an empty array [] for bookings.	A status code of 200 (OK) was returned, along with an empty bookings array.	Cancel Booking	Pass
TC-37	Server is running There is bookings	Ensure that the endpoint returns all bookings when the 'hotelId' query parameter is absent.	Send GET request to api/bookings without the hotelId query parameter.		The endpoint should return a 200 OK status code and fetch all bookings in the system.	The endpoint returned a 200 OK status code and successfully fetched all bookings.	Cancel Booking	Pass
TC-38	Server is running There is booking	Ensure that the booking list endpoint returns the correct response and status code when a valid booking id is entered.	Send Get request api/bookings/BKG-994532		The endpoint should return a 200 OK status code and a JSON response containing the correct details for the booking with ID BKG-994532.	The endpoint returned a 200 OK status code and a JSON response with "success": true containing the correct details for booking BKG-994532.	Cancel Booking	Pass
TC-39	Server is running	Ensure the system allows creating a new review when all required fields are provided with valid data.	Send POST request to /api/reviews	URL: api/reviews Request Body: { "hotelId": "HTL-101", "customerName": "Samer", "rating": 4, "comment": "Very nice stay and friendly staff." }	The response status code must be "201 Created". Response must include "success": true, a generated id (e.g. starting with REV-), and the created review details matching the payload	The API returned a successful response with status code 201, success: true, generated review ID "REV-447586", and matching review details.	Cancel Review	Pass
TC-40	Server is running	Ensure the system rejects review creation when the hotelId field is missing from the request body.	Send POST request to /api/reviews	URL: api/reviews Request Body: { "customerName": "Samer", "rating": 4, "comment": "Very nice stay and friendly staff." }	The response status code must be 400 Bad Request with an error message indicating that hotelId is required.	The API returned a 400 Bad Request status code with "success": false and message "Missing required review fields".	Pass	
TC-41	Server is running	Ensure the system rejects review creation when hotelId is passed as an empty string ("").	Send POST request to /api/reviews	URL: api/reviews Request Body: { "hotelId": "", "customerName": "Samer", "rating": 4, "comment": "Very nice stay and friendly staff." }	The response status code must be 400 Bad Request with an error message indicating that hotelId is required.	The API returned a 400 Bad Request status code with "success": false and message "Missing required review fields".	Pass	
TC-42	Server is running	Ensure the system rejects review creation when hotelId does not exist	Send POST request to /api/reviews	URL: api/reviews Request Body: { "hotelId": "HTL-99999", "customerName": "Samer", "rating": 4, "comment": "Very nice stay and friendly staff." }	The response status code should be 404 Not Found with an error message indicating that the specified hotel was not found.	The API returned a 404 Not Found status code with "success": false and message "Hotel not found".	Pass	
TC-43	Server is running	Ensure the system rejects review creation when the customerName field is missing from the request body.	Send POST request to /api/reviews	URL: api/reviews Request Body: { "hotelId": "HTL-101", "rating": 4, "comment": "Very nice stay and friendly staff." }	The response status code must be 400 Bad Request with an error message indicating that customerName is required.	The API returned a 400 Bad Request status code with "success": false and message "Missing required review fields".	Pass	
TC-44	Server is running	Ensure the system rejects review creation when customerName is passed as an empty string ("").	Send POST request to /api/reviews	URL: api/reviews Request Body: { "hotelId": "HTL-101", "customerName": "", "rating": 4, "comment": "Very nice stay and friendly staff." }	The response status code must be 400 Bad Request with an error message indicating that customerName is required.	The API returned a 400 Bad Request status code with "success": false and message "Missing required review fields".	Pass	

Reviews

TC-45	Server is running	Ensure the system rejects review creation when the rating field is missing from the request body.	Send POST request to /api/reviews	URL: /api/reviews Request Body: { "hotelId": "HTL-101", "customerName": "Samer", "comment": "Very nice stay and friendly staff." }	The response status code must be 400 Bad Request with an error message indicating that rating is required.	The API returned a 400 Bad Request status code with "success": false and message "Missing required review fields".	Pass		
TC-46	Server is running	Ensure the system rejects review creation when rating is passed as an empty string ("").	Send POST request to /api/reviews	URL: /api/reviews Request Body: { "hotelId": "HTL-101", "customerName": "Samer", "rating": "", "comment": "Very nice stay and friendly staff." }	The response status code must be 400 Bad Request with an error message indicating that rating is required.	The API returned a 400 Bad Request status code with "success": false and message "Missing required review fields".	Pass		
TC-47	Server is running	Ensure the system rejects review creation when rating is greater than 5.	Send POST request to /api/reviews	URL: /api/reviews Request Body: { "hotelId": "HTL-101", "customerName": "Samer", "rating": 6, "comment": "Very nice stay and friendly staff." }	The response status code must be 400 Bad Request with an error message indicating that rating must be between 1 and 5.	The API returned 201 Created with "success": true and created the review with "rating": 6.	Cancel Review	Fail	This is a bug
TC-48	Server is running	Ensure the system rejects review creation when rating is less than 1.	Send POST request to /api/reviews	URL: /api/reviews Request Body: { "hotelId": "HTL-101", "customerName": "Samer", "rating": -1, "comment": "Very nice stay and friendly staff." }	The response status code must be 400 Bad Request with an error message indicating that rating must be between 1 and 5.	The API returned 201 Created with "success": true and created the review with "rating": -1.	Cancel Review	Fail	This is a bug
TC-49	Server is running	Ensure the system rejects review creation when rating is passed as a string/text instead of a number.	Send POST request to /api/reviews	URL: /api/reviews Request Body: { "hotelId": "HTL-101", "customerName": "Samer", "rating": "ghghg", "comment": "Very nice stay and friendly staff." }	The response status code must be 400 Bad Request with an error message indicating that rating must be a valid number.	The API returned 201 Created with "success": true and created the review with "rating": null.	Cancel Review	Fail	This is a bug
TC-50	Server is running	Ensure the system rejects review creation when the comment field is missing from the request body.	Send POST request to /api/reviews	URL: /api/reviews Request Body: { "hotelId": "HTL-101", "customerName": "Samer", "rating": 4, "comment": "" }	The response status code must be 400 Bad Request with an error message indicating that comment is required.	The API returned a 400 Bad Request status code with "success": false and message "Missing required review fields".	Pass		
TC-51	Server is running	Ensure the system rejects review creation when comment is passed as an empty string ("").	Send POST request to /api/reviews	URL: /api/reviews Request Body: { "hotelId": "HTL-101", "customerName": "Samer", "rating": 4, "comment": "" }	The response status code must be 400 Bad Request with an error message indicating that comment is required.	The API returned a 400 Bad Request status code with "success": false and message "Missing required review fields".	Pass		
TC-52	Server is running	Ensure the system rejects review creation when comment contains only whitespace characters (" ").	Send POST request to /api/reviews	URL: /api/reviews Request Body: { "hotelId": "HTL-101", "customerName": "Samer", "rating": 4, "comment": " " }	The response status code should be 400 Bad Request with an error message indicating that comment cannot be empty or contain only whitespaces.	The API returned 201 Created with "success": true and saved the review with "comment": " ".	Cancel Review	Fail	This is a bug
TC-53	Server is running There is an reviews	Verify that the system successfully returns the complete list of reviews with a 200 OK status code.	Send GET request to: /api/reviews	URL: /api/reviews	The response status code must be 200 OK returning a list/array of reviews (containing all fields like id, hotelId, customerName, rating, comment, createdAt) with "success": true.	The API returned 200 OK with "success": true and the list of reviews.	Cancel Review	Pass	
TC-54	Server is running There is an reviews	Verify that passing hotelId as a query parameter returns only the reviews related to that specific hotel.	Send GET request to: /api/reviews?hotelId=HTL-101	URL: /api/reviews?hotelId=HTL-101	The response status code should be 200 OK, returning only reviews for HTL-101	he API returned 200 OK with reviews filtered for HTL-101	Cancel Review	Pass	
TC-55	Server is running	Verify that filtering by a hotelId that has no reviews returns an empty list [] instead of returning all reviews.	Send GET request to: /api/reviews?hotelId=HTL-106	URL: /api/reviews?hotelId=HTL-106	The response status code should be 200 OK with "success": true and "reviews": []	The API returned 200 OK with "success": true, "averageRating": 0, and "reviews": []	Pass		
TC-56	Server is running There is an reviews	Verify that sending a DELETE request with a valid existing review ID successfully removes the review.	Send DELETE request to: /api/reviews/REV-202231	URL: /api/reviews/REV-202231	The response status code should be 200 OK with "success": true and a confirmation message.	The API returned 200 OK with "success": true, "message": "Review deleted", and returned the deleted review data.	Pass		