

Karsaaz Agent

Complete API Documentation

89 Endpoints | 71 Backend + 18 Frontend

Backend: <https://bot.karsaazagent.com>

Frontend: <https://karsaazagent.com>

Table of Contents

1. Health & System
2. Authentication
3. Google OAuth
4. User & Profile
5. Billing & Subscriptions
6. Voice AI & Usage
7. Referral System
8. GDPR & Privacy
9. Blog CMS
10. Contact & Support
11. Admin Analytics
12. Webhooks (Inbound)
13. Frontend API Routes (Next.js)
14. Auth Summary
15. Router Mount Points

Backend API (Python FastAPI)

Base URL: <https://bot.karsaazagent.com>

1. Health & System

Source: *app/main.py, app/api/routes.py*

Method	Path	Auth	Purpose
GET	/	None	Root health check -- returns app name, status, version
GET	/health	None	Dedicated health check for K8s / Docker probes
GET	/api/v1/health	None	Backend health check for frontend availability detection

2. Authentication

Source: *app/api/auth_routes.py*

Method	Path	Auth	Purpose
POST	/api/v1/auth/register	None (rate limited)	Register new user or link existing bot user to web account; creates trial subscription
POST	/api/v1/auth/login	None (rate limited)	Email + password login; returns JWT access + refresh tokens
POST	/api/v1/auth/refresh	Refresh Token	Exchange refresh token for new access + refresh token pair
POST	/api/v1/auth/token	None (rate limited)	OAuth2-compatible token endpoint; alias for /login (Swagger UI)
GET	/api/v1/auth/me	JWT	Get current user profile (email, name, status, verification code)
POST	/api/v1/auth/magic-login	Upgrade Token	Authenticate bot user via magic link token without password
POST	/api/v1/auth/set-password	JWT	Set/update password for authenticated user (bot users with no password)
POST	/api/v1/auth/forgot-password	None (rate limited)	Initiate password reset; sends email (always 200 to prevent enumeration)
POST	/api/v1/auth/reset-password	None (rate limited)	Complete password reset using token; enforces password strength rules

3. Google OAuth

Source: *app/api/oauth_routes.py*

Method	Path	Auth	Purpose
GET	/api/v1/oauth/google/login	None	Initiate Google OAuth login; redirects to Google consent screen
GET	/api/v1/oauth/google/signup	None	Initiate Google OAuth signup; optionally accepts wa_user_id for linking
GET	/api/v1/oauth/google/callback	OAuth State	Handle Google callback; exchanges code, creates/links user, redirects to frontend
POST	/api/v1/oauth/google/exchange	Auth Code	Exchange short-lived auth code (from redirect) for actual JWT token

4. User & Profile

Source: [app/api/routes.py](#), [app/api/voice_routes.py](#)

Method	Path	Auth	Purpose
GET	/api/v1/users/me	JWT	Get current user profile with verification code
POST	/api/v1/link-tokens	JWT	Generate a link token for WhatsApp/Telegram account binding
POST	/api/v1/upgrade-tokens	JWT	Generate an upgrade token for Stripe checkout authentication
GET	/api/v1/upgrade/resolve	JWT	Validate upgrade token and return user subscription info
GET	/api/v1/user/identities	None (user_id param)	Get all linked identities (WhatsApp, Telegram, Web, Google)
POST	/api/v1/link/generate	JWT	Generate link token with deep links for account binding
GET	/api/v1/link/validate	JWT	Validate a link token without consuming it; returns user_id

5. Billing & Subscriptions

Source: `app/api/routes.py`

Method	Path	Auth	Purpose
POST	/api/v1/billing/checkout-session	JWT / Upgrade Token	Create Stripe checkout session for plan purchase (monthly + annual)
POST	/api/v1/billing/portal-session	JWT	Create Stripe Billing Portal session (cancel, update payment, invoices)
GET	/api/v1/payments/billing-history	JWT	Get billing / invoice history from Stripe for current user
GET	/api/v1/payments/subscriptions/all	JWT	Get all subscription records for the current user
GET	/api/v1/internal/subscription	API Key	Get subscription/usage status for internal bot services
GET	/api/v1/promo-codes/my-codes	JWT	Get user's promo codes (stub -- returns empty list)
POST	/api/v1/promo-codes/validate	JWT	Validate a promo code (stub -- always returns error)

6. Voice AI & Usage

Source: `app/api/voice_routes.py`

Method	Path	Auth	Purpose
GET	/api/v1/usage/current	JWT	Get current usage bucket (included/used/remaining seconds, billing period)

Note: Voice message processing runs asynchronously via Celery tasks, not REST endpoints. Flow: Webhook receives voice -> Celery task -> Whisper STT -> Claude summarization -> optional TTS -> reply via bot.

7. Referral System

Source: `app/api/routes.py`, `app/api/voice_routes.py`

Method	Path	Auth	Purpose
GET	/api/v1/referrals/stats	JWT	Get referral stats (total coins, completed/pending referrals, code)
POST	/api/v1/referrals/generate	JWT	Get or generate a referral code for sharing
GET	/api/v1/referral/code	JWT	Get or create a referral code for the authenticated user
POST	/api/v1/referral/redeem	JWT	Redeem a referral code (REF_ for user rewards, MKT_ for marketer payouts)

8. GDPR & Privacy

Source: `app/api/gdpr_routes.py`

Method	Path	Auth	Purpose
GET	/api/v1/gdpr/account/export	JWT (rate limited)	Export all user data as JSON (GDPR Art. 20 -- data portability)

Method	Path	Auth	Purpose
DELETE	/api/v1/gdpr/account	JWT (rate limited)	Permanently delete account and all data (GDPR Art. 17 -- right to erasure)
POST	/api/v1/gdpr/consent	JWT	Record user consent (terms, privacy, marketing) with IP hash audit trail
POST	/api/v1/gdpr/consent/withdraw	JWT	Withdraw previously given consent (GDPR Art. 7(3))
GET	/api/v1/gdpr/consent	JWT	Retrieve all consent records for the current user
GET	/api/v1/gdpr/privacy-info	None	Get data processing info, rights, and third-party disclosures (public)

9. Blog CMS

Source: *app/api/blog_routes.py*

Articles

Method	Path	Auth	Purpose
GET	/api/v1/blog/articles	None	List all articles (published only; includeAll=true for drafts)
GET	/api/v1/blog/articles/version	None	Return latest updated_at timestamp for cache-busting
GET	/api/v1/blog/articles/{id}	None	Get single article by ID
GET	/api/v1/blog/articles/by-slug/{slug}	None	Get single article by URL slug
POST	/api/v1/blog/articles	None	Create new article (FormData with Cloudinary image URL)
PUT	/api/v1/blog/articles/{id}	None	Update an existing article
DELETE	/api/v1/blog/articles/{id}	None	Delete an article by ID
POST	/api/v1/blog/articles/{slug}/view	None	Increment view count for an article

Authors, Categories, Tags & Images

Method	Path	Auth	Purpose
GET	/api/v1/blog/authors	None	Get all active authors with blog counts
POST	/api/v1/blog/authors	None	Create a new author
GET	/api/v1/blog/categories	None	Get all active categories with blog counts
POST	/api/v1/blog/categories	None	Create a new category
GET	/api/v1/blog/tags	None	Get all active tags
POST	/api/v1/blog/tags	None	Create a new tag
POST	/api/v1/blog/blogs/upload-image	None	Save Cloudinary image record to DB
GET	/api/v1/blog/blogs/images	None	List uploaded blog images (optionally by article_id)

10. Contact & Support

Source: *app/api/contact_routes.py*

Method	Path	Auth	Purpose
POST	/api/v1/contact/submit	None (rate limited)	Submit contact form; saves to DB, emails admin + thank-you, forwards to Odoo ERP
POST	/api/v1/contact/support	None (rate limited)	Submit support ticket; emails category team, forwards to Odoo ERP

11. Admin Analytics

Source: *app/api/admin_routes.py* | All endpoints require **X-API-Key** header

Method	Path	Auth	Purpose
GET	/api/v1/admin/subscriptions/summary	API Key	Plans purchased, user counts, and user lists per plan tier
GET	/api/v1/admin/marketers	API Key	List all marketers (MKT_ codes) with referral/commission stats
GET	/api/v1/admin/marketers/{user_id}	API Key	Single marketer detail with all referrals and payment status
GET	/api/v1/admin/referrals/signups	API Key	Signups generated per marketer/referrer
GET	/api/v1/admin/referrals/subscriptions	API Key	Subscriptions purchased via referral codes
GET	/api/v1/admin/commissions	API Key	Commission summary per marketer (earned, paid, pending)
POST	/api/v1/admin/commissions/{id}/pay	API Key	Mark a single commission as paid

12. Webhooks (Inbound)

Source: [app/bots/whatsapp/webhook.py](#), [app/bots/telegram/webhook.py](#), [app/api/stripe_webhook.py](#)

Method	Path	Auth	Purpose
GET	/webhooks/whatsapp	Verify Token	Meta webhook verification handshake (hub.verify_token challenge)
POST	/webhooks/whatsapp	Meta Signature	Receives all incoming WhatsApp messages; routes voice/text/buttons
POST	/webhooks/telegram	Secret Token	Receives Telegram updates; validates X-Telegram-Bot-API-Secret-Token
POST	/telegram-webhook	Secret Token	Alternate Telegram webhook route (compatibility alias)
POST	/webhooks/stripe	Stripe Signature	Handles Stripe events: checkout completed, subscription updated/deleted, invoice paid/failed, disputes, expired sessions

Frontend API Routes (Next.js)

Base URL: <https://karsaazagent.com> | Most routes proxy to the Python backend.

13. Admin Auth

Method	Path	Auth	Purpose
POST	/api/admin/login	Credentials	Authenticate admin; sets admin_session cookie (6-hour TTL)
POST	/api/admin/logout	Cookie	Clear admin_session cookie to log admin out

Blog CMS Proxy

Method	Path	Purpose
GET	/api/articles	Fetch all articles from backend (includeAll=true)
POST	/api/articles	Create article via backend; revalidates /blog path
GET	/api/articles/[id]	Fetch single article by ID
PUT	/api/articles/[id]	Update article by ID; revalidates blog paths
DELETE	/api/articles/[id]	Delete article by ID; revalidates /blog
GET	/api/articles/version	Return last-modified timestamp for cache-busting
GET	/api/authors	Fetch all blog authors from backend
POST	/api/authors	Create new author via backend
GET	/api/categories	Fetch all blog categories from backend
POST	/api/categories	Create new category via backend
GET	/api/tags	Fetch all blog tags from backend
POST	/api/tags	Create new tag via backend

Utilities & Uploads

Method	Path	Purpose
POST	/api/bot	Proxy to external bot API (bot.karsaazsolutions.com) to avoid CORS
POST	/api/verify-turnstile	Verify Cloudflare Turnstile CAPTCHA token server-side
GET	/api/uploads/[...path]	Serve uploaded images (local first, then proxy to backend)
POST	/api/blogs/upload-image	Upload blog image to Cloudinary (max 5 MB, images only)

14. Authentication Summary

Auth Type	Count	Used By
None (public)	30	Health checks, blog CRUD, contact forms, privacy info, OAuth redirects, register, login, forgot/reset password
JWT Bearer Token	24	User profile, usage stats, referrals, billing, subscriptions, link/upgrade tokens, set-password, GDPR
API Key (X-API-Key)	8	Admin analytics, internal subscription status
Platform-Specific	5	WhatsApp verify token, Stripe webhook signature, Telegram secret token
Refresh Token	1	Token refresh endpoint
Upgrade / Auth Token	2	Magic login, checkout session
Cookie (admin_session)	2	Frontend admin login/logout

15. Router Mount Points

Mount Path	Description
/	Root health check
/health	Health probe
/webhooks/whatsapp	WhatsApp webhook router
/webhooks/telegram	Telegram webhook router
/webhooks/stripe	Stripe webhook router
/telegram-webhook	Telegram webhook alias
/api/v1/	Main API router (routes.py + voice_routes.py)
/api/v1/auth/	Authentication router
/api/v1/oauth/	Google OAuth router
/api/v1/gdpr/	GDPR compliance router
/api/v1/contact/	Contact form router
/api/v1/blog/	Blog CMS router
/api/v1/admin/	Admin analytics router
/uploads/	Static file serving (blog images)