Material UI

Basic

Hook API:

• Doesn't bind with the component

Higher order component AI:

• Bind with the component

React router

• Don't put path "/" first otherwise everything will get match to it

Things to remember for React

React Router

- Router needs to wrap to entire app so that useContext doesn't reload everytime you enter new website
 - o So need to wrap Router around entire app
 - javascript React-Router is refreshing page when I follow a route using <a> tag Stack
 Overflow

Update object inside array

```
let newCart = [...cart]
    alert("item not found")
    newCart.push({id, quantity:1})
    setCart(newCart)
}
else {
    let newCart = [...cart]
    alert('item found ' + newCart[index].quantity)
    newCart[index].quantity = cart[index].quantity +1;
    setCart(newCart)
}
```

IBM React app architecture

Index

• AppContextWrapper

AppContextWrapper

- <AppContextProvider>
 - о Арр

App

- <Router>
 - NavBar
 - o <Route>
 - AboutPage
 - UsersPage
 - CartPage
 - HomePage

• AppMenu

UsersPage

HomePage

- <Grid>
 - o Order

Order

OrderDetails

OrderDetails

OrderActions

CartPage

NavBar

Props passed:

Home -> Order (orders from orderInfo) -> OrderDetails(order)

order

• href, name, description, price, id