


CSS-5 Advanced CSS




font - *

display → inline, block, inline-block
Position → flex, grid

→ sticky, static
absolute, relative
fixed

box-model →



[✓ HTML
✓ CSS
✓ JS] ⇒

{ React
Vue
Angular
Next.js
⋮ }

JS
React


CSS → Cascading style sheet
↓

rel = 'stylesheet'

→ Priority vs Specific → Particular

↓
Series
of
events / order
of
execution


↓
Modifi / final
words



→ inline will have highest priority

⇒ <h1 style="color: red"> ——— <h1>

↓
⇒ specific
⇓



id | id
↑
ul#fruit li
| |

→



(1, 0, 2)
↓ ↓ ↓

Element

Element

id class element

2 Element



1) 1000 → style (inline style)

2) 100 → id (#)

3) 10 → class (.)

4) 1 → element (ul, li)

test 10

#try 100

try > test

1, 1, 2 ↔ 1, 0, 2

$1 \times 100 + 1 \times 10 + 1 \times 2 \rightarrow 1 \times 100 + 0 \times 10 + 2 \times 1$

= 112

→ 102

$112 > 102$

$1 < 2 < 3 < 4$

1 → test

2 → h1.test

3 → #try

4 → h2

Binary representations:

- 0010
- 0011
- 0100
- 0001




$\Rightarrow h2 < test < h1 < test < \#try$

{ Priority $\rightarrow$ specificity
 Specific $\rightarrow$!important

1000, 100, 10, 1
 style, id, class, elem

$\rightarrow$ inheritance

{ $\rightarrow$ acquire property of parents
 $\rightarrow$ generational wealth





i frame

fx

Full State
React
Nodes
Expect
Money