

Cucumber Report

11-Jan-2024, 6:24:58 am

Start : Jan 11, 6:22:10.550 am

End : Jan 11, 6:24:56.215 am

Duration : 2 m 45.665 s

Features





PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios


PASSED - 4
FAILED - 3
SKIPPED - 0

Steps


PASSED - 26
FAILED - 3
SKIPPED - 13



Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Test Cogmento CRM Application</u>		2 m 45.665 s		7	4	3	0	42	26	3	13




#	Feature Name	T	P	F	S	Duration
1	<u>Test Cogmento CRM Application</u>	7	4	3	0	2 m 45.665 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test Cogmento CRM Application</u>	<u>Validate the LoginAndHomePage Functionality</u> <u>#parameters concept</u>	5	5	0	0	13.655 s
2	<u>Test Cogmento CRM Application</u>	<u>Validate Contacts page Functionality</u> <u>#data driven testing</u>	6	6	0	0	11.706 s
3	<u>Test Cogmento CRM Application</u>	<u>Validate Contacts page Functionality</u> <u>#data driven testing</u>	6	6	0	0	11.056 s
4	<u>Test Cogmento CRM Application</u>	<u>Validate Contacts page Functionality</u> <u>#data driven testing</u>	6	6	0	0	11.008 s
5	<u>Test Cogmento CRM Application</u>	<u>Validate Contacts page Functionality</u> <u>#data driven testing</u>	6	3	1	2	57.220 s
6	<u>Test Cogmento CRM Application</u>	<u>Validate Companies Page Functionality</u> <u>#dataTable</u>	5	0	1	4	30.543 s
7	<u>Test Cogmento CRM Application</u>	<u>Validate the Deals Page Functionality</u> <u># normal scenario</u>	8	0	1	7	30.345 s

Test Cogmento CRM Application




Validate the LoginAndHomePage Functionality #parameters concept







#	Step / Hook Details	Status	Duration
1	Given user open "edge" browser AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062220Validate the LoginAndHomePage Functionality #parameters concept 	PASSED	9.898 s
		PASSED	0.220 s
2	When user enters valid "prafulp1010@gmail.com" , "Pr@ful0812" and click on login button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062221Validate the LoginAndHomePage Functionality #parameters concept 	PASSED	0.645 s
		PASSED	0.188 s

#	Step / Hook Details	Status	Duration
3	Then user validate Home Page title AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062221Validate the LoginAndHomePage Functionality #parameters concept	PASSED	0.016 s
4	And user validate Home Page URL AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062221Validate the LoginAndHomePage Functionality #parameters concept	PASSED	0.011 s
5	And user validate Home Page Logo AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062224Validate the LoginAndHomePage Functionality #parameters concept	PASSED	1.790 s


Validate Contacts page Functionality #data driven testing




#	Step / Hook Details	Status	Duration
1	Given user click on Contacts button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062224Validate Contacts page Functionality #data driven testing 	PASSED	0.210 s
2	And user validate user is on Contacts Page URL AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062225Validate Contacts page Functionality #data driven testing 	PASSED	0.012 s
3	And user click on create contacts button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062225Validate Contacts page Functionality #data driven testing 	PASSED	0.259 s
4	And user enter valid "Janki","Shankar","Mahadevan" and click on save button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062233Validate Contacts page Functionality #data driven testing 	PASSED	7.282 s
5	And user delete the created contact by clicking on delete bin AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062235Validate Contacts page Functionality #data driven testing 	PASSED	2.151 s

#	Step / Hook Details	Status	Duration
			
6	And user click on confirm delete button	PASSED	0.143 s
	AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062235Validate Contacts page Functionality #data driven testing 	PASSED	0.234 s

Validate Contacts page Functionality #data driven testing



#	Step / Hook Details	Status	Duration
1	Given user click on Contacts button	PASSED	0.149 s
	AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062236Validate Contacts page Functionality #data driven testing 	PASSED	0.279 s
2	And user validate user is on Contacts Page URL	PASSED	0.008 s
	AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062236Validate Contacts page Functionality #data driven testing	PASSED	0.198 s




#	Step / Hook Details	Status	Duration
3	And user click on create contacts button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062237Validate Contacts page Functionality #data driven testing	PASSED	0.277 s
		PASSED	0.201 s
4	And user enter valid "Parvati","Hari","Murari" and click on save button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062244Validate Contacts page Functionality #data driven testing	PASSED	7.061 s
		PASSED	0.200 s
5	And user delete the created contact by clicking on delete bin AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062246Validate Contacts page Functionality #data driven testing	PASSED	2.148 s
		PASSED	0.189 s
6	And user click on confirm delete button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062247Validate Contacts page Functionality #data driven testing	PASSED	0.123 s
		PASSED	0.213 s

#	Step / Hook Details	Status	Duration


Validate Contacts page Functionality #data driven testing




PASSED	DURATION - 11.008 s / 6:22:47.036 am // 6:22:58.044 am /		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
--------	-----------------------------------------------------------------	--	--------------------------------------------------------	--

#	Step / Hook Details	Status	Duration
1	Given user click on Contacts button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062247Validate Contacts page Functionality #data driven testing 	PASSED	0.120 s
2	And user validate user is on Contacts Page URL AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062247Validate Contacts page Functionality #data driven testing 	PASSED	0.042 s
3	And user click on create contacts button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062248Validate Contacts page Functionality #data driven testing 	PASSED	0.166 s
		PASSED	0.235 s

#	Step / Hook Details	Status	Duration
			
4	And user enter valid "Sita","vishnu","Mahesh" and click on save button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062255Validate Contacts page Functionality #data driven testing	PASSED	7.020 s
		PASSED	0.213 s
5	And user delete the created contact by clicking on delete bin AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062257Validate Contacts page Functionality #data driven testing	PASSED	2.170 s
		PASSED	0.245 s
6	And user click on confirm delete button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062258Validate Contacts page Functionality #data driven testing	PASSED	0.114 s
		PASSED	0.243 s

Validate Contacts page Functionality #data driven testing



#	Step / Hook Details	Status	Duration
1	Given user click on Contacts button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062258Validate Contacts page Functionality #data driven testing 	PASSED	0.117 s
2	And user validate user is on Contacts Page URL AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062258Validate Contacts page Functionality #data driven testing 	PASSED	0.017 s
3	And user click on create contacts button AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario) 11012024_062259Validate Contacts page Functionality #data driven testing 	PASSED	0.156 s
4	And user enter valid "Laxmi", "krishna", "Hari" and click on save button org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.name: first_name' (tried for 30 second(s) with 500 milliseconds interval)	FAILED	56.243 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at UtilityLayer.Wait.sendKeys(Wait.java:16) at PageLayer.ContactsPage.addPersonalInformation(ContactsPage.java:57) at Steps.SnippetsDemo.user_enter_valid_and_click_on_save_button(SnippetsDemo.java:108) at ?.user enter valid "Laxmi", "krishna", "Hari" and click on save button(file:///C:/Users/khala/BDD%20WORKSPACE/COGMENTOCRM/AllFeaturesFile/CogmentoCRM.feature:14) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='first_name']"} (Session info: MicrosoftEdge=120.0.2210.121) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d3c491bc877c8cb489521427b733d4b6, findElement {using=name, value=first_name}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62281}, msedge: {msedgedriverVersion: 120.0.2210.121 (6086ec26a02..., userDataDir: C:\Users\khala\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62281/devtoo..., se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3c491bc877c8cb489521427b733d4b6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy20.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at UtilityLayer.Wait.sendKeys(Wait.java:16) at PageLayer.ContactsPage.addPersonalInformation(ContactsPage.java:57) at Steps.SnippetsDemo.user_enter_valid_and_click_on_save_button(SnippetsDemo.java:108) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=120.0.2210.121) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d3c491bc877c8cb489521427b733d4b6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62281}, msedge: {msedgedriverVersion: 120.0.2210.121 (6086ec26a02..., userDatumDir: C:\Users\khala\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62281/devtoo..., se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3c491bc877c8cb489521427b733d4b6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at Steps.SnippetsDemo.tearDown(SnippetsDemo.java:252) </pre>	FAILED	0.015 s
5	And user delete the created contact by clicking on delete bin	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And user click on confirm delete button	SKIPPED	0.000 s

Validate Companies Page Functionality #dataTable




#	Step / Hook Details	Status	Duration
1	<p>Given user click on Companies link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=120.0.2210.121) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d3c491bc877c8cb489521427b733d4b6, findElement {using=xpath, value=/span[text()='Companies']}]] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62281}, msedgedriverVersion: 120.0.2210.121 (6086ec26a02..., userDataDir: C:\Users\khala\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62281/devtoo..., se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3c491bc877c8cb489521427b733d4b6 at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)</pre>	FAILED	30.515 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy20.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:295) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:226) at UtilityLayer.Wait.click(Wait.java:26) at PageLayer.HomePage.companiesButtonClick(HomePage.java:50) at Steps.SnippetsDemo.user_click_on_companies_link(SnippetsDemo.java:135) at ?.user click on Companies link(file:///C:/Users/khala/BDD%20WORKSPACE/COGMENTOCRM/AllFeaturesFile/CogmentoCRM.feature:26) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=120.0.2210.121) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d3c491bc877c8cb489521427b733d4b6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62281}, msedge: {msedgedriverVersion: 120.0.2210.121 (6086ec26a02..., userDataDir: C:\Users\khala\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62281/devtoo..., se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3c491bc877c8cb489521427b733d4b6 at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) </pre>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	at Steps.SnippetsDemo.tearDown(SnippetsDemo.java:252)		
2	And user validate the Companies Page Url companies	SKIPPED	0.011 s
3	When user clicks on create new company button	SKIPPED	0.000 s
4	Then user enters valid company name Dutch Bank	SKIPPED	0.000 s
5	And user click on save button	SKIPPED	0.001 s

Validate the Deals Page Functionality # normal scenario



#	Step / Hook Details	Status	Duration
1	Given user is on Deals Page and validate the Deals Page url org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=120.0.2210.121) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d3c491bc877c8cb489521427b733d4b6, findElement {using=xpath, value=/span[text()='Deals']}]] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62281}, msedge: {msedgedriverVersion: 120.0.2210.121 (6086ec26a02..., userDataDir: C:\Users\khala\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62281/devtoo..., se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3c491bc877c8cb489521427b733d4b6 at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	30.330 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy20.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui(ExpectedConditions\$10.toString(ExpectedConditions.java:295) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:453) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:408) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:226) at UtilityLayer.Wait.click(Wait.java:26) at PageLayer.HomePage.dealsButtonClick(HomePage.java:55) at Steps.SnippetsDemo.user_is_on_deals_page_and_validate_the_deals_page_url(SnippetsDemo.java:181) at ?.user is on Deals Page and validate the Deals Page url(file:///C:/Users/khala/BDD%20WORKSPACE/COGMENTOCRM/AllFeaturesFile/CogmentoCRM.feature:35) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - Steps.SnippetsDemo.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=120.0.2210.121) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d3c491bc877c8cb489521427b733d4b6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62281}, msedge: {msedgedriverVersion: 120.0.2210.121 (6086ec26a02..., userDataDir: C:\Users\khala\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62281/devtoo..., se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3c491bc877c8cb489521427b733d4b6 at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at Steps.SnippetsDemo.tearDown(SnippetsDemo.java:252)		
2	When user click on create deals button	SKIPPED	0.000 s
3	Then user enter valid title and amount	SKIPPED	0.000 s
4	And user delete the created deal	SKIPPED	0.000 s
5	And user again click on delete bin	SKIPPED	0.000 s
6	And user click on deals icon	SKIPPED	0.015 s
7	And user click on deleted deals name checkbox and then click on purge deleted button and then click on Ok button	SKIPPED	0.000 s
8	Then user click on settings icon and click on logout	SKIPPED	0.000 s