

## MCQ Practice — Answer Key

All 40 Questions

| Q# | Answer | Option                  |
|----|--------|-------------------------|
| 1  | b)     | <title>                 |
| 2  | c)     | <nav>                   |
| 3  | a)     | <meta>                  |
| 4  | c)     | href                    |
| 5  | c)     | email                   |
| 6  | c)     | Database server         |
| 7  | b)     | Three-tier architecture |
| 8  | b)     | DNS server              |
| 9  | c)     | HTTPS                   |
| 10 | b)     | Client                  |
| 11 | b)     | padding                 |
| 12 | c)     | margin                  |
| 13 | a)     | outline                 |
| 14 | b)     | overflow                |
| 15 | b)     | <strong>                |
| 16 | b)     | if...else               |
| 17 | c)     | array                   |
| 18 | c)     | for                     |
| 19 | c)     | click                   |
| 20 | b)     | let                     |
| 21 | c)     | fixed                   |
| 22 | b)     | z-index                 |
| 23 | d)     | inline-block            |
| 24 | b)     | relative                |
| 25 | a)     | absolute                |
| 26 | b)     | checkbox                |

|    |    |                          |
|----|----|--------------------------|
| 27 | c) | radio                    |
| 28 | b) | file                     |
| 29 | b) | submit                   |
| 30 | a) | reset                    |
| 31 | b) | flex-wrap                |
| 32 | b) | display: none            |
| 33 | b) | pseudo-class             |
| 34 | c) | pseudo-element           |
| 35 | c) | .thumb                   |
| 36 | b) | pop()                    |
| 37 | b) | push()                   |
| 38 | c) | object                   |
| 39 | b) | document.createElement() |
| 40 | b) | remove the node/element  |