TEST PLAN

# PHPTRAVELS Live Demo: Travel Booking Platform

Application under test: https://phptravels.com/demo (demo environment at https://phptravels.net)

## Team Bug Slayers

Team Leader: Khaled Taha

| Document control | |
|---|---|
| **Document ID** | TP-PT-001 |
| **Version** | 1.0 |
| **Date** | 27 October 2026 |
| **Status** | Draft for review |
| **Prepared by** | Bug Slayers Team |
| **Owner** | Khaled Taha (Team Leader) |
| **Team members** | Taha Ayman, Menna Mostafa, Hagar Sayed, Rana Sami, Nada Salah |

# Table of Contents

**1. Introduction** ..... **3**
1.1 Purpose ..... 3
1.2 Product Overview (Product Analysis) ..... 3
1.3 Demo Roles and Access ..... 3
1.4 Plan Structure and Component Mapping ..... 4
**2. Test Objectives (SMART)** ..... **4**
**3. Scope** ..... **5**
3.1 In Scope ..... 5
3.2 Out of Scope ..... 5
**4. Test Approach and Strategy** ..... **5**
4.1 Methodology ..... 5
4.2 Test Levels and Types ..... 6
4.3 Tools ..... 7
4.4 Entry, Exit and Suspension Criteria ..... 7
**5. Test Scenarios** ..... **8**
5.1 High-Level Scenarios by Module ..... 8
5.2 Sample Detailed Test Cases ..... 10
5.3 Exploratory Charters ..... 10
**6. Traceability Matrix** ..... **11**
**7. Test Deliverables** ..... **12**
**8. Defect Management** ..... **12**
8.1 Bug Report Standard ..... 12
8.2 Severity and Priority ..... 12
8.3 Defect Life Cycle ..... 13
8.4 Quality Metrics ..... 13
**9. Dependencies** ..... **13**
**10. Test Environment** ..... **14**
**11. Resource Planning** ..... **14**
**12. Schedule** ..... **14**
**13. Roles and Responsibilities** ..... **16**
**14. Risk Management** ..... **17**
**15. Assumptions and Constraints** ..... **18**
**16. Change Management** ..... **18**
**17. Approval and Revision History** ..... **18**

# 1. Introduction

## 1.1 Purpose

This document defines the approach, scope, objectives, resources, schedule, deliverables and risks for testing the PHPTRAVELS live demo: the demo access request page and the demo travel booking platform it unlocks. It is the single reference for the six-member Bug Slayers team, and it follows the same standard test-plan components used in our previous plan: Objectives, Approach, Scope, Test Deliverables, Dependencies, Test Environment, Risk Management, Schedule, and Roles and Responsibilities.

## 1.2 Product Overview (Product Analysis)

PHPTRAVELS is travel booking software for agencies, tour operators and online travel agencies, sold as a one-time licence with full source code. Its public demo page lets a visitor fill in a short form and receive, at once, logins for four roles on the demo platform (phptravels.net): a customer storefront, a B2B agent portal, a supplier portal and an admin back office. The demo runs in test mode with sandbox payments and live supplier data, and it is a shared environment that is reset regularly.

| Item | Detail |
|---|---|
| **Target audience** | Travel agencies, tour operators and OTAs evaluating the software; technical and product teams doing due diligence before buying |
| **Key features** | Demo access form with instant credentials; booking engines for flights, hotels, tours, cars, transfers and visas; checkout with sandbox payments; customer account; B2B agent portal with wallet and net rates; supplier portal; admin back office (bookings, markups, suppliers, payments, reports); multi-currency pricing |
| **Most important to the customer** | Getting working demo access immediately; accurate search results and prices; a booking that completes from search to confirmation; the same booking visible in the customer account and in the admin |
| **Main challenges** | Shared environment that resets regularly; live supplier data that changes between searches; a security check that limits automation; four different portals; no requirements document, source code or backend access |
| **Quality metrics** | 100% of critical scenarios executed, all defects logged and classified at exit, 95% pass rate on High-priority scenarios (see Section 8.4) |

## 1.3 Demo Roles and Access

Credentials are generated each time access is requested. They are shown on the page and emailed to the requester. They are kept in the team's private test data sheet and are not written in this document. The demo is shared, so only made-up data is entered.

| Role | What it represents and what we test | Where |
|---|---|---|
| **Admin** | The back office: bookings, markups, suppliers, payments and reports | https://phptravels.net/admin |
| **Customer** | The storefront account a traveller uses: search, book, pay and manage trips | https://phptravels.net/login |
| **Agent** | The B2B portal: net rates, wallet credit and bookings for clients | URL shown after access is requested |
| **Supplier** | The supplier portal: inventory, rates and bookings received | URL shown after access is requested |

### 1.4 Plan Structure and Component Mapping

The table below shows where each required test-plan component is covered in this document.

| Test plan component | Where covered |
|---|---|
| **Product Analysis** | Section 1.2 |
| **Objectives (SMART)** | Section 2 |
| **Scope (in / out)** | Section 3 |
| **Approach (methodology, test types, tools, entry / exit / suspension criteria)** | Section 4 |
| **Test Scenarios and sample test cases** | Section 5 (with traceability in Section 6) |
| **Test Deliverables** | Section 7 |
| **Defect Management and quality metrics** | Section 8 |
| **Dependencies** | Section 9 |
| **Test Environment** | Section 10 |
| **Resource Planning** | Section 11 |
| **Schedule and milestones** | Section 12 |
| **Roles and Responsibilities, communication plan** | Section 13 |
| **Risk Management** | Section 14 |
| **Assumptions, constraints and change management** | Sections 15 and 16 |
| **Review, approval and revision history** | Section 17 |

# 2. Test Objectives (SMART)

| ID | Objective | Measure | Deadline |
|---|---|---|---|
| **OBJ-1** | Verify that the demo access request works: form validation, security check, credentials display and confirmation email | 100% of demo access test cases executed; all deviations logged | 3 Nov 2026 |
| **OBJ-2** | Verify sign-in and role-based access for all four roles, including negative cases | 100% of sign-in test cases executed; every access-control gap logged | 4 Nov 2026 |
| **OBJ-3** | Verify search and results for flights, hotels, tours, cars and other modules | 100% of search test cases executed; filters and sorting checked in each module | 5 Nov 2026 |
| **OBJ-4** | Verify checkout, sandbox payment, pricing accuracy and booking confirmation | 100% of checkout test cases executed; every price or total defect logged with expected and actual values | 8 Nov 2026 |
| **OBJ-5** | Verify the agent portal, supplier portal and admin back office, and the end-to-end journey across roles | Core flow executed in all four roles; one booking traced across all views | 8 Nov 2026 |
| **OBJ-6** | Evaluate compatibility, responsiveness, language support, usability, basic accessibility, basic security and observable performance | Core flow on 3 browsers and 3 viewport sizes; all non-functional checklists completed and reported | 10 Nov 2026 |
| **OBJ-7** | Automate the smoke and core regression suite with Selenium | At least 20 automated scripts, 85% stable across 3 consecutive runs | 11 Nov 2026 |
| **OBJ-8** | Report all findings with complete, reproducible bug reports | 100% of defects logged with steps, expected and actual results, severity and evidence | Continuous |

# 3. Scope

## 3.1 In Scope

- Demo access request page: form fields, validation, country selector, security check, credentials display (role tabs, Copy and Open buttons) and the confirmation email
- Sign-in and sign-out for the four roles, session behavior and direct URL access
- Storefront search and results: flights, hotels, tours, cars, transfers, visas and other available modules, including filters, sorting, fare rules, add-ons and policies
- Checkout and sandbox payment: order summary, taxes, totals, payment methods, confirmation, cancellation and refund in test mode
- Customer account: booking list, status and details
- Agent portal, supplier portal and admin back office: access, main screens and data consistency (view only on shared settings)
- Multi-currency pricing and language switcher
- Demo page content: menu, buttons, FAQ and internal links
- Cross-browser and responsive checks
- Usability, basic accessibility, basic security (client-side) and observable performance
- Defect reporting, retesting and regression
- Selenium automation of smoke and core regression flows

## 3.2 Out of Scope

- Server-side and database testing (no access to the backend)
- Source code review (the online demo is not downloadable)
- API testing (no API is exposed through the demo)
- Real payment processing (payments are sandbox only) and live supplier ticketing
- Formal load and stress testing (the demo is shared; only observational response-time checks are done)
- Native iOS and Android apps (only the responsive web view is tested)
- Penetration testing or any action that could disrupt the shared site
- Changing global settings on the shared admin (markups, suppliers, gateways); only own test records are touched
- Other pages of phptravels.com (pricing, blog, compare, documentation) and third-party sites opened from links; only the link target is verified
- Email deliverability testing beyond checking that the credentials email arrives and is correct

# 4. Test Approach and Strategy

## 4.1 Methodology

Testing follows an iterative, risk-based approach split into short cycles (a smoke cycle, a functional cycle, a non-functional and compatibility cycle, and a regression cycle), so the plan can be adjusted as findings emerge. Higher-risk areas (demo access and credentials, checkout totals, role-based access, data consistency across roles) receive the deepest coverage first.

### Team Working Model

- **Everyone tests everything at a general level.** The team is at a training stage, so all six members, including the Team Leader, execute test cases, run exploratory sessions and log bugs across the whole demo.
- **Everyone owns one module.** Each member designs the test cases for one module, owns its results and is accountable for the quality of its bug reports (see Section 13).
- **Automation is shared, not assigned to one person.** Every member writes the Selenium scripts for their own module on top of one shared Page Object Model framework, so all six practice automation and no single person becomes a bottleneck.
- **Module swap (cross-testing).** Near the end, each member re-tests another member's module with fresh eyes to catch what the owner missed.
- **The Team Leader tests too.** Khaled Taha owns the end-to-end flow and the admin back office while also coordinating, reviewing and reporting.
- **One booking, one session.** Because the demo resets regularly, each booking is created and verified (customer account, admin) in the same session, and evidence is captured immediately.

## 4.2 Test Levels and Types

| Type | Technique | Approach | Owner |
|---|---|---|---|
| **Smoke / Sanity** | Checklist | Run first on every cycle: demo page loads, access can be requested, storefront opens, sign-in works | All members |
| **Functional** | Equivalence partitioning, boundary value analysis, decision tables, state transition | Detailed manual test cases per module | Each member in their own module; all members run general checks on other modules |
| **Negative** | Error guessing | Invalid inputs, empty fields, wrong security-check answer, expired card, special characters, very long strings | Each member in their own module |
| **Exploratory** | Session-based, time-boxed (45 min) with charters | Targeted at the demo form, shared-data behavior, booking funnel and role boundaries | All members |
| **Data and pricing verification** | Calculation check, cross-view comparison | Compare fare, taxes, add-ons and totals from search to checkout to confirmation; compare the booking across customer, admin, agent and supplier views | Rana Sami (checkout); Khaled Taha (cross-role) |
| **UI / Visual** | Visual inspection | Compare layouts, images, fonts, alignment and light/dark appearance across pages | Nada Salah (all members report visual issues they notice) |
| **Usability** | Heuristic evaluation | Navigation clarity, error message quality, consistency of the search and checkout pattern across modules | Nada Salah, with input from all |
| **Compatibility** | Cross-browser and responsive matrix | Chrome, Firefox, Edge; desktop, tablet, mobile viewports | Nada Salah leads; every member runs the core flow on a different browser |
| **Accessibility (basic)** | Manual checklist | Keyboard navigation, labels, focus order, contrast, alt text | Nada Salah |
| **Security (basic)** | Manual client-side checks | HTTPS, URL access without login, role boundaries, session after logout, safe handling of special characters | Nada Salah and Taha Ayman |
| **Performance (observational)** | Manual timing with browser dev tools | Measure demo page load, search response time and behavior on slow supplier responses | Nada Salah |

| Type | Technique | Approach | Owner |
|---|---|---|---|
| **Automation** | Selenium WebDriver, Page Object Model | Smoke and core regression suites (the form's security check is completed manually) | Every member automates their own module; Khaled Taha automates the end-to-end flow |
| **Regression / Re-verification** | Manual and automated | Re-run after every cycle and when the demo changes | All members |

## 4.3 Tools

| Purpose | Tool |
|---|---|
| **Test case and bug management** | Excel (team Bug Report template, Test Case template) |
| **Automation** | Selenium WebDriver, Python with pytest |
| **Browser inspection** | Chrome / Firefox DevTools |
| **Evidence capture** | Screenshots, screen recording |
| **Credentials email** | Dedicated team test mailbox |
| **Communication** | Team chat group and daily stand-up |
| **Version control** | Git repository for scripts and documents |

## 4.4 Entry, Exit and Suspension Criteria

### Entry Criteria

- Test plan reviewed and approved by the Team Leader (Khaled Taha)
- Test mailbox ready, and demo access requested with all four role logins verified
- Test environments (browsers) installed and ready
- Test cases written and peer-reviewed before execution
- Smoke test passed (demo page loads, storefront reachable, sign-in works)

### Exit Criteria

- 100% of planned test cases executed
- 95% or higher pass rate on High-priority scenarios; failures are logged as findings
- All defects logged, classified by severity and priority, and reviewed in triage (the demo site cannot be fixed by the team, so defects are reported rather than closed)
- All reported defects re-verified for reproducibility and documented with evidence
- Automation suite executed with results reported
- Test Summary Report approved by the Team Leader and reviewed by all members

### Suspension Criteria

- The demo page or phptravels.net is down or unreachable for more than 2 hours
- Smoke test fails (for example credentials are not generated, or sign-in fails for every role)
- More than 30% of executed test cases in a cycle fail because of one blocking issue

### Resumption Criteria

- The blocking issue is resolved or the site is back online, access is requested again if needed, and the smoke test passes

# 5. Test Scenarios

## 5.1 High-Level Scenarios by Module

| ID | Module | Scenario | Priority |
|---|---|---|---|
| **TS-01** | Demo Access | Submit the demo form with valid data; credentials for Admin, Customer, Agent and Supplier appear on the page | **High** |
| **TS-02** | Demo Access | Submit with each required field empty, and with all fields empty | **High** |
| **TS-03** | Demo Access | Work email validation: missing @, missing domain, spaces, very long address | **High** |
| **TS-04** | Demo Access | WhatsApp number validation: digits only, leading 0, country code included, letters, symbols, too short, too long | **Medium** |
| **TS-05** | Demo Access | Security check: correct answer, wrong answer, empty answer, and behavior after a failed attempt | **High** |
| **TS-06** | Demo Access | Country selector: search, "no country matches" message, selection, keyboard use | **Medium** |
| **TS-07** | Demo Access | Credentials panel: role tabs, Copy buttons, and "Open" links that open the right portal in a new tab | **High** |
| **TS-08** | Demo Access | Confirmation email arrives and contains the same credentials as shown on the page | **Medium** |
| **TS-09** | Demo Access | Boundary and special-character inputs (long names, Arabic text, symbols), double-click on submit, repeated submissions | **Medium** |
| **TS-10** | Sign-in | Sign in with the credentials of each of the four roles (Admin, Customer, Agent, Supplier) | **High** |
| **TS-11** | Sign-in | Wrong password, wrong email, empty fields, and one role's credentials used on another role's portal | **High** |
| **TS-12** | Sign-in | Logout ends the session; Back button and direct URL access do not restore access | **High** |
| **TS-13** | Sign-in | Role-based access: a customer cannot open admin, agent or supplier pages by changing the URL | **High** |
| **TS-14** | Flights | Search one-way and round-trip flights (for example LHR to DXB and JED to DXB); results show airline, times, duration, stops and price | **High** |
| **TS-15** | Flights | Result sorting and filters (Recommended, Cheapest, Fastest; stops; airline) give correct and consistent results | **Medium** |
| **TS-16** | Flights | Fare rules are shown on results and match the selected fare and cabin | **Medium** |
| **TS-17** | Flights | Search validation: same origin and destination, past date, empty fields, passenger count limits | **High** |
| **TS-18** | Agent Portal | Agent portal: net rates, markup, wallet balance and creating a booking for a client | **High** |
| **TS-19** | Hotels | Hotel search by destination and dates; filters (free cancellation, breakfast, stars, pool) work; per-night prices are consistent | **High** |
| **TS-20** | Tours | Tour details: guests and add-ons (quad bike, camel ride, private vehicle) update the total correctly; cancellation terms are shown | **High** |
| **TS-21** | Cars | Car search by location and dates; insurance toggle, transmission and seat details are correct | **Medium** |
| **TS-22** | Other Modules | Transfers, visas and other available modules follow the same search and checkout pattern | **Low** |

| ID | Module | Scenario | Priority |
|---|---|---|---|
| TS-23 | Supplier Portal | Supplier portal: inventory, rates and received bookings are visible and consistent with the storefront | Medium |
| TS-24 | Checkout | Order summary shows the correct item, dates, passengers, base fare, taxes and total | High |
| TS-25 | Checkout | Pay with the sandbox test card; booking is confirmed and a confirmation or voucher is shown with no real charge | High |
| TS-26 | Checkout | Payment negative cases: invalid card number, expired card, missing CVC, empty fields, declined card | High |
| TS-27 | Checkout | Payment methods (Card, PayPal, Wallet) are offered and behave as described in test mode | Medium |
| TS-28 | Customer Account | A confirmed booking appears in the customer account with the correct status and details | High |
| TS-29 | Checkout | Cancellation, refund and re-issue flows in test mode | Medium |
| TS-30 | Pricing | Multi-currency: switching currency updates prices consistently from search to checkout | Medium |
| TS-31 | Content | Demo page content and links: menu, buttons (Talk to sales, Book a guided demo), FAQ and footer links reach the right destination | Low |
| TS-32 | UI | Layout, alignment, fonts, images and light/dark appearance are consistent across the demo page and storefront | Medium |
| TS-33 | Language | Language switcher: pages are fully translated, including right-to-left languages such as Arabic | Medium |
| TS-34 | Responsive | Demo page and storefront at desktop, tablet and mobile sizes | Medium |
| TS-35 | Compatibility | Core booking flow on Chrome, Firefox and Edge | High |
| TS-36 | Performance | Observed load time of the demo page, search response time, and behavior on slow or timed-out supplier responses | Medium |
| TS-37 | Accessibility | Keyboard-only navigation, form labels, focus order, contrast and error message clarity | Low |
| TS-38 | Security | Basic security: HTTPS, password masking, session after logout, special characters in inputs handled safely | Medium |
| TS-39 | Admin | Admin back office: dashboard, bookings, customers, markups, suppliers and reports load correctly (view only on shared settings) | High |
| TS-40 | End-to-End | Full journey: request access, sign in as customer, search a flight, pay with the sandbox card, confirm, see the booking in the customer account and in admin, sign out | High |
| TS-41 | End-to-End | Cross-role consistency: the same booking shows consistent data in the customer account, admin, agent and supplier views | High |

## 5.2 Sample Detailed Test Cases

Dates in test data are always future dates, because search results depend on live supplier data. The sandbox card shown here is the one illustrated on the demo page and must be confirmed on the real checkout screen.

| TC ID | TS ID | Preconditions | Steps | Test Data | Expected Result |
|---|---|---|---|---|---|
| TC-FORM-001 | TS-01 | Demo page open | Fill every field, solve the security check, click Get demo access | Fake business data, test mailbox, correct answer | Section "Your demo access is ready" shows Admin, Customer, Agent and Supplier logins |
| TC-FORM-002 | TS-02 | Demo page open | Leave all fields empty and click Get demo access | None | Validation messages for required fields; no credentials are shown |

| TC ID | TS ID | Preconditions | Steps | Test Data | Expected Result |
|---|---|---|---|---|---|
| **TC-FORM-005** | TS-05 | All fields valid | Enter a wrong answer in the security check and submit | Wrong sum | Request is rejected with a clear message; no credentials are shown |
| **TC-AUTH-011** | TS-11 | Credentials requested | Open the admin sign-in and enter the customer credentials | Customer email and password | Sign-in is refused with a clear error; user stays on the sign-in page |
| **TC-AUTH-013** | TS-13 | Logged in as customer | Open the admin URL directly in the same browser | /admin | Access is denied or user is sent to sign-in; no admin data is shown |
| **TC-FLT-014** | TS-14 | Storefront open | Search a one-way flight, 1 adult, future date | LHR to DXB, economy | Results list airline, times, duration, stops and price; at least one result |
| **TC-FLT-017** | TS-17 | Flights search open | Select the same airport for origin and destination and search | DXB to DXB | Validation error is shown; no search is performed |
| **TC-HTL-019** | TS-19 | Hotels search open | Search a destination and dates, then apply the Free cancellation filter | Dubai, 2 guests, 9 nights ahead | Only hotels with free cancellation are listed; per-night price is shown |
| **TC-TUR-020** | TS-20 | Tour details open | Set 2 guests and tick two add-ons | Desert safari, Quad bike, Camel ride | Total equals base price for 2 guests plus selected add-ons |
| **TC-CHK-025** | TS-25 | Booking at payment step | Pay with the sandbox card and confirm | Card ending 4242, expiry 12/28, any CVC (as shown on the page; confirm in checkout) | Booking is confirmed; confirmation is shown; no real charge |
| **TC-CHK-026** | TS-26 | Booking at payment step | Enter an expired card and pay | Expiry in the past | Payment is rejected with a clear message; booking is not confirmed |
| **TC-E2E-040** | TS-40 | Demo access requested | Sign in, search a flight, pay in sandbox, check customer account and admin, sign out | Customer and admin credentials | Booking confirmed and visible in both places; sign out returns to sign-in |

## 5.3 Exploratory Charters

1. Explore the demo request form with unusual input (spaces, emojis, Arabic names, very long text, repeated submissions) to find validation and data-handling issues.
2. Explore the shared-data behavior: two testers on the same account, bookings after a reset, and expired or invalid credentials.
3. Explore flight search under stress conditions: edge dates, many passengers, back and forth between results and filters, slow or empty supplier responses.
4. Explore the booking funnel: Back and Refresh during checkout, double payment clicks and a changed currency mid-booking.
5. Explore role boundaries: what each of the four roles can and cannot reach by changing the URL (read only, no changes to data).

# 6. Traceability Matrix

| Objective | Requirement area | Scenarios | Responsible |
|---|---|---|---|
| **OBJ-1** | Demo access request and credentials | TS-01 to TS-09 | Taha Ayman |
| **OBJ-2** | Sign-in and role-based access | TS-10 to TS-13 | Taha Ayman |
| **OBJ-3** | Flights search and booking | TS-14 to TS-17 | Menna Mostafa |
| **OBJ-3** | Hotels, tours, cars and other modules | TS-19 to TS-22 | Hagar Sayed |
| **OBJ-4** | Checkout, payment, pricing and customer bookings | TS-24 to TS-30 | Rana Sami |
| **OBJ-5** | Agent (B2B) portal | TS-18 | Menna Mostafa |
| **OBJ-5** | Supplier portal | TS-23 | Hagar Sayed |
| **OBJ-5** | Admin back office and end-to-end cross-role journey | TS-39 to TS-41 | Khaled Taha |
| **OBJ-6** | Content, UI, language, responsive, compatibility, performance, accessibility, security | TS-31 to TS-38 | Nada Salah (all members run the core flow on their own browser) |
| **OBJ-7** | Automation | TS-02, TS-10, TS-12, TS-14, TS-17, TS-19, TS-20, TS-24, TS-25, TS-28, TS-40 | Every member, each for their own module |
| **OBJ-8** | Defect reporting | All | All members; master defect log kept by Rana Sami |

# 7. Test Deliverables

| Deliverable | Format | Owner | Frequency / Due |
|---|---|---|---|
| **Test Plan** | Doc / PDF | Khaled Taha | Once, 29 Oct 2026 |
| **Test Scenarios and Test Cases** | Excel | Each member for their own module | 2 Nov 2026 |
| **Traceability Matrix** | Excel | Hagar Sayed | 2 Nov 2026, updated weekly |
| **Test Data sheet (including demo credentials)** | Excel | Taha Ayman | 1 Nov 2026 |
| **Exploratory test session notes** | Doc | All members | After each session |
| **Defect (Bug) Reports** | Excel (team template) | All members; master log kept by Rana Sami | Continuous |
| **Daily status update** | Chat message | Khaled Taha | Daily |
| **Selenium automation scripts** | Git repository | Each member for their own module; Khaled Taha for the framework base and end-to-end flow | 11 Nov 2026 |
| **Automation execution report** | HTML / PDF | Menna Mostafa (compiles all members' runs) | After each run |
| **Test Execution Report** | Excel | Khaled Taha | End of each cycle |
| **Test Summary Report** | Doc / PDF | Khaled Taha, reviewed by all | 12 Nov 2026 |

# 8. Defect Management

## 8.1 Bug Report Standard

All defects are logged using the team Bug Report template with these columns: Bug ID, Title/Summary, Description, Steps to Reproduce, Expected Result, Actual Result, Severity, Priority, Status, Reporter and Date, Assigned To, Environment, Attachments/References. Bug IDs follow the format BUG-001, BUG-002, and so on. Every bug must include the role used (Admin, Customer, Agent or Supplier), browser and version, the search parameters and dates used, and a screenshot or recording.

## 8.2 Severity and Priority

| Severity | Definition | Example |
|---|---|---|
| **Critical** | Blocks a core flow, no workaround | Credentials are never generated, or a booking cannot be completed |
| **Major** | Core feature wrong, workaround exists | Wrong total price, or a confirmed booking missing from the customer account |
| **Minor** | Small functional or UI issue | A filter that does not reset, a misaligned button |
| **Trivial** | Cosmetic issue | Minor spelling or color deviation |

| Priority | Meaning |
|---|---|
| **High** | Fix immediately; blocks testing or release |
| **Medium** | Fix in the current cycle |
| **Low** | Fix when time permits |

## 8.3 Defect Life Cycle

New, then Assigned (module owner), then Verified (reproduced by a second member), then Reported (documented in the master defect log), then Closed. Because the demo site is not under the team's control, no code fix is expected; a bug that cannot be reproduced returns to the reporter for more detail. Duplicates and non-reproducible bugs are marked and closed by the Team Leader with a comment. The Team Leader runs a short triage meeting every day to confirm severity and priority.

## 8.4 Quality Metrics

| Metric | Target |
|---|---|
| **Test case execution rate** | 100% |
| **Pass rate** | 95% or higher (High-priority scenarios) |
| **Unlogged or unclassified defects at exit** | 0 |
| **Defects without evidence at exit** | 0 |
| **Defect rejection rate** | Below 10% |
| **Automation stability** | 85% across 3 consecutive runs |
| **Requirements coverage (traceability)** | 100% |

# 9. Dependencies

- Availability and stability of the public demo page and the demo platform (outside the team's control)

- Live supplier data returning results for the dates and routes used in testing
- Sandbox payment mode staying active, so no real charges are made
- A working test mailbox that receives the credentials email
- Stable internet connection for every team member
- Latest versions of Chrome, Firefox and Edge installed
- Selenium WebDriver and matching browser drivers installed and working
- Completion of test case reviews before execution begins

**Contingency plan:** if the site is unavailable, the team switches to preparing and reviewing test cases, updating the traceability matrix, improving automation scripts, and writing reports, then resumes execution when the site returns. If the demo changes its behavior, the Team Leader updates the plan through the change process (Section 16).

# 10. Test Environment

| Item | Detail |
|---|---|
| **Application** | PHPTRAVELS live demo page (https://phptravels.com/demo) and demo platform (https://phptravels.net: storefront, admin, agent and supplier portals), shared and in test mode |
| **Operating systems** | Windows 10 / 11, macOS (at least one team member) |
| **Browsers** | Google Chrome (latest), Mozilla Firefox (latest), Microsoft Edge (latest) |
| **Viewports** | Desktop (1920x1080), Tablet (768x1024), Mobile (375x667) using DevTools device mode |
| **Network** | Stable Wi-Fi; one throttled run (Slow 3G profile) for performance observation |
| **Automation stack** | Selenium WebDriver, Python, pytest, Git |
| **Test data** | Made-up business and customer data only; four role logins per access request (Section 1.3); future dates for every search; sandbox card for payments; records named with a team prefix (for example BugSlayers-Rana-27Oct) |
| **Environment type** | Remote (hosted), accessed from each tester's local machine |

Because the demo is shared and reset regularly, every tester uses a clean browser profile or Incognito mode, and completes each booking and its verification in one session.

# 11. Resource Planning

| Resource | Plan |
|---|---|
| **Personnel** | 6 team members, roles in Section 13 |
| **Hardware** | One laptop or PC per member; one mobile device for real-device spot checks (optional) |
| **Software** | Browsers, IDE, Selenium, Git, Office tools |
| **Training** | One 2-hour internal session on the demo platform and the bug report standard on day 1 |
| **Time** | 10 working days (Sunday to Thursday), 2 weeks |
| **Budget** | None required; all tools are free and open source, and the demo is free |
| **Communication tools** | Team chat group, shared drive, daily 15-minute stand-up |

# 12. Schedule

Working days are Sunday to Thursday. Dates are proposed and can be adjusted through the change process.

| Phase | Activity | Start | End | Owner |
|---|---|---|---|---|
| 0 | Test planning and review | 27 Oct | 29 Oct | Khaled Taha, reviewed by all |
| 1 | Kick-off, platform walkthrough, environment, mailbox and tools setup | 1 Nov | 1 Nov | All members |
| 2 | Test scenario and test case design and peer review | 1 Nov | 2 Nov | Each member for their own module |
| 3 | Smoke testing (entry check) | 3 Nov | 3 Nov | All members |
| 4 | Functional testing: Demo Access, Sign-in, Search modules, Checkout, Portals and Admin | 3 Nov | 8 Nov | Module owners, with general checks by all |
| 5 | Exploratory testing sessions | 4 Nov | 8 Nov | All members |
| 6 | Non-functional and compatibility testing | 8 Nov | 10 Nov | Nada Salah; every member runs the core flow on a different browser |
| 7 | Selenium: shared framework setup, then scripts per module | 3 Nov | 11 Nov | Khaled Taha (framework base, end-to-end); each member for their own module |
| 8 | Module swap (cross-testing with fresh eyes) | 9 Nov | 10 Nov | All members |
| 9 | Defect re-verification and regression (manual and automated) | 10 Nov | 11 Nov | All members |
| 10 | Test closure: summary report, lessons learned, final review | 12 Nov | 12 Nov | Khaled Taha, with all members |

### Milestones

- **M1 (29 Oct):** Test plan approved
- **M2 (2 Nov):** Test cases reviewed and ready
- **M3 (3 Nov):** Smoke test passed, execution begins
- **M4 (8 Nov):** Functional testing complete
- **M5 (10 Nov):** Non-functional and compatibility testing complete
- **M6 (11 Nov):** Automation delivered and regression complete
- **M7 (12 Nov):** Test Summary Report delivered

# 13. Roles and Responsibilities

| # | Member | Role | Module Ownership | Responsibilities |
|---|---|---|---|---|
| 1 | Khaled Taha | Team Leader and QA Lead (also a tester) | End-to-end journey (TS-40, TS-41), admin back office (TS-39) and overall coordination | Owns the test plan; runs the daily stand-up and defect triage; tracks progress and metrics; reviews deliverables; builds the base of the Selenium framework and automates the end-to-end flow; writes the Test Execution and Test Summary Reports |
| 2 | Taha Ayman | QA Engineer | Demo access request and credentials (TS-01 to TS-09); sign-in and role-based access (TS-10 to TS-13) | Designs and executes tests for his modules; keeps the test data sheet and the test mailbox; runs security checks with Nada Salah; automates his modules |
| 3 | Menna Mostafa | QA Engineer | Flights (TS-14 to TS-17) and the agent B2B portal (TS-18) | Designs and executes tests for her modules; compiles the automation execution report; automates her modules |
| 4 | Hagar Sayed | QA Engineer | Hotels, tours, cars and other modules (TS-19 to TS-22) and the supplier portal (TS-23) | Designs and executes tests for her modules; maintains the traceability matrix; automates her modules |
| 5 | Rana Sami | QA Engineer | Checkout, payment, pricing and customer account (TS-24 to TS-30) | Designs and executes tests for her module; keeps the master defect log; automates her module |
| 6 | Nada Salah | QA Engineer | Non-functional: content, UI, language, responsive, compatibility, performance, accessibility, security (TS-31 to TS-38) | Designs and executes non-functional tests; keeps the browser and viewport matrix; automates the visual and responsive checks that can be scripted |

**Shared responsibilities (all six members, including the Team Leader):** test the whole demo at a general level, peer-review each other's test cases, log every defect with the standard template, re-verify assigned defects, take part in exploratory sessions and the daily stand-up, and write Selenium scripts for their own module. Automation is not given to one person, so everyone practices it and the team has no single point of failure.

**Peer-review rotation:** Taha Ayman reviews Menna Mostafa, Menna Mostafa reviews Hagar Sayed, Hagar Sayed reviews Rana Sami, Rana Sami reviews Nada Salah, Nada Salah reviews Taha Ayman, and Khaled Taha reviews the final set of all deliverables. In the module swap (Phase 8) each member then re-tests the module of the person they reviewed.

### Communication Plan

| Channel | Purpose | Frequency |
|---|---|---|
| **Daily stand-up (15 min)** | Progress, blockers, plan for the day | Daily |
| **Defect triage (15 min)** | Confirm severity, priority, assignment | Daily |
| **Team chat** | Quick questions and alerts, including demo resets | Continuous |
| **Status update** | Execution progress and defect counts | Daily |
| **Weekly review** | Metrics, risks, plan changes | Weekly |
| **Test Summary Report** | Final results and recommendation | End of project |

# 14. Risk Management

| ID | Risk | Prob. | Impact | Mitigation | Contingency | Owner |
|---|---|---|---|---|---|---|

| ID | Risk | Prob. | Impact | Mitigation | Contingency | Owner |
|---|---|---|---|---|---|---|
| R1 | The public demo goes down or is slow | Medium | High | Run the smoke test each morning; schedule buffer days | Work on test design, automation and reporting until the site returns | Khaled Taha |
| R2 | A reset of the shared demo removes bookings or accounts during a test | High | Medium | Finish each booking and its verification in one session; capture evidence at once | Request access again and repeat the affected test | Khaled Taha |
| R3 | Live supplier data changes: results, prices and availability differ between runs | High | Medium | Record search parameters; use future dates; compare values within the same session | Re-run the search and note the difference as an observation, not a defect | Menna Mostafa |
| R4 | The security check or anti-spam rules block automation or repeated requests | Medium | Medium | Request access manually and reuse credentials; automate flows after sign-in; limit repeated submissions | Keep the form scenarios manual | Taha Ayman |
| R5 | Other visitors' activity interferes with shared data | Medium | Medium | Use Incognito mode, team-prefixed record names and a fresh access request when needed | Re-run the affected test in a clean session | All members |
| R6 | The credentials email is delayed or goes to spam | Medium | Low | Use a dedicated mailbox; treat the on-page credentials as primary | Request access again | Taha Ayman |
| R7 | A team member is absent or unavailable | Medium | Medium | Peer-review rotation and module swap; documented test cases | Redistribute modules by priority | Khaled Taha |
| R8 | Inconsistent or duplicate bug reports | Medium | Medium | Mandatory template; search the log before reporting; daily triage | Duplicates are merged in the master defect log | Rana Sami |
| R9 | Automation scripts become flaky because of live data and delays | High | Medium | Explicit waits, stable locators, shared Page Object Model; assert structure, not exact prices | Fall back to manual execution for the affected flows | Each member for own scripts |
| R10 | Expected versus defective behavior is unclear because no requirements document exists | High | Medium | Use the demo page's own descriptions and common travel-booking practice as the baseline; document every assumption | Raise the point in triage and record the decision | Khaled Taha |
| R11 | A tester changes global settings (markups, suppliers) on the shared admin | Medium | High | View-only rule for global settings; edit only own test records and revert | Report the change to the team at once and restore the previous value | Khaled Taha |
| R12 | Browser or driver version mismatch | Medium | Low | Pin driver versions; verify setup on day 1 | Use a backup browser or machine | Nada Salah |

# 15. Assumptions and Constraints

## Assumptions

- No formal requirements specification exists, so expected behavior is based on what the demo page describes and on common travel-booking practice.
- The demo stays free and available without a time limit, as its FAQ states, and a new access request can be made at any time.
- Payments stay in sandbox mode, so no real money is charged.
- Only made-up data is entered, because the demo is shared and visible to others.

### Constraints

- No access to source code, database or server logs
- Two-week project window
- Shared public demo that is reset regularly and used by other visitors; no destructive or load-generating tests
- Live supplier data means results and prices cannot be fixed in advance
- No changes to global settings in the shared admin

## 16. Change Management

When something changes (scope, schedule, demo behavior or team availability):

1. Identify the reason for the change.
2. Evaluate the impact on schedule, coverage and risks.
3. Update the affected sections of this plan while checking their dependencies.
4. Review and approve the update with the team through the daily stand-up or, for major changes, a short meeting.

Each change is recorded in the revision history below and the version number is increased.

## 17. Approval and Revision History

### Revision History

| Version | Date | Author | Change |
|---|---|---|---|
| **1.0** | 27 Oct 2026 | Bug Slayers Team | Initial version |

### Approval

| Name | Role | Signature | Date |
|---|---|---|---|
| **Khaled Taha** | Team Leader and QA Lead | | |
| **Taha Ayman** | QA Engineer, Demo Access and Sign-in | | |
| **Menna Mostafa** | QA Engineer, Flights and Agent Portal | | |
| **Hagar Sayed** | QA Engineer, Hotels, Tours, Cars and Supplier Portal | | |
| **Rana Sami** | QA Engineer, Checkout | | |
| **Nada Salah** | QA Engineer, Non-functional | | |