

Faculty of Information Technology
Computer Science Department
Web Applications and Technologies - COMP334
Midterm Exam

Date: Sunday, 23/4/2017

Time: 80 minutes

Student Name:	Hussam Badier	
Student Number:	1130427	
Choose your Instructor	• Dr. Yousef	• Dr. Samer ✓

Total marks 90.

Q1 [22 marks]

A. What is the difference between HTML and XHTML, illustrate your answer with an example? [8 marks]

HTML

Starts by static pages
were at the beginning of the
web pages (client-server)

<html>
|
<html>
old version ~~denies~~ its ~~not~~
restricted with error
like forgetting the close
<html>
<html>
?
for client only

XHTML

can apply dynamic with
the new version of static
dynamic and new version
and use HTML5, and other

<xhtml>
with also ~~no~~
not sensitive with
forgetting the close
like <body>
<body>
more general, new
proposed for client

B. Mention one important difference between a Cookie and Hidden Input field? [7 marks]

Hidden field hides the data but it automatically deletes, and the size of the hidden data is limited, plus it can be requested in the server state.

While the Cookie: also hides data from the user and its in the client side (browser), but its can be stored in it more data than hidden. If we put the cookie name ~~only~~ it will be deleted the stored data.

C. The session_start() should be called at the beginning of your page php page, why? [7 marks]

~~because~~ if you put it in the bottom or in the script it wont work, because the server side first read it and apply it before any ~~per~~ script found. Once its in the php interpreter it will read it first and send it to the client side (response) but if we move it from first it wont work. Cuz the php has priority of execution code and the session is known as server side so it will be executed first, rather other.

Q2 [26 marks]

16

- A. Write a CSS style rule that would make all unordered lists have square bullets and a green background. [4 marks]

```
ul {
  background-color: green;
}
```

- B. Write three CSS style rules for the following HTML snippet, as described below.

```
<p class = "poetry" id = "homeland">
My homeland, my homeland
Our youth will not tire, until your independence
Or they will die, or they will die
We will drink from death and never be to our enemies
Like slaves, like slaves
</p>
```

1. Write a rule that would make this and all other paragraphs appear in 12-point font. [3 marks]

```
.poetry {
  font-size: 12pt;
}
```

```
#homeland {
  font-size: 12pt;
}
```

2. Write a rule that would make this and other paragraphs in the same class as this example appear in italic type. [3 marks]

```
.poetry {
  text-style: italic;
}
```

```
or .poetry {
  font-style: italic;
}
```

3. Write a rule that would make this particular paragraph only appear in blue. [3 marks]

```
#poetry {
  color: blue;
}
```

```
#homeland {
  color: blue;
}
```

- C. Write a CSS rule that would draw a solid red line border around an image that is located within a div element. [4 marks]

```
div {
  border: solid red;
}
```


```
or <style>
<div>
  <img src = " " />
  <img style = "border: solid red;"/>

```

- D. Write CSS that would make the background of all input elements to a gray. [3 marks]

```
.poetry {
  background-color: gray;
}
```

- E. Draw a diagram showing the difference between margin and padding. [6 marks]



margin	padding
the movement for the shape from it	padding movement control of the shape according left right or whatever user want

books

30

? sorry i didn't
saw this error

Q3 [42 marks]

Suppose that you have a database named 'library' already created and has a books table with data already inserted in it. The database is located on your localhost and has a username root and 123 password.

The books table has book_id, title, status, authors, and price columns.

- ① • Create a search_books.php file that enables users to search for a book using book title and/or author.
- ② • When the user submits search data, the same php file should connect to database and retrieve related books.
- ③ • The resulting books should be presented in a dynamically-generated table containing all book information.
- ④ • For each retrieved book row, and in addition to the information stated above, there should be a link named select.
- ⑤ • When the user clicks on select link, the system adds book id and price on the session.
- ⑥ • Finally the page should display in a special section the number of books selected (how many books were selected) and the total price.

search.php

```
<html>
<head>
<title> library </title>
</head>
<body> <form action='search-books.php' method='post'>
?php
```

```
$servername = "localhost";
$username = "root";
$password = "123";
$dbname = "library";
```

```
$conn = mysqli($servername, $username, $password, $dbname);
if (!$conn) {
    die("database connection failed");
}
```

```
$sql = "create database library";
if (mysqli_connect($conn, $sql)) {
    echo "database created";
} else {
    echo "failed to create db";
}
```

```
$sql = "select * from books where title = ' ' or author = ' '";
if (mysqli_connect($conn, $sql)) {
```