

Q1:

1	2	3	4	5	6	7	8	9	10	11	12
A	C	D	B	B	C	B	D	B	A	C	B

Q2

<!--3 marks for right structure of html document (html, head, body)-->

<!DOCTYPE html>

<html>

<head>

<title>Car Rental Service</title>

</head>

<body>

<h1>Search for Rental Cars</h1>

<!-- 2 marks for form, method and action -->

<form action="https://ajar.com/carRent/search.php" method="post">

<!--3 marks for the select and option and label.-->

<label>Car Type *</label>

<select name="car-type" required>

<option value="" disabled selected>Select a car type</option>

<option value="sedan">Sedan</option>

<option value="suv">SUV</option>

<option value="truck">Truck</option>

</select>

<!--3 marks for the label, input number and min and max -->

<label>Price (\$50 - \$500)</label>

<input type="number" name="price" min="50" max="500" step="10"
placeholder="Enter price in USD">

<!-- 3 marks for the check boxes and name="features[]" value="gps" -->

<label>Car Features</label>

<input type="checkbox" name="features[]" value="gps">

<label>GPS</label>

<input type="checkbox" name="features[]" value="sunroof">

<label>Sunroof</label>

<input type="checkbox" id= name="features[]" value="heated-seats">

<label>Heated Seats</label>

<!-- 2 marks for the label and date input -->

<label>Rental Start Date</label>

<input type="date" name="start-date">

<!--2 marks for the lable and date input -->

```

<label >Rental End Date</label><br>
<input type="date" name="end-date"><br><br>

<!-- 2 makrs for submit and reset -->
<button type="submit">Search</button>
<button type="reset">Reset</button>
</form>
</body>
</html>

```

Q3

Part A

// config.inc.php

// 3 marks

```
$dsn = 'mysql:host=localhost;dbname=eStore';
```

```
$username = 'admin';
```

```
$password = 'comp@334';
```

```
try {
```

```
    $pdo = new PDO($dsn, $username, $password);
```

```
    // Set PDO error mode to exception for better error handling
```

```
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
```

```
} catch (PDOException $e) {
```

```
    die("Database connection failed: " . $e->getMessage());
```

```
}
```

```
?>
```

Part B

```
<?php
```

```
// Include the database configuration file
```

```
include 'config.inc.php';// 2 marks
```

```
// Fetch product data from the database, 3 marks for define teh statment and fetch the data
```

```
try {
```

```
    $stmt = $pdo->query("SELECT id, name, price, `desc` FROM Products");
```

```
    $products = $stmt->fetchAll(PDO::FETCH_ASSOC);
```

```
} catch (PDOException $e) {
```

```
    die("Error fetching products: " . $e->getMessage());
```

```
} // 2 marks for creating the html
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <title>Product List</title>
```

```
</head>
```

```
<body>
```

```

<h1>Available Products</h1>
<!-- 2 marks for html table header -->
<table border="1">
  <thead>
    <tr>
      <th>Product ID</th>
      <th>Product Name</th>
      <th>Description</th>
      <th>Price</th>
      <th>Action</th>
    </tr>
  </thead>
  <tbody>
    <?php if (!empty($products)): ?>
/* 2 marks */   <?php foreach ($products as $product): ?>
      <tr>
/* 1 mark*/   <td><?php echo $product['id']; ?></td>
/* 1 mark*/   <td><?php echo $product['name']; ?></td>
/* 1 mark*/   <td><?php echo $product['desc']; ?></td>
/* 1 mark*/   <td><?php echo $product['price']; ?></td>
      <td>
/* 2 mark*/   <a href="cart.php?id=<?php echo $product['id']; ?>">Add to Cart</a>
      </td>
    </tr>
    <?php endforeach; ?>
    <?php else: ?>
      <h3>No products available.</h3>
    <?php endif; ?>
  </tbody>
</table>
</body>
</html>

```

Q4

<?php

session_start(); // Start or resume a session (2 marks)

include 'config.inc.php'; // Include the database connection script (1 mark)

// Initialize the cart in the session if not already set

if (!isset(\$_SESSION['cart'])) { //(1 mark)

 \$_SESSION['cart'] = [];

}

// Handle "Add to Cart" action

if (isset(\$_GET['id'])) { //(8 marks)

 \$productId = \$_GET['id'];

 // Fetch product details from the database

 \$sql = "SELECT id, name, price FROM Products WHERE id = ?";

 \$stmt = \$conn->prepare(\$sql);

 \$stmt->bind_param("i", \$productId);

 \$stmt->execute();

 \$product = \$stmt->fetch(PDO::FETCH_ASSOC);

 if (\$product) {

 // Check if the product is already in the cart

 if (isset(\$_SESSION['cart'][\$productId])) {

 \$_SESSION['cart'][\$productId]['quantity']++;

 } else {

 // Add the product to the cart

 \$_SESSION['cart'][\$productId] = ['name' => \$product['name'], 'price' =>

 \$product['price'], 'quantity' => 1,

];

 }

 }

 \$stmt->close();

}

// Handle "Remove" action(4 marks)

else if (isset(\$_GET['remove'])) {

 \$productId = \$_GET['remove'];

 unset(\$_SESSION['cart'][\$productId]);

}

// display html table with total price (8 marks)

?>

```

<html>
<head>
  <title>Shopping Cart</title>
</head>
<body>
  <h1>Your Shopping Cart</h1>
  <?php if (!empty($_SESSION['cart'])): ?>
    <table>
      <thead>
        <tr>
          <th>Product Name</th>
          <th>Quantity</th>
          <th>Price</th>
          <th>Total Price</th>
          <th>Action</th>
        </tr>
      </thead>
      <tbody>
        <?php
        $grandTotal = 0;
        foreach ($_SESSION['cart'] as $productId => $product) {
          $totalPrice = $product['price'] * $product['quantity'];
          $grandTotal += $totalPrice;
          echo "<tr>
            <td>". $product['name'] . "</td>
            <td>". $product['quantity'] . "</td>
            <td>$" . $product['price'] . "</td>
            <td>$" . $totalPrice. "</td>
            <td><a href='cart.php?remove=" . $productId. "'>Remove</a></td>
          </tr>";
        }
        ?>
        <tr>
          <td colspan="3"><strong>Grand Total:</strong></td>
          <td><strong><?php echo $grandTotal; ?></strong></td>
          <td></td>
        </tr>
      </tbody>
    </table>
    <?php endif; ?>
  </body>
</html>

```