



**© Rupeeseed Technology Ventures Pvt Ltd**

Prepared by: RMS–OPS–QA and RMS

Date: 21–09–2025

### Index

|                                                         |                                     |
|---------------------------------------------------------|-------------------------------------|
| 1. CLIENT FILE .....                                    | 4                                   |
| 2. CLIENT UPDATE FILE .....                             | 7                                   |
| 3. CLIENT BANK DETAILS .....                            | 10                                  |
| 4. CLIENT PRODUCT ALLOWED .....                         | 12                                  |
| 5. CLIENT EXCHANGE ALLOWED .....                        | 13                                  |
| 6. CLIENT LIMIT .....                                   | 16                                  |
| 7. SLBM LIMIT .....                                     | 20                                  |
| 8. INCREMENTAL SLBM LIMIT .....                         | <b>Error! Bookmark not defined.</b> |
| 9. INCREMENTAL CLIENT LIMIT .....                       | 21                                  |
| 10. CLIENT HOLDING .....                                | 24                                  |
| 11. INCREMENTAL CLIENT HOLDING .....                    | 26                                  |
| 12. CLIENT HOLDING (SEPARATE SEGMENT) .....             | 28                                  |
| 13. INCREMENTAL CLIENT HOLDING (SEPARATE SEGMENT) ..... | 31                                  |
| 14. DEALER CREATION .....                               | 34                                  |
| 15. DEALER MAPPING .....                                | 39                                  |
| 16. PROFILE MAPPING .....                               | 40                                  |
| 17. QL PROFILE MAPPING .....                            | 41                                  |
| 18. MF HOLDING .....                                    | 42                                  |
| 19. HOLIDAY MASTER .....                                | 43                                  |
| 20. FUND ALLOCATION – CASH FORMAT .....                 | 44                                  |
| 21. FUND ALLOCATION – COLLATERAL FORMAT .....           | 47                                  |
| 22. MTF HAIRCUT .....                                   | 48                                  |
| 23. POA INFO .....                                      | 49                                  |
| 24. CLIENT LEVEL RESTRICTIONS .....                     | 50                                  |
| 25. NSE MTF POSITION FILE FORMAT .....                  | 51                                  |

|                                                                            |    |
|----------------------------------------------------------------------------|----|
| 26. BSE MTF POSITION FILE FORMAT .....                                     | 53 |
| 27. SLB_POSITION (NSE) .....                                               | 54 |
| 28. PHYSICAL EXPIRY RESTRICTION FILE FORMAT .....                          | 57 |
| 29. PS03 AVERAGE PRICE UPLOAD (CASH, INDEX AND CURRENCY DERIVATIVES) ..... | 59 |
| 30. PS03 AVERAGE PRICE UPLOAD (COMMODITY DERIVATIVES) .....                | 60 |
| 31. MEMBER WISE PLEDGE QUANTITY .....                                      | 62 |
| 32. MTF Exposure limit .....                                               | 64 |
| 33. QL FORMAT .....                                                        | 65 |
| 34. Pledge Approve scrips .....                                            | 71 |

## 1. CLIENT FILE

**Description:** This file contains data related to customer like name, account code,address, PAN etc.

**File name:** Client.txt

**Delimiter:** | (pipe)

**Start of file:** Broker's name|CLT |Date (RUPEE|CLT|20250906)

| Sr. no | Column name | Data type | Remarks                                                         | Mandatory |
|--------|-------------|-----------|-----------------------------------------------------------------|-----------|
| 1      | Acctcode    | CHAR(30)  | Client ID/ UCC                                                  | Y         |
| 2      | Acct name   | CHAR(50)  | Name of the Account                                             | Y         |
| 3      | UserId      | CHAR(30)  | User ID to login in System                                      | Y         |
| 4      | Branch ID   | CHAR(30)  | HO/Branch ID, in case of branch mapping                         | Y         |
| 5      | Password    | CHAR(30)  | Filler                                                          | N         |
| 6      | TmPass      | CHAR(30)  | Filler                                                          | N         |
| 7      | Email       | CHAR(30)  | Registered Email ID                                             | Y         |
| 8      | ResAddr 1   | CHAR(100) | Residential Address                                             | Y         |
| 9      | ResAddr 2   | CHAR(100) | Filler                                                          | Y         |
| 10     | Off_phone   | CHAR(10)  | Filler                                                          | N         |
| 11     | Resphone    | CHAR(10)  | Residential Phone                                               | Y         |
| 12     | Filler      | CHAR(30)  | Filler                                                          | N         |
| 13     | DpId        | CHAR(10)  | ID of DP Account (8 digit DP ID)                                | N         |
| 14     | DpName      | CHAR(30)  | Name of DP Account (NSDL / CDSL)                                | N         |
| 15     | DpAccNo     | CHAR(30)  | DP Account Number for Client master Quick view (16 digit DP ID) | N         |
| 16     | DeciPref    | CHAR(30)  | Filler                                                          | N         |
| 17     | Pan         | CHAR(10)  | Pan Number                                                      | Y         |
| 18     | ClientType  | CHAR(10)  | Filler                                                          | N         |
| 19     | BankAccNo   | CHAR(30)  | Filler                                                          | N         |

|    |                              |           |                                                                                          |                             |
|----|------------------------------|-----------|------------------------------------------------------------------------------------------|-----------------------------|
| 20 | MICRNo                       | CHAR(30)  | Filler                                                                                   | N                           |
| 21 | Bankname                     | CHAR(50)  | Filler                                                                                   | N                           |
| 22 | ResAddr 3                    | CHAR(100) | Filler                                                                                   | N                           |
| 23 | ClientStatus/O<br>fflineFlag | CHAR(10)  | Y—Offline Flag enable & A— Activeclient                                                  | Y                           |
| 24 | TradeSMSEma<br>ilFlag        | CHAR(10)  | Y/S/E/N(Trade Y—SMS and Email; S—Only SMS; E—Only Email; N—None of the nofication)       | Y                           |
| 25 | MTMSMSEmai<br>IFlag          | CHAR(10)  | Y/S/E/N(MTM Y—SMS and Email ; S—Only SMS ; E—Only Email; N—None of the notification)     | Y                           |
| 26 | ClientType2                  | CHAR(10)  | Filler                                                                                   | N                           |
| 27 | UserAccessTy<br>pe           | CHAR(10)  | Filler                                                                                   | N                           |
| 28 | CIOverview                   | CHAR(10)  | Filler                                                                                   | N                           |
| 29 | UserStatus                   | CHAR(10)  | E/D/S(E – enabled,D – disabled,S – suspended)                                            | Y                           |
| 30 | EnableMobTr                  | CHAR(10)  | Filler                                                                                   | N                           |
| 31 | CorplD                       | CHAR(10)  | Filler                                                                                   | N                           |
| 32 | ResetAnswer                  | CHAR(10)  | Filler                                                                                   | N                           |
| 33 | DOB                          | CHAR(10)  | Date of Birth (Format: DD/MM/YYYY)                                                       | Y                           |
| 34 | Include                      | CHAR(10)  | Filler                                                                                   | N                           |
| 35 | QLTemplate                   | CHAR(100) | QL template Code (for ex. Q106)                                                          | N                           |
| 36 | RiskProfile                  | CHAR(10)  | Profile code (For ex. R16)                                                               | N                           |
| 37 | Ben ID                       | CHAR(10)  | DP Account Number for IPO (16 digit DP ID)                                               | N                           |
| 38 | Remarks1                     | CHAR(100) | Filler                                                                                   | N                           |
| 39 | Remarks2                     | CHAR(100) | Filler                                                                                   | N                           |
| 40 | Remarks3                     | CHAR(100) | Filler                                                                                   | N                           |
| 41 | ClientCategory<br>Type       | CHAR(10)  | 1: PRO ; 2: NRI ; 3: Institute; 4: Non–Institute; 5: Foreign ; 7: Client ; 8: Parent NRI | N                           |
| 42 | Poa_flag                     | CHAR(2)   | Y/N (Y: Yes in case of POA / DDPI POA available; N: No in case of EDIS opted by client)  | N                           |
| 43 | EDIS_Bo_Id                   | CHAR(30)  | 16 digit BOID if EDIS opted.                                                             | N                           |
| 44 | NRI_SUB_CAT<br>EGORY         | CHAR(20)  | NRO–PIS/NRE–PIS/NRENON–PIS/NRONON–PIS/SEBI–MTF                                           | N<br>(Mandator<br>y for NRI |

|    |   |                                 |         |                                        |
|----|---|---------------------------------|---------|----------------------------------------|
|    |   |                                 |         | and MTF client)                        |
| 45 | G | BOI_DPSECUR<br>E_CLIENT_FL<br>A | CHAR(5) | Y                                      |
|    |   |                                 |         | N<br>(Mandator<br>y for BOI<br>Client) |

### Illustration:

Normal Client:

RUPEE|CLT|20250906

MK7000|SANKET|NW7000|HO||D@g.com|15 Modi

road||1234567890||12022623|CDSL||ANKKM5923X|N|121112002||Kotak Mahindra  
bank|A|Y|Y|||||08/05/1994||R152|1202262312345678|||7|N|1202262312345678||N|

Non Resident client:

RUPEE|CLT|20250906

47786|RAJ SINGH|55472|ONLINE||abc@gmail.com|S/O ERLA BHADRA

REDDY||9588888888|9588888888|ONLINE||NSDL||2|PPPI5207R|Individual|630596  
0000||ICIC0332222|ICIC|4-112/1A MAINROAD

ALGONDA|A|Y|Y|WEB|E|||26/07/1982||R16|||7|2|N||NRO-PIS||

RUPEE|CLT|20250906

47787|RAJ SINGH|55472|ONLINE||abc@gmail.com|S/O ERLA BHADRA

REDDY||9588888888|9588888888|ONLINE||NSDL||2|PPPI5207R|Individual|630596  
0000||ICIC0332222|ICIC|4-112/1A MAINROAD

ALGONDA|A|Y|Y|WEB|E|||26/07/1982||R16|||7|2|N||NRE-PIS||

## **2. CLIENT UPDATE FILE**

**Description:** This file updates data related to customer like name, account code,address, PAN etc.

For client file update, only Client ID/ UCC, User ID to login in system and DOB is mandatory while updating any other field records for a client. Member can

change UserID or DOB as well by giving the new value and uploading the Client Update file

**File name:** ClientUpdate.txt

**Delimiter:** | (pipe)

**Start of file:** Broker's name|CLT\_UPT|Date (RUPEE|CLT\_UPT|20250906)

| Sr. No | Column name | Data type | Remarks                                                            | Mandatory |
|--------|-------------|-----------|--------------------------------------------------------------------|-----------|
| 1      | Acctcode    | CHAR(30)  | Client ID/ UCC                                                     | Y         |
| 2      | Acct name   | CHAR(50)  | Name of the Account                                                | Y         |
| 3      | UserId      | CHAR(30)  | User ID to login in System                                         | Y         |
| 4      | Branch ID   | CHAR(30)  | HO/Branch ID, in case of branch mapping                            | N         |
| 5      | Password    | CHAR(30)  | Filler                                                             | N         |
| 6      | TmPass      | CHAR(30)  | Filler                                                             | N         |
| 7      | Email       | CHAR(30)  | Registered Email ID                                                | N         |
| 8      | ResAddr 1   | CHAR(100) | Residential Address                                                | N         |
| 9      | ResAddr 2   | CHAR(100) | Filler                                                             | N         |
| 10     | Off_phone   | CHAR(10)  | Filler                                                             | N         |
| 11     | Resphone    | CHAR(10)  | Residential Phone                                                  | N         |
| 12     | Filler      | CHAR(30)  | Filler                                                             | N         |
| 13     | Dpld        | CHAR(10)  | ID of DP Account (8 digit DP ID)                                   | N         |
| 14     | DpName      | CHAR(30)  | Name of DP Account (NSDL / CDSL)                                   | N         |
| 15     | DpAccNo     | CHAR(30)  | DP Account Number for Client master<br>Quick view (16 digit DP ID) | N         |
| 16     | DeciPref    | CHAR(30)  | Filler                                                             | N         |
| 17     | Pan         | CHAR(10)  | Pan Number                                                         | N         |
| 18     | ClientType  | CHAR(10)  | Filler                                                             | N         |
| 19     | BankAccNo   | CHAR(30)  | Filler                                                             | N         |
| 20     | MICRNo      | CHAR(30)  | Filler                                                             | N         |
| 21     | Bankname    | CHAR(50)  | Filler                                                             | N         |
| 22     | ResAddr 3   | CHAR(100) | Filler                                                             | N         |



|    |                          |           |                                                                                          |   |
|----|--------------------------|-----------|------------------------------------------------------------------------------------------|---|
| 23 | ClientStatus/OfflineFlag | CHAR(10)  | Y—Offline Flag enable & A— Activeclient                                                  | N |
| 24 | TradeSMSEmailFlag        | CHAR(10)  | Y/S/E/N(Trade Y—SMS and Email; S—Only SMS; E—Only Email; N—None of the notification)     | N |
| 25 | MTMSMSEmailFlag          | CHAR(10)  | Y/S/E/N(MTM Y—SMS and Email ; S—Only SMS ; E—Only Email; N—None of the notification)     | N |
| 26 | ClientType2              | CHAR(10)  | Filler                                                                                   | N |
| 27 | UserAccessType           | CHAR(10)  | Filler                                                                                   | N |
| 28 | CIOOverview              | CHAR(10)  | Filler                                                                                   | N |
| 29 | UserStatus               | CHAR(10)  | E/D/S(E – enabled,D – disabled,S – suspended)                                            | N |
| 30 | EnableMobTr              | CHAR(10)  | Filler                                                                                   | N |
| 31 | CorpID                   | CHAR(10)  | Filler                                                                                   | N |
| 32 | ResetAnswer              | CHAR(10)  | Filler                                                                                   | N |
| 33 | DOB                      | CHAR(10)  | Date of Birth (Format: DD/MM/YYYY)                                                       | Y |
| 34 | Include                  | CHAR(10)  | Filler                                                                                   | N |
| 35 | QLTemplate               | CHAR(100) | QL template Code (for ex. Q106)                                                          | N |
| 36 | RiskProfile              | CHAR(10)  | Profile code (For ex. R16)                                                               | N |
| 37 | Ben ID                   | CHAR(10)  | DP Account Number for IPO (16 digit DP ID)                                               | N |
| 38 | Remarks1                 | CHAR(100) | Filler                                                                                   | N |
| 39 | Remarks2                 | CHAR(100) | Filler                                                                                   | N |
| 40 | Remarks3                 | CHAR(100) | Filler                                                                                   | N |
| 41 | ClientCategoryType       | CHAR(10)  | 1: PRO ; 2: NRI ; 3: Institute; 4: Non–Institute; 5: Foreign ; 7: Client ; 8: Parent NRI | N |
| 42 | Poa_flag                 | CHAR(2)   | Y/N (Y: Yes in case of POA / DDPI POA available; N: No in case of EDIS opted by client)  | N |
| 43 | EDIS_Bo_Id               | CHAR(30)  | 16 digit BOID if EDIS opted.                                                             | N |
| 44 | NRI_SUB_CATEGOR          | CHAR(20)  | NRO–PIS/NRE–PIS/NRENON–                                                                  | N |

|    |                          |         |                         |                                    |
|----|--------------------------|---------|-------------------------|------------------------------------|
|    | Y                        |         | PIS/NRONON-PIS/SEBI-MTF | (Mandatory for NRI and MTF client) |
| 45 | BOI_DPSECURE_CLIENT_FLAG | CHAR(5) | Y                       | N<br>(Mandatory for BOI Client)    |

### Illustration:

Member can modify any records by adding the correct values in blank field.

RUPEE|CLT\_UPT|20250906

MK7000||AK7000||||||||||||||||||||||||||||||||||||||||

## 3. CLIENT BANK DETAILS

**Description:** This file contains the data related to customer's bank, like Bank name, Account number and IFSC code.

**Filename:** BankFileFormat.txt

**Delimiter:** | (pipe)

**Start of file:**Broker's name|CBM|Date (RUPEE|CBM|20250906)

| Sr. no | Column Name        | Data Type   | Remarks                              | Mandatory |
|--------|--------------------|-------------|--------------------------------------|-----------|
| 1      | SequenceNo.        | Integer(10) | Sequence Number                      | N         |
| 2      | Client Id          | CHAR(30)    | Client ID/ UCC                       | Y         |
| 3      | Bankname           | CHAR(45)    | Name of the bank in short(Eg. ICICI) | N         |
| 4      | Account number     | INT(20)     | Client's account number              | Y         |
| 5      | DefaultBankMapping | CHAR (10)   | Default Bank Mapping (Y/N)           | N         |
| 6      | IFSC               | CHAR(20)    | Client's IFSC code                   | Y         |
| 7      | Filler2            | --          | Filler                               | N         |

#### **Illustration:**

For Mapping any bank for client for All segment

RUPEE|CBM|20180315

1|MK7000|Kotak Mahindra Bank|121112002|Y|KKBK0253666||

For Mapping any bank for client for Capital segment and Commodity Segment  
separate

Capital

RUPEE|CBM|20180315

1|MK7000|Kotak Mahindra Bank|121112002|Y|KKBK0253666||

Commodity

RUPEE|COMBM|20180315

1|MK7000|Kotak Mahindra Bank|121112002|Y|KKBK0253666||

For Modifying the IFSC code

RUPEE|CBM|20180315

1|MK7000||121112002|Y|KKBK0253888||

For Modifying the Account number

RUPEE|CBM|20180315

1|MK7000||122222002|Y|KKBK0253666||

For Single Deletion of Bank, member can do it from Frontend Admin Delete option. For Multiple Deletion of bank will require a request to tech support to delete from database.

#### 4. CLIENT PRODUCT ALLOWED

**Description:** This file is to allow the client to trade in specific product.

**Filename:**InvestorClientProduct.txt

**Delimiter:** |(pipe)

**Start of file:** Broker'sname|PROD\_ALW |Date (RUPEE|PROD\_ALW|20250906)

| Sr. no | Column    | Data     |                               |           |
|--------|-----------|----------|-------------------------------|-----------|
|        | Name      | Type     | Remarks                       | Mandatory |
| 1      | Client Id | CHAR(30) | Client ID/ UCC                | Y         |
| 2      | Login Id  | CHAR(30) | Client's login Id             | N         |
| 3      | Product 1 | CHAR(3)  | MIS – Intraday                | Y         |
| 4      | Product 2 | CHAR(3)  | NRML – Margin                 | N         |
| 5      | Product 3 | CHAR(3)  | CNC – Cash and Carry          | N         |
| 6      | Product 4 | CHAR(3)  | MTF – Margin Trading facility | N         |
| 7      | Product 5 | CHAR(3)  | CO – Cover order              | N         |
| 8      | Product 6 | CHAR(3)  | BO – Bracket order            | N         |
| 9      | Product 7 | CHAR(3)  | NORMAL – NORMAL               | N         |

**Illustration:**

For allowing the product for client

RUPEE|PROD\_ALW|20250906

MK7000||MIS|CO|BO|NRML|CNC|MTF|NORMAL|

In case of member wants to remove all products for any account he can do so by keeping all records blank

RUPEE|PROD\_ALW|20250906

MK7000|||||||

## 5. CLIENT EXCHANGE ALLOWED

**Description:** This file is to allow the client to trade in specific Exchange.

**File name:** InvestorClientSegment.txt

**Delimiter:** |(pipe)

**Start of file:** Broker's name|EXCH\_ALW|Date (RUPEE|EXCH\_ALW|20250906)

| Sr. no | Column              |           |                                            | Mandator |
|--------|---------------------|-----------|--------------------------------------------|----------|
|        | Name                | Data Type | Remarks                                    |          |
| 1      | Client Id           | CHAR (30) | Client ID/ UCC                             | Y        |
| 2      | LoginId             | CHAR (30) | Client's login Id                          | N        |
| 3      | Exchange<br>allowed | CHAR (6)  | NSE Equity–NSE;<br>NSE Derivative – NSEFO; | Y        |

|   |          |           |                                                                                                                                                                                                                                                            |   |
|---|----------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
|   |          |           | NSE Currency – CDS;<br>BSE Equity – BSEEQ;<br>BSE Derivative – BSEFO;<br>BSE Currency – BCR;<br>MCX – MCX;<br>NCDEX – NCDX;<br>MFSS – NSEMF;<br>BSESTARMF – BSEMF;<br>NSECOM – NSECOM;<br>BSECOM – BSECOM;<br>SLBM – NSESLB, BSESLB;<br>MSE Equity – MSEEQ |   |
| 4 | Exchcode |           | ---                                                                                                                                                                                                                                                        | N |
| 5 | date     | DATE      | ---                                                                                                                                                                                                                                                        | N |
| 6 | LOCcode  | CHAR (20) | For Enabling : 111111111111(For<br>NSE, MCX, NCDEX 12 times '1')<br>111111111111(For BSE 13 times<br>'1') ;<br>For disabling : 0                                                                                                                           | Y |

Illustration:

For **Enabling** Exch allowed  
RUPEE|EXCH\_ALW|20250906  
MK7000||NSE||111111111111  
MK7000||BSEEQ||111111111111  
MK7000||CDS||111111111111  
MK7000||NSEFO||111111111111  
MK7000||BCR||111111111111  
MK7000||BSEFO||111111111111  
MK7000||MCX||111111111111  
MK7000||NSEMF||111111111111  
MK7000||BSEMF||111111111111  
MK7000||NCDX||111111111111

MK7000||BSECOM|||111111111111  
MK7000||NSECOM|||111111111111  
MK7000||BSESLB|||111111111111  
MK7000||NSESLB|||111111111111  
MK7000||MSEEQ|||111111111111

For **Disabling** Exch allowed

RUPEE|EXCH\_ALW|2071212

MK7000||NSE|||0

MK7000||BSEEQ|||0

MK7000||CDS|||0

MK7000||NSEFO|||0

MK7000||BCR|||0

MK7000||BSEFO|||0

MK7000||MCX|||0

MK7000||NSEMF|||0

MK7000||BSEMF|||0

MK7000||NCDX|||0

MK7000||BSECOM|||0

MK7000||NSECOM|||0

MK7000||BSESLB|||0

MK7000||NSESLB|||0

MK7000||MSEEQ|||0

## 6. CLIENT LIMIT

**Description:** This file is for the balance at the beginning of the day.

**File name:** ClientMargin.txt

**Delimiter:** | (pipe)

**Start of file:** Broker's name|CAP\_LMT|Date (RUPEE|CAP\_LMT|20250906)

| Sr. No | ColumnName | DataType | Remarks                                           | Mandatory |
|--------|------------|----------|---------------------------------------------------|-----------|
| 1      | CLIENTID   | CHAR(30) | ClientID/ UCC                                     | Y         |
| 2      | SODLIMIT   | DOUBLE   | Limit at the start of the day/<br>Opening balance | Y         |
| 3      | Exchange   | CHAR     | NSE                                               | N         |



In case of Separate  
Segment ,  
E – Equity,  
D – Derivative,  
C – Currency,  
M – Commodity,  
F – MTF,  
N – NRML

In case of Cap-com with  
MTF as separate segment,  
A – Capital;  
M – Commodity,  
F – MTF

In case of All segments  
combined (A– Capital) . If  
not specified would take  
across the segment.

|    |               |        |                           |   |
|----|---------------|--------|---------------------------|---|
| 4  | Segment       | CHAR   |                           | N |
| 5  | RISK_PROFILE  | CHAR   | Enter Risk Profile Name   | N |
| 6  | QLTemplate    | CHAR   | Enter QL Template Name    | N |
| 7  | OPTIONVALUE   | DOUBLE | Option Value              | N |
| 8  | FUTUREVALUE   | DOUBLE | Future Value              | N |
| 9  | FILLER_1      | DOUBLE | UNCLEAR_BALANCE           | N |
| 10 | FILLER_2      | DOUBLE | Filler                    | N |
| 11 | FILLER_3      | DOUBLE | Filler                    | N |
| 12 | FILLER_4      | DOUBLE | Filler                    | N |
| 13 | FILLER_5      | DOUBLE | Filler                    | N |
| 14 | ADHOC_LIMIT   | DOUBLE | Adhoc Limit               | N |
| 15 | EQ_CNC_ADHOC  | DOUBLE | Adhoc For Equity CNC      | N |
| 16 | EQ_INT_ADHOC  | DOUBLE | Adhoc For Equity Intraday | N |
| 17 | EQ_MARG_ADHOC | DOUBLE | Adhoc For Equity Margin   | N |
| 18 | FO_MARG_ADHOC | DOUBLE | Adhoc For FNO Margin      | N |
| 19 | FO_INT_ADHOC  | DOUBLE | Adhoc For FNO Margin      | N |

|    |                        |        |                                        |   |
|----|------------------------|--------|----------------------------------------|---|
| 20 | FO_OPT_MARG_ADH<br>OC  | DOUBLE | Adhoc For FNO Option<br>Margin         | N |
| 21 | FO_OPT_INT_ADHOC       | DOUBLE | Adhoc For FNO Option<br>Intraday       | N |
| 22 | CUR_MARG_ADHOC         | DOUBLE | Adhoc For Currency Margin              | N |
| 23 | CUR_INT_ADHOC          | DOUBLE | Adhoc For Currency Intraday            | N |
| 24 | CUR_OPT_MARG_AD<br>HOC | DOUBLE | Adhoc For Currency Option<br>Margin    | N |
| 25 | CUR_OPT_INT_ADHO<br>C  | DOUBLE | Adhoc For Currency Option<br>Intraday  | N |
| 26 | COM_MARG_ADHOC         | DOUBLE | Adhoc For Commodity<br>Margin          | N |
| 27 | COM_INT_ADHOC          | DOUBLE | Adhoc For Commodity<br>Intraday        | N |
| 28 | COM_OPT_MARG_AD<br>HOC | DOUBLE | Adhoc For Commodity<br>Option Margin   | N |
| 29 | COM_OPT_INT_ADHO<br>C  | DOUBLE | Adhoc For Commodity<br>Option Intraday | N |
| 30 | EQ_MTF_ADHOC           | DOUBLE | Adhoc For Equity MTF                   | N |
| 31 | EQ_CO_ADHOC            | DOUBLE | Filler                                 | N |
| 32 | EQ_BO_ADHOC            | DOUBLE | Filler                                 | N |
| 33 | FO_CO_ADHOC            | DOUBLE | Filler                                 | N |
| 34 | FO_OPT_CO_ADHOC        | DOUBLE | Filler                                 | N |
| 35 | FO_BO_ADHOC            | DOUBLE | Filler                                 | N |
| 36 | FO_OPT_BO_ADHOC        | DOUBLE | Filler                                 | N |
| 37 | CUR_CO_ADHOC           | DOUBLE | Filler                                 | N |
| 38 | CUR_OPT_CO_ADHO<br>C   | DOUBLE | Filler                                 | N |
| 39 | CUR_BO_ADHOC           | DOUBLE | Filler                                 | N |
| 40 | CUR_OPT_BO_ADHO<br>C   | DOUBLE | Filler                                 | N |
| 41 | COM_CO_ADHOC           | DOUBLE | Filler                                 | N |
| 42 | COM_OPT_CO_ADHO        | DOUBLE | Filler                                 | N |

|    |                 |        |        |   |
|----|-----------------|--------|--------|---|
|    | C               |        |        |   |
| 43 | COM_BO_ADHOC    | DOUBLE | Filler | N |
| 44 | COM_OPT_BO_ADHO |        |        |   |
|    | C               | DOUBLE | Filler | N |
|    | C_BANK_HOLD_UNC |        |        |   |
| 45 | LEAR            | DOUBLE | Filler | N |

Note: Once the Limit file is uploaded, it will **replace** the previous values

### Illustration

For allowing Adhoc balance Segment –Product wise

RUPEE|CAP\_LMT|201980125

MK7000|0||||10000|20000|||||30000|35000|40000|45000|50000|55000|60000|65000|70000|75000|80000|85000|90000|95000|100000|105000|||||||

For Combined limit

RUPEE|CAP\_LMT|201980125

MK7000|1000000|NSE|A|R152||||20000||||50000|||||||

For Separate segment – Equity Limit

RUPEE|EQUITY\_CAP|09122023

SM01|100000|NSE|E|RISK1|||||||

For Separate segment – Commodity Limit

RUPEE|COM\_LMT|09122023

SM01|100000|NSE|M|RISK1|||||||

For Separate segment – Derivative Limit

RUPEE|DERIVATIVE\_CAP|09122023

SM01|100000|NSE|D|RISK1|||||||

For Separate segment – Currency Limit

RUPEE|CURRENCY\_CAP|09122023

SM01|100000|NSE|C|RISK1||||||||||||||||||||||||||||||||||||||||

For Separate segment – MTF Limit

RUPEE|MTF\_CAP|09122023

SM01|100000|NSE|F|RISK1||||||||||||||||||||||||||||||||||||||||

For Separate segment – NRML Limit

RUPEE|NRML\_CAP|09122023

SM01|100000|NSE|F|RISK1||||||||||||||||||||||||||||||||||||||||

## 7. SLBM LIMIT

**Description:** This file is for the balance at the beginning of the day.

**File name:** ClientMargin.txt

**Delimiter:** | (pipe)

**Start of file:** Broker's name|SLB\_LMT|Date (RUPEE|SLB\_LMT|20250906)

| ColumnName | DataType | Remarks | Mandatory |
|------------|----------|---------|-----------|
|------------|----------|---------|-----------|

|           |          |                                                           |   |
|-----------|----------|-----------------------------------------------------------|---|
| CLIENT ID | CHAR(30) | ClientID/ UCC                                             | Y |
| SOD LIMIT | DOUBLE   | Limit at the start of the day/ Opening<br>balance for SLB | Y |

RUPEE|SLB\_LMT|201980125

YLS001|7526584.13

## 8. INCREMENTAL CLIENT LIMIT

**Description:** This file is for the balance during Intraday. If any client need to update limit should use incremental limit file upload to update Limit. In Incremental Limit file upload it Add SOD amount with given amount in Incremental File upload.

For eg:–If client is having 2000/– in SOD and want to add 500 then incremental file need to have 500 for that client so it will be  $SOD = 2000 + 500 = 2500/–$

**File name:** ClientMargin.txt

**Delimiter:** |(pipe)

**Start of file:** Broker'sname| INCR\_CAP\_LMT|Date (RUPEE|  
INCR\_CAP\_LMT|20250906)

| Sr. No | ColumnName   | DataType | Remarks                                                                                                                       | Mandatory |
|--------|--------------|----------|-------------------------------------------------------------------------------------------------------------------------------|-----------|
| 1      | CLIENTID     | CHAR(30) | ClientID/ UCC                                                                                                                 | Y         |
| 2      | SODLIMIT     | DOUBLE   | Limit at the start of the day/<br>Opening balance                                                                             | Y         |
| 3      | Exchange     | CHAR     | NSE                                                                                                                           | N         |
| 4      | Segment      | CHAR     | In case of Separate<br>Segment ,<br>E – Equity,<br>D – Derivative,<br>C – Currency,<br>M – Commodity,<br>F – MTF,<br>N – NRML | N         |
|        |              |          | In case of Cap-com with<br>MTF as separate segment,<br>A – Capital;<br>M – Commodity,<br>F – MTF                              |           |
|        |              |          | In case of All segments<br>combined (A– Capital) . If<br>not specified would take                                             |           |
|        |              |          | across the segment.                                                                                                           |           |
| 5      | RISK_PROFILE | CHAR     | Enter Risk Profile Name                                                                                                       | N         |
| 6      | QLTemplate   | CHAR     | Enter QL Template Name                                                                                                        | N         |
| 7      | OPTIONVALUE  | DOUBLE   | Option Value                                                                                                                  | N         |
| 8      | FUTUREVALUE  | DOUBLE   | Future Value                                                                                                                  | N         |
| 9      | FILLER_1     | DOUBLE   | UNCLEAR_BALANCE                                                                                                               | N         |



SM01|100000|NSE|D|RISK1||||||||||||||||||||||||||||||||

For Seperate segment – Currency Limit

RUPEE|CURRENCY\_INCR|09122023

SM01|100000|NSE|C|RISK1||||||||||||||||||||||||||||||||

For Seperate segment – MTF Limit

RUPEE|MTF\_INCR|09122023

SM01|100000|NSE|F|RISK1||||||||||||||||||||||||||||||||

For Seperate segment – NRML Limit

RUPEE|MTF\_INCR|09122023

SM01|100000|NSE|F|RISK1||||||||||||||||||||||||||||||||

## 9. CLIENT HOLDING

**Description:** This file contains the holding quantities of the client. For Separate source separate files need to be uploaded.

For instance, for DP holdings, a separate txt file should contain the details of the holding of the client and that needs to be uploaded.

**File name:** Holdings.txt

**Delimiter:** |(pipe)

**Start of file:** Broker's name|DP\_HLD|Date  
(RUPEE|DP\_HLD|20250906)



| Sr. no | ColumnName       | DataType       | Remarks                                                                      | Mandatory |
|--------|------------------|----------------|------------------------------------------------------------------------------|-----------|
| 1      | Client ID        | CHAR(10)       | Client ID/ UCC                                                               | Y         |
| 2      | ISINCODE         | CHAR(50)       | ISIN Number                                                                  | Y         |
| 3      | RemQuantity      | INT(30)        | Quantity                                                                     | Y         |
| 4      | CollateralUp Qty | BIGINT(20)     | Filler                                                                       | N         |
| 5      | Collaterals Flag | CHAR(1)        | 1 or 0 (1 for considering collateral and 0 for not)                          | Y         |
| 6      | CollateralQty    | BIGINT(20)     | Collateral Qty, In case of no Collateral qty, update as 0, Do not keep blank | Y         |
| 7      | HairCut %        | INT(5)         | Haircut                                                                      | Y         |
| 8      | CostPrice        | DECIMAL(20, 5) | Cost Price                                                                   | Y         |

Note: Holding file will **replace** the previous values, however this file **will affect** the other clients holdings

### Illustration

For uploading the holdings

For DP stock

RUPEE|DP\_HLD|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

For T1 Stock

RUPEE|OBB\_HLD|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

For Margin stock

RUPEE|BEN\_HLD|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

For MTF Stock

RUPEE|MTF\_HLD|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

For MTFT Stock

RUPEE|MTF\_T1|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

For NRML Stock

RUPEE|NRML\_HLD|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

For NRML T1 Stock

RUPEE|NRML\_OBB\_HLD|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

## 10. INCREMENTAL CLIENT HOLDING

**Description:** This file contains the incremental holding quantities of the client. For Separate source separate files need to be uploaded.

For instance, for Incremental DP holdings, a separate txt file should contain the details of the holding of the client and that needs to be uploaded.

**File name:** Holdings.txt

**Delimiter:** |(pipe)

**Start of file:** Broker's name|INDP\_HLD|Date  
(RUPEE|INDP\_HLD|20250906)

| Sr. no | ColumnName | DataType | Remarks | Mandatory |
|--------|------------|----------|---------|-----------|
|--------|------------|----------|---------|-----------|

|   |                  |                |                                                                              |   |
|---|------------------|----------------|------------------------------------------------------------------------------|---|
| 1 | Client ID        | CHAR(10)       | Client ID/ UCC                                                               | Y |
| 2 | ISINCODE         | CHAR(50)       | ISIN Number                                                                  | Y |
| 3 | RemQuantity      | INT(30)        | Quantity                                                                     | Y |
| 4 | CollateralUp Qty | BIGINT(20)     | Filler                                                                       | N |
| 5 | Collaterals Flag | CHAR(1)        | 1 or 0 (1 for considering collateral and 0 for not)                          | Y |
| 6 | CollateralQty    | BIGINT(20)     | Collateral Qty, In case of no Collateral qty, update as 0, Do not keep blank | Y |
| 7 | HairCut %        | INT(5)         | Haircut                                                                      | Y |
| 8 | CostPrice        | DECIMAL(20, 5) | Cost Price                                                                   | Y |

Note: Incremental Holding file will **replace** the previous values, however this file will **not** affect the other clients holdings.

For uploading the Incremental holdings or For reducing and replacing the incorrect values

For DP stock

RUPEE|INDP\_HLD|20250906  
MK7000|INE618L01018|100||Y|100|20|100|

For T1 Stock

RUPEE|INOBB\_HLD|20250906  
MK7000|INE618L01018|100||Y|100|20|100|

For Margin stock

RUPEE|INBEN\_HLD|20250906  
MK7000|INE618L01018|100||Y|100|20|100|

For MTF Stock

RUPEE|INMTF\_HLD|20250906  
MK7000|INE618L01018|1000||Y|100|20|100|

For MTFT Stock

RUPEE|INMTFT\_HLD|20250906

MK7000|INE618L01018|100|Y|100|20|100|

For NRML Stock

RUPEE|INC\_NRML\_HLD|20250906

MK7000|INE618L01018|100|Y|100|20|100|

For NRML T1 Stock

RUPEE|NRML\_OBB\_INC|20250906

MK7000|INE618L01018|100|Y|100|20|100|

## 11. CLIENT HOLDING (SEPARATE SEGMENT)

**Description:** This file contains the holding quantities of the client. For Separate source separate files need to be uploaded.

For instance, for DP holdings, a separate txt file should contain the details of the holding of the client and that needs to be uploaded.

**File name:** Holdings.txt

**Delimiter:** |(pipe)

**Start of file:** Broker's name|DP\_HLD|Date  
(RUPEE|DP\_HLD|20250906)

| Sr. no | ColumnName | DataType | Remarks | Mandatory |
|--------|------------|----------|---------|-----------|
|--------|------------|----------|---------|-----------|

|    |                     |               |                                                                                                                                                                    |   |
|----|---------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 1  | Client ID           | CHAR(10)      | Client ID/ UCC                                                                                                                                                     | Y |
| 2  | ISINCODE            | CHAR(50)      | ISIN Number                                                                                                                                                        | Y |
| 3  | RemQuantity         | INT(30)       | Quantity                                                                                                                                                           | Y |
| 4  | CollateralUp<br>Qty | BIGINT(20)    | Filler                                                                                                                                                             | N |
| 5  | Collaterals Flag    | CHAR(1)       | 1 or 0 (1 for considering collateral and 0 for not)                                                                                                                | Y |
| 6  | CollateralQty       | BIGINT(20)    | Collateral Qty (In case of segment wise fund limit this column use as collateral qty for equity), In case of no Collateral qty, update as 0, Do not keep blank     | Y |
| 7  | HairCut %           | INT(5)        | Haircut                                                                                                                                                            | Y |
| 8  | CostPrice           | DECIMAL(20,5) | Cost Price                                                                                                                                                         | Y |
| 9  | CollateralQtyDrv    | BIGINT(20)    | Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Derivative), In case of no Collateral qty, update as 0, Do not keep blank | Y |
| 10 | CollateralQtyCur    | BIGINT(20)    | Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Currency), In case of no Collateral qty, update as 0, Do not keep blank   | Y |
| 11 | CollateralQtyCom    | BIGINT(20)    | Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Commodity), In case of no Collateral qty, update as 0, Do not keep blank  | Y |
| 12 | CollateralQtyMTF    | BIGINT(20)    | Collateral Qty (In case of segment wise fund limit this column use as collateral qty for MTF), In case of no Collateral qty, update as 0, Do not keep blank        | Y |

**Note:** Holding file will **replace** the previous values, however this file **will affect** the other clients holdings

## Illustration

For uploading the holdings

For DP stock

RUPEE|DP\_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For T1 Stock

RUPEE|OBB\_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For Margin stock

RUPEE|BEN\_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For MTF Stock

RUPEE|MTF\_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For MTFT Stock

RUPEE|MTF\_T1|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For NRML Stock

RUPEE|NRML\_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For NRML T1 Stock

RUPEE|NRML\_OBB\_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

## 12. INCREMENTAL CLIENT HOLDING (SEPARATE SEGMENT)

**Description:** This file contains the incremental holding quantities of the client. For Separate source separate files need to be uploaded.

For instance, for DP holdings, a separate txt file should contain the details of the holding of the client and that needs to be uploaded.

**File name:** Holdings.txt

**Delimiter:** |(pipe)

**Start of file:** Broker's name|INDP\_HLD|Date  
(RUPEE|INDP\_HLD|20250906)

| Sr. no | ColumnName | DataType | Remarks        | Mandatory |
|--------|------------|----------|----------------|-----------|
| 1      | Client ID  | CHAR(10) | Client ID/ UCC | Y         |
| 2      | ISINCODE   | CHAR(50) | ISIN Number    | Y         |

|    |                  |               |                                                                                                                                                                    |   |
|----|------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 3  | RemQuantity      | INT(30)       | Quantity                                                                                                                                                           | Y |
| 4  | CollateralUp Qty | BIGINT(20)    | Filler                                                                                                                                                             | N |
| 5  | Collaterals Flag | CHAR(1)       | 1 or 0 (1 for considering collateral and 0 for not)                                                                                                                | Y |
| 6  | CollateralQty    | BIGINT(20)    | Collateral Qty (In case of segment wise fund limit this column use as collateral qty for equity), In case of no Collateral qty, update as 0, Do not keep blank     | Y |
| 7  | HairCut %        | INT(5)        | Haircut                                                                                                                                                            | Y |
| 8  | CostPrice        | DECIMAL(20,5) | Cost Price                                                                                                                                                         | Y |
| 9  | CollateralQtyDrv | BIGINT(20)    | Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Derivative), In case of no Collateral qty, update as 0, Do not keep blank | Y |
| 10 | CollateralQtyCur | BIGINT(20)    | Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Currency), In case of no Collateral qty, update as 0, Do not keep blank   | Y |
| 11 | CollateralQtyCom | BIGINT(20)    | Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Commodity), In case of no Collateral qty, update as 0, Do not keep blank  | Y |
| 12 | CollateralQtyMTF | BIGINT(20)    | Collateral Qty (In case of segment wise fund limit this column use as collateral qty for MTF), In case of no Collateral qty, update as 0, Do not keep blank        | Y |

Note: Incremental Holding file will **replace** the previous values, however this file will **not** affect the other clients holdings.

#### **Illustration:**

For uploading the Incremental holdings

For reducing and replacing the incorrect values



For DP stock

RUPEE|INDP\_HLD|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

For T1 Stock

RUPEE|INOBB\_HLD|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

For Margin stock

RUPEE|INBEN\_HLD|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

For MTF Stock

RUPEE|INMTF\_HLD|20250906

MK7000|INE618L01018|1000||Y|30|20|100|20|10|10|10

For MTFT Stock

RUPEE|INMTFT\_HLD|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

For NRML Stock

RUPEE|INC\_NRML\_HLD|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

For NRML T1 Stock

RUPEE|NRML\_OBB\_INC|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

### 13. DEALER CREATION

**Description:** This file contains the details of the dealer

**Filename:** Dealer\_Creation.txt

**Delimiter:** | (pipe)

**Start of file:** Broker's name|DEALER\_CREATION|Date

(RUPEE|DEALER\_CREATION|20241014)

| Sr. no | ColumnName      | DataType | Remarks                                 | Mandatory |
|--------|-----------------|----------|-----------------------------------------|-----------|
| 1      | Category        | CHAR(1)  | D for Dealer and BR for Branch          | Y         |
| 2      | Entity_ID       | CHAR(10) | Entity ID/ UCC of Dealer or Branch UCC  | Y         |
| 3      | Controller_Type | CHAR(10) | B – Broker ; BR – Branch                | Y         |
| 4      | Controller      | CHAR(10) | If set B – broker then HO ; If set BR – | Y         |

|    |                    |          |                                                                                                                                                                                                                                                                                                          |   |
|----|--------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
|    |                    |          | Branch then Branch Code                                                                                                                                                                                                                                                                                  |   |
| 5  | User Status        | CHAR(1)  | E/D/S(enabled,disabled,suspend)                                                                                                                                                                                                                                                                          | Y |
| 6  | NameOfEntity       | CHAR(30) | Name of Entity                                                                                                                                                                                                                                                                                           | Y |
| 7  | DOB                | CHAR(10) | 12-05-2019(DD-MM-YYYY)                                                                                                                                                                                                                                                                                   | Y |
|    |                    |          | NSE Equity –NSEEQ;<br>NSE Derivative – NSEFO;<br>NSE Currency – CDS;<br>BSE Equity – BSEEQ ;<br>BSE Derivative – BSEFO;<br>BSE Currency – BCR;<br>MCX – MCX;<br>NCDEX – NCDX;<br>MFSS – NSEMF;<br>BSESTARMF – BSEMF;<br>NSECOM – NSECOM,<br>BSECOM – BSECOM,<br>NSE SLBM – NSESLB,<br>BSE SLBM – BSESLB, |   |
| 8  | Mkt_Allowed        | CHAR (6) | MSE Equity – MSEEQ                                                                                                                                                                                                                                                                                       | Y |
| 9  | PANNO              | CHAR(10) | PanNumber                                                                                                                                                                                                                                                                                                | Y |
| 10 | Branch_Id_NSEEQ    | CHAR(3)  | BranchID                                                                                                                                                                                                                                                                                                 | Y |
| 11 | Terminal_Id_NSEEQ  | CHAR(3)  | TerminalID                                                                                                                                                                                                                                                                                               | Y |
| 12 | Branch_Id_BSEEQ    | CHAR(4)  | BranchID                                                                                                                                                                                                                                                                                                 | Y |
| 13 | Terminal_Id_BSEEQ  | CHAR(3)  | TerminalID                                                                                                                                                                                                                                                                                               | Y |
| 14 | Branch_Id_NSEFNO   | CHAR(3)  | BranchID                                                                                                                                                                                                                                                                                                 | Y |
| 15 | Terminal_Id_NSEFNO | CHAR(3)  | TerminalID                                                                                                                                                                                                                                                                                               | Y |
| 16 | Branch_Id_BSEFNO   | CHAR(4)  | BranchID                                                                                                                                                                                                                                                                                                 | Y |
| 17 | Terminal_Id_BSEFNO | CHAR(3)  | TerminalID                                                                                                                                                                                                                                                                                               | Y |
| 18 | Branch_Id_NSECR    | CHAR(3)  | BranchID                                                                                                                                                                                                                                                                                                 | Y |
| 19 | Terminal_Id_NSECR  | CHAR(3)  | TerminalID                                                                                                                                                                                                                                                                                               | Y |
| 20 | Branch_Id_BSECR    | CHAR(4)  | BranchID                                                                                                                                                                                                                                                                                                 | Y |
| 21 | Terminal_Id_BSECR  | CHAR(3)  | TerminalID                                                                                                                                                                                                                                                                                               | Y |
| 22 | Branch_Id_NSECOM   | CHAR(3)  | BranchID                                                                                                                                                                                                                                                                                                 | Y |

|    |                    |          |                           |   |
|----|--------------------|----------|---------------------------|---|
|    | Terminal_Id_NSECO  |          |                           |   |
| 23 | M                  | CHAR(3)  | TerminalID                | Y |
| 24 | Branch_Id_BSECOM   | CHAR(4)  | BranchID                  | Y |
| 25 | Terminal_Id_BSECOM | CHAR(3)  | TerminalID                | Y |
| 26 | Branch_Id_MCX      | CHAR(3)  | BranchID                  | Y |
| 27 | Terminal_Id_MCX    | CHAR(3)  | TerminalID                | Y |
| 28 | Branch_Id_NCDEX    | CHAR(3)  | Branch ID                 | Y |
| 29 | Terminal_Id_NCDEX  | CHAR(3)  | TerminalID                | Y |
| 30 | Branch_Id_ICEX     | CHAR(3)  | Branch ID                 | Y |
| 31 | Terminal_Id_ICEX   | CHAR(3)  | TerminalID                | Y |
| 32 | CertID_NSEEQ       | CHAR(10) | NISMcertificateID         | Y |
| 33 | CertID_BSEEQ       | CHAR(10) | NISMcertificateID         | Y |
| 34 | CertID_NSEFNO      | CHAR(10) | NISMcertificateID         | Y |
| 35 | CertID_BSEFNO      | CHAR(10) | NISMcertificateID         | Y |
| 36 | CertID_NSECR       | CHAR(10) | NISM certificateID        | Y |
| 37 | CertID_BSECR       | CHAR(10) | NISM certificateID        | Y |
| 38 | CertID_NSECOM      | CHAR(10) | NISMcertificateID         | Y |
| 39 | CertID_BSECOM      | CHAR(10) | NISMcertificateID         | Y |
| 40 | CertID_MCX         | CHAR(10) | NISMcertificateID         | Y |
| 41 | CertID_NCDEX       | CHAR(10) | NISMcertificateID         | Y |
| 42 | CertID_ICEX        | CHAR(10) | NISMcertificateID         | Y |
|    | Cert_Exp_date_NSEE |          |                           |   |
| 43 | Q                  | Date     | (DD-MMM-YYYY) 05-May-2019 | Y |
|    | Cert_Exp_date_BSEE |          |                           |   |
| 44 | Q                  | Date     | (DD-MMM-YYYY) 05-May-2019 | Y |
|    | Cert_Exp_Date_NSEF |          |                           |   |
| 45 | NO                 | Date     | (DD-MMM-YYYY) 05-May-2019 | Y |
|    | Cert_Exp_date_BSEF |          |                           |   |
| 46 | NO                 | Date     | (DD-MMM-YYYY) 05-May-2019 | Y |
|    | Cert_Exp_date_NSEC |          |                           |   |
| 47 | R                  | Date     | (DD-MMM-YYYY) 05-May-2019 | Y |
|    | Cert_Exp_date_BSEC |          |                           |   |
| 48 | R                  | Date     | (DD-MMM-YYYY) 05-May-2019 | Y |

|    |                          |                |                           |   |
|----|--------------------------|----------------|---------------------------|---|
| 49 | Cert_Exp_date_NSEC<br>OM | Date           | (DD-MMM-YYYY) 05-May-2019 | Y |
| 50 | Cert_Exp_date_BSEC<br>OM | Date           | (DD-MMM-YYYY) 05-May-2019 | Y |
| 51 | Cert_Exp_date_MCX        | Date           | (DD-MMM-YYYY) 05-May-2019 | Y |
| 52 | Cert_Exp_date_NCDE<br>X  | Date           | (DD-MMM-YYYY) 05-May-2019 | Y |
| 53 | Cert_Exp_date_ICEX       | Date           | (DD-MMM-YYYY) 05-May-2019 | Y |
| 54 | Address1                 | CHAR(100)<br>) | Address                   | Y |
| 55 | Address2                 | CHAR(100)<br>) | Address                   | N |
| 56 | Pin_code                 | CHAR(10)       | PinCode                   | Y |
| 57 | Mobile                   | Int(10)        | MobileNumber              | Y |
| 58 | PHONE                    | Int(10)        | Phonenumber               | Y |
| 59 | State                    | CHAR(15)       | State                     | Y |
| 60 | Email_id                 | CHAR(30)       | Email ID                  | Y |
| 61 | Login_id                 | CHAR(10)       | Login ID                  | Y |
| 62 | IVR_FLAG                 | VARCHAR<br>(2) | Y/N (Y-Yes , N-No)        | Y |
| 63 | Branch_Id_MSEEQ          | CHAR(3)        | Branch ID                 | Y |
| 64 | Terminal_Id_MSEEQ        | CHAR(3)        | TerminalID                | Y |
| 65 | CertID_MSEEQ             | CHAR(10)       | NISMcertificateID         | Y |
| 66 | Cert_date_MSEEQ          | Date           | (DD-MMM-YYYY) 05-May-2019 | Y |
| 67 | Branch_Id_NSESLB         | CHAR(3)        | Branch ID                 | Y |
| 68 | Terminal_Id_NSESLB       | CHAR(3)        | TerminalID                | Y |
| 69 | CertID_NSE_SLBM          | CHAR(10)       | NISMcertificateID         | Y |
| 70 | Cert_Exp_date_NSES<br>LB | Date           | (DD-MMM-YYYY) 05-May-2019 | Y |
| 71 | Branch_Id_BSESLB         | CHAR(3)        | Branch ID                 | Y |
| 72 | Terminal_Id_BSESLB       | CHAR(3)        | TerminalID                | Y |
| 73 | CertID_BSE_SLBM          | CHAR(10)       | NISMcertificateID         | Y |
| 74 | Cert_Exp_date_BSES       | Date           | (DD-MMM-YYYY) 05-May-2019 | Y |

## Illustration

For Dealer creation (Branch Based)

D|MAQ01|BR|NANDED|E|MOHAMMED ATIQUE|01-01-  
 1980|BSEEQ,NSEFNO,BSEFNO,NSECR,BSECR,NSECOM,NCDX,NCDEX,MCX,NSE,  
 MSEEQ|ABCDE1235L|111|111|1111|111|111|111|1111|111|111|111|111|111|111|111|111|111|111|111|001|001|  
 111|111|111|111|111|111111111|111111111|111111111|111111111|111111111|111111111|111111111|111111111|111  
 111111|111111111|111111111|11-May-2050|11-May-2050|11-May-2050|11-May-  
 2050|11-May-2050|11-May-2050|11-May-2050|11-May-2050|11-May-2050|11-May-2050|11-May-  
 May-  
 2050|RS|RS|400093|123456789||MAHARASHTRA|S@G.COM|MAQ01|N|123|456|1111  
 111111|11-May-2050|123|456|111111111|11-May-2050|1234|456|111111111|11-May-  
 2050

For Dealer creation (HO Based)

D|MAQ06|B|HO|E|MOHAMMED ATIQUE|01-01-  
 1985|BSEEQ,NSEFNO,BSEFNO,NSECR,BSECR,NSECOM,NCDX,NCDEX,MCX,NSE,  
 MSEEQ|ABCDE1240L|111|111|1111|111|111|111|111|111|111|111|111|111|111|111|111|111|111|111|001|001|  
 111|111|111|111|111|111111111|111111111|111111111|111111111|111111111|111111111|111111111|111111111|111  
 111111|111111111|111111111|11-May-2050|11-May-2050|11-May-2050|11-May-  
 2050|11-May-2050|11-May-2050|11-May-2050|11-May-2050|11-May-2050|11-May-2050|11-May-2050|11-May-  
 May-2050|11-May-  
 2050|RS|RS|400093|123456789||MAHARASHTRA|S@G.COM|MAQ06|N|123|456|111  
 111111|11-May-2050|123|456|111111111|11-May-2050|1234|456|111111111|11-May-  
 2050

For Branch creation

RUPEE|DEALER\_CREATION|20171212

BR|NANDED|B|HO|E|NANDED|45387|BSEEQ,NSEFNO,BSEFNO,NSECR,BSECR,NS  
ECOM,NCDEX,NCDEX,MCX,NSE,MSEEQ|ABCDE1234F|||||||||||||||||||||||||||||Q|Q|400  
093|123456789||MAHARASHTRA|S@G.COM|BRANCH11|N|||||||||

## 14. DEALER MAPPING

**Description:** This file contains the mapping of Client to Dealer.

**Filename:** DealerMapping.txt

**Delimiter:** | (pipe)

**Start of file:** Broker's name|CLIENT\_DEALER|Date  
(RUPEE|CLIENT\_DEALER|20250906)

| ColumnName | DataType  | Remarks                    | Mandatory |
|------------|-----------|----------------------------|-----------|
| Client Id  | CHAR (30) | UCC Code NSE/ BSE/         | Y         |
|            |           | MCX/ NCDEX                 |           |
| DealerId   | CHAR (30) | Dealer UCC in which client | Y         |
|            |           | id is to be mapped         |           |

**Illustration:**

RUPEE|CLIENT\_DEALER|20250906  
NW7000|RMSD01|

**For Dealer Mapping Remove : –**

RUPEE|CLT\_DEALER\_MAP\_REMV|20250906  
NW7000|RMSD01|

## 15. PROFILE MAPPING

**Description:** This file contains the quick mapping of Client Profile.

**File name:** Client\_Profile.txt

**Delimiter:** | (pipe)

**Start of file:** Broker's name|CLIENT\_PROFILE|Date

(RUPEE|CLIENT\_PROFILE |20250906)

| Column Name  | Data Type | Remarks                                                       | Mandatory |
|--------------|-----------|---------------------------------------------------------------|-----------|
| Client Id    | CHAR (30) | UCC Code                                                      | Y         |
| Profile code | CHAR (30) | Profile code in which client id is to be mapped (For ex. R16) | Y         |

**Illustration:**

RUPEE|CLIENT\_PROFILE|20250906  
NW7000|R16|



## 16. QL PROFILE MAPPING

**Description:** This file contains the quick mapping of QL Profile.

**File name:** QL\_Profile.txt

**Delimiter:** | (pipe)

**Start of file:** Broker's name|QL\_TEMP|Date

(RUPEE|QL\_TEMP |20250906)

| Column Name | Data Type    | Remarks                                                        | Mandatory |
|-------------|--------------|----------------------------------------------------------------|-----------|
| Client Id   | varchar (20) | UCC Code                                                       | Y         |
| QL code     | varchar (20) | Profile code in which client id is to be mapped (For ex. Q160) | Y         |

### Illustration:

RUPEE|QL\_TEMP|20250906

NW7000|Q160|

## 17. MF HOLDING

**Description:** This file contains the MF holding quantities of the client.

**File name:** MF\_HOLDING.txt

**Delimiter:**|(pipe)

**Start of file:** Broker's name|MF\_HOLDING |Date  
(RUPEE|MF\_HOLDING|31032021)

| Sr. no | ColumnName      | DataType     | Remarks                                                        | Mandatory |
|--------|-----------------|--------------|----------------------------------------------------------------|-----------|
| 1      | Client Id       | CHAR (30)    | Client ID/ UCC                                                 | Y         |
| 2      | SCHEMECODE      | VARCHAR(45 ) | SCHEME CODE (Scheme should be existing in SCHEME MASTER DEMAT) | Y         |
| 3      | Quantity        | DOUBLE       | Quantity                                                       | Y         |
| 4      | BUYPRICE        | DOUBLE       | BUY PRICE                                                      | Y         |
| 5      | Collateral Flag | CHAR(1)      | Y or N (Y for considering collateral and N for not)            | Y         |

|   |              |           |                        |   |
|---|--------------|-----------|------------------------|---|
|   |              | VARCHAR – |                        |   |
| 6 | COLLATERAL % | 25        | COLLATERAL PERCENTAGE  | N |
|   | MF           |           |                        |   |
|   | COLLATERAL   |           |                        |   |
| 7 | QUANTITY     | DOUBLE    | MF COLLATERAL QUANTITY | Y |

#### Illustration:

RUPEE|MF\_HOLDING|31032021

NW7000|BS153D-DP-L0|100|10|Y|9|100|

**Note:** SCHMSTRDMAT\_DDMMYYYY.txt file and NAVDWLD\_DDMMYYYY.txt (Of last working day) needs to be uploaded before MF holding file format uploaded from bsestartmf.in website

## 18. HOLIDAY MASTER

**Description:** This file contains the Trading Holiday List.

**File name:** HOLIDAY\_LIST.txt

**Delimiter:** |(pipe)

**Start of file:** Broker's name| HOLIDAY|Date

| Column Name  | Data Type    | Remark                                         | Mandatory |
|--------------|--------------|------------------------------------------------|-----------|
| EXCH_ID      | char(5)      | Exchange Name (NSE, BSE, MCX, NCDEX)           | Y         |
| HOLIDAY_DATE | varchar(100) | Holiday Date (Except weekends)                 | Y         |
| HOLIDAY_NAME | varchar(100) | Name of Holiday (As per Exchange Holiday list) | Y         |
| UPDATE_BY    | varchar(100) | Name of User/ uploader                         | N         |

#### Illustration

RUPEE|HOLIDAY|Date  
 NSE|2024-05-20|Parliament Elections|Sanket|  
 BSE|2024-05-20|Parliament Elections|Sanket|  
 MCX|2024-05-20|Parliament Elections|Sanket|  
 NCDEX|2024-05-20|Parliament Elections|Sanket|

## 19. FUND ALLOCATION – CASH FORMAT

**Description:** ICCLCOLL\_CMCODE\_DDMMYYYY\_batchno (CM's will have to upload single file for all segments. File Nomenclature date i.e., DDMMYYYY should be the current business date.)

Batch No — Batch no will be unique four-digit sequence no (0001 to 9999)

**File name:** ICCLCOLL\_670702022022\_0001.CSV

**Delimiter :** , (COMMA SEPARATED)

**Start of file :** Broker's name, ICCLCOLL, Date  
(RUPEE, ICCLCOLL, 31032021)

| Sr. | FieldName    | DataType | Remarks                                                                                                                              | Mandatory |
|-----|--------------|----------|--------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 1   | Current Date | Char(11) | DD-MMM-YYYY. Date will be the current business date (fileupload date). It should match with the date mentioned in file nomenclature. | Y         |

|    |                                |              |                                                                                   |   |
|----|--------------------------------|--------------|-----------------------------------------------------------------------------------|---|
| 2  | Segment Indicator              | Char(03)     | *Values shall be CM,FO, CD, COM                                                   | Y |
| 3  | Clearing MemberCode            | VarChar(5)   | Clearing Member code                                                              | Y |
| 4  | Trading MemberCode             | VarChar(5)   | Trading Member code                                                               | Y |
| 5  | CP Code                        | VarChar(12)  | CP Code                                                                           | N |
| 6  | Client Code                    | VarChar(10)  | UCC Code. Value should be Blank when CP code is populated, or Account type is 'P' | Y |
| 7  | Account Type                   | Char(1)      | P-prop,C-Client                                                                   | Y |
| 8  | Cash & Cash Equivalents Amount | Number(15,2) | Value in Rs.(Cash + FDR +BG)                                                      | Y |
| 9  | Filler1                        |              | Filler                                                                            | N |
| 10 | Filler2                        |              | Filler                                                                            | N |
| 11 | Filler3                        |              | Filler                                                                            | N |
| 12 | Filler4                        |              | Filler                                                                            | N |
| 13 | Filler5                        |              | Filler                                                                            | N |
| 14 | Filler6                        |              | Filler                                                                            | N |
| 15 | Action                         | Char(1)      | BSE: Allocation- A , Deallocation - D ; NSE: Allocation - U , Deallocation - D    | Y |

### Illustration

For Allocation – NCL

RUPEE,ICCLCOLL,02022024

11-05-2024,CM,7639,7639,,NW7000,C,1000,,,,,U  
11-05-2024,CD,7639,7639,,NW7000,C,1000,,,,,U  
11-05-2024,FO,7639,7639,,NW7000,C,1000,,,,,U  
11-05-2024,CM,7639,7639,,,P,1000,,,,,U  
11-05-2024,CD,7639,7639,,,P,1000,,,,,U  
11-05-2024,FO,7639,7639,,,P,1000,,,,,U  
11-05-2024,CM,7639,7639,028935693IK,,C,1000,,,,,U  
11-05-2024,CD,7639,7639,028935693IK,,C,1000,,,,,U  
11-05-2024,FO,7639,7639,028935693IK,,C,1000,,,,,U

For Allocation – ICCL

RUPEE,ICCLCOLL,02022024

11-05-2024,CM,7639,7639,,NW7000,C,1000,,,,,A  
11-05-2024,CD,7639,7639,,NW7000,C,1000,,,,,A  
11-05-2024,FO,7639,7639,,NW7000,C,1000,,,,,A  
11-05-2024,CM,7639,7639,,,P,1000,,,,,A  
11-05-2024,CD,7639,7639,,,P,1000,,,,,A  
11-05-2024,FO,7639,7639,,,P,1000,,,,,A  
11-05-2024,CM,7639,7639,028935693IK,,C,1000,,,,,A  
11-05-2024,CD,7639,7639,028935693IK,,C,1000,,,,,A  
11-05-2024,FO,7639,7639,028935693IK,,C,1000,,,,,A

## 20. FUND ALLOCATION – COLLATERAL FORMAT

**File name:** Coll\_Client.txt

**Delimiter :** , (COMMA SEPARATED)

**Start of file :** Broker's name,FUND\_ALLOC,Date  
(RUPEE,FUND\_ALLOC,31032021)

| Sr. No | FieldName                                 | DataType | Remarks                                                                     | Mandatory |
|--------|-------------------------------------------|----------|-----------------------------------------------------------------------------|-----------|
| 1      | Client ID                                 | CHAR(30) | UCC/ Client code                                                            | Y         |
| 2      | Previous day equity<br>Margin utilization | DOUBLE   | Net Obligation details in the EQ<br>segment for the previous trading<br>day | N         |
| 3      | Equity Collateral                         | DOUBLE   | Collateral value allocation                                                 | N         |
| 4      | FO Collateral                             | DOUBLE   | Collateral value allocation                                                 | N         |
| 5      | Currency collateral                       | DOUBLE   | Collateral value allocation                                                 | N         |
| 6      | Commodity collateral                      | DOUBLE   | Collateral value allocation                                                 | N         |
| 7      | Previous day Option<br>Buy utilize        | DOUBLE   | Net Obligation details of Options<br>instrument for the previous trading    | N         |

|  |  |      |  |
|--|--|------|--|
|  |  | day. |  |
|--|--|------|--|

**Illustration:**

RUPEE,FUND\_ALLOC,14102024  
NW7000,1000,0,0,0,950,4580  
NW7001,1000,0,100,0,0,0  
NW7002,1000,0,0,560,0,0

## 21. MTF HAIRCUT

**Description:** This file contains the MTF\_HAIRCUT UPLOAD.

**Filename:** MTF\_HAIRCUT.txt

**Delimiter:** | (pipe)

**Start of file:** Broker's name|CLIENT\_PROFILE|Date  
(RUPEE|MTF\_HAIRCUT|20250906)

| ColumnName  | DataType      | Remarks              | Mandatory |
|-------------|---------------|----------------------|-----------|
| EXCHANGE    | VARCHAR (30)  | EXCHANGE             | Y         |
| SYMBOL      | VARCHAR (100) | SYMBOL               | Y         |
| HAIRCUT_PER |               |                      |           |
| C           | DECIMAL(10,4) | HAIRCUT PRECENTAGE % | Y         |

**Illustration:**

RUPEE|MTF\_HAIRCUT|20250906



NSE|ICICIBANK-EQ|28|  
 NSE|HDFCBANK-EQ|30|  
 BSE|ICICIBANK|28|  
 BSE|HDFCBANK|30|

## 22. POA INFO

**Description:** Uploading Third Party POA data in Rupeeseed application.

**File name:** SampleExportPOA.txt

**Delimiter:** |(pipe)

**Start of file:** Broker's name|POA\_PROFILE |Date (RUPEE  
 |POA\_PROFILE|2024-01-24)

| Sr. no | Column Name | Data Type | Remarks              | Mandatory |
|--------|-------------|-----------|----------------------|-----------|
| 1      | ClientId    | CHAR(30)  | UCC                  | Y         |
| 2      | Name        | CHAR(30)  | Name of the POA      | N         |
| 3      | Addrees     | CHAR(3)   | Address of the POA   | Y         |
| 4      | DOB         | CHAR(3)   | DOB of the POA       | N         |
| 5      | PAN         | CHAR(3)   | PAN of the POA       | N         |
| 6      | Mobile No   | CHAR(3)   | Mobile no of the POA | N         |

|    |                |          |                                                                |   |
|----|----------------|----------|----------------------------------------------------------------|---|
| 7  | Landline No    | CHAR(3)  | Landline or alternate number of the POA                        | N |
| 8  | Email ID       | CHAR(3)  | Email ID of the POA                                            | N |
| 9  | POA_TYPE       | CHAR(30) | POA Type (General/<br>Special/Financial)                       |   |
| 10 | ActivationDate | CHAR(3)  | Date of POA activation                                         | N |
| 11 | Relation       | CHAR(20) | Relation with client                                           |   |
| 12 | DDPI Flag      | CHAR(5)  | If client is under DDPI category than<br>FLAG will be Y else N | N |
| 13 | POA No         | CHAR(50) | POA number                                                     | N |

#### Illustration:

RUPEE|POA\_PROFILE|20240124

NW7000|SANKET|15 Modi

road|08/05/2024|ANKKM5923X|9866963253||D@g.com|Special|11-05-  
2024|Father|N|526235218695|

NW7001|SANKET|15 Modi

Road|08/05/2024|ANKKM5933X|9866963253||D@g.com||11-05-2024|Mother|Y||

## 23. CLIENT LEVEL RESTRICTIONS

**Description:** This file contains client level restrictions.

**File name:** ClientRestrict.txt

**Delimiter:** | (pipe)

**Start of file:** Broker's name|CLIENT\_LEVEL\_RESTRICT|Date

(RUPEE|CLIENT\_LEVEL\_RESTRICT|2024-04-08

| Column | Data | Remarks | Mandatory |
|--------|------|---------|-----------|
|--------|------|---------|-----------|

| Name      | Type    |                                                                                                                |   |
|-----------|---------|----------------------------------------------------------------------------------------------------------------|---|
|           | CHAR    |                                                                                                                |   |
| CLIENT_ID | (30)    | CLIENT ID/ UCC                                                                                                 | Y |
|           | CHAR    |                                                                                                                |   |
| MODES     | (30)    | SQ_OFF                                                                                                         | Y |
|           |         | Y / N (Y–Yes in case of only sq off allowed,<br>N–No in case of client allowed to take new fresh<br>positions) |   |
| FLAG      | CHAR(5) |                                                                                                                | N |

#### Illustration:

RUPEE|CLIENT\_LEVEL\_RESTRICT|2024–04–08

NW7000|SQ\_OFF|Y

NW7001|SQ\_OFF|N

NW7002|SQ\_OFF|N

## 24. NSE MTF POSITION FILE FORMAT

**Description:** This file contains NSE MTF position.

**File name:** NSE.csv

**Delimiter:** | (pipe)

**Start of file:** Broker's name|MTFPS03|Date

(RUPEE|MTFPS03|2024–04–08)

| Sr. no | Column Name      | Data Type     | Remarks              | Mandator |
|--------|------------------|---------------|----------------------|----------|
| 1      | CLIENT_ID        | varchar(35)   | UCC                  | Y        |
| 2      | EXCHANGE_SEGMENT | varchar(10)   | nse_cm               | Y        |
| 3      | SYMBOL           | varchar(35)   | Scrip symbol<br>name | Y        |
| 4      | SERIES           | varchar(5)    | Scrip series         | N        |
| 5      | BUY_QTY          | decimal(10,0) | Settle qty           | Y        |

|    |                         |               |                       |   |
|----|-------------------------|---------------|-----------------------|---|
|    |                         | )             |                       |   |
| 6  | BUY_VALUE               | decimal(20,4) | Settle qty value      | Y |
| 7  | SELL_QTY                | decimal(10,0) | Filler                | N |
| 8  | SELL_VALUE              | decimal(20,4) | Filler                | N |
| 9  | PRODUCT                 | varchar(10)   | MTF                   | Y |
| 10 | ND_FLAG                 | varchar(1)    | Filler                | N |
| 11 | BTST_QTY                | decimal(10,0) | Unsettle qty          | N |
| 12 | UNSETTLED_BUY_VALU<br>E | decimal(20,4) | Unsettle qty<br>value | N |

**Illustration:**

RUPEE|MTFPS03|14102024

SM04|nse\_cm|INFY|EQ|5|350|0|0|MTF|10|1300|

## 25. BSE MTF POSITION FILE FORMAT

**Description:** This file contains BSE MTF position.

**File name:** BSE.txt

**Delimiter:** , (COMMA SEPARATED)

**Start of file:** Broker's name|BSEMTFPS03|Date

(RUPEE|BSEMTFPS03|2024-04-08)

| Sr. No | Column Name         | Data Type     | Remarks                            |
|--------|---------------------|---------------|------------------------------------|
| 1      | CLIENT_ID           | varchar(35)   | UCC                                |
| 2      | EXCHANGE_SEGMENT    | varchar(10)   | bse_cm                             |
| 3      | SYMBOL              | varchar(35)   | Scrip token number/<br>Security ID |
| 4      | SERIES              | varchar(5)    | Scrip series                       |
| 5      | BUY_QTY             | decimal(10,0) | Settle qty                         |
| 6      | BUY_VALUE           | decimal(20,4) | Settle qty value                   |
| 7      | SELL_QTY            | decimal(10,0) | Filler                             |
| 8      | SELL_VALUE          | decimal(20,4) | Filler                             |
| 9      | PRODUCT             | varchar(10)   | MTF                                |
| 10     | ND_FLAG             | varchar(1)    | Filler                             |
| 11     | BTST_QTY            | decimal(10,0) | Unsettle qty                       |
| 12     | UNSETTLED_BUY_VALUE | decimal(20,4) | Unsettle qty value                 |

**Illustration:**

RUPEE|BSEMTFPS03|14102024

SM04,bse\_cm,500209,A,5,350,0,0,MTF,,10,1300

## 26. SLB\_POSITION (NSE)

**Description:** This file contains Client wise open position.

**File name:** NSESLB\_mmmm\_OpenPositionReport\_yyyymmdd.csv

**Delimiter:** , (COMMA SEPARATED)

| Sr.<br>No | Name    | Size     | Header  | Remarks            |
|-----------|---------|----------|---------|--------------------|
| 1         | Segment | Char (6) | Segment | “NSESLB” hardcoded |

|    |                               |              |                  |                                                                                                                                                                                                                           |
|----|-------------------------------|--------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2  | Member Code                   | Number (4,0) | MemberCode       |                                                                                                                                                                                                                           |
| 3  | Client Code                   | VarChar (11) | ClientCode       |                                                                                                                                                                                                                           |
| 4  | SLB Code                      | Number (6,0) | SLBCode          | SLB Contract Identifier<br>(eg. 360287)                                                                                                                                                                                   |
| 5  | SLB Symbol (J)                | VarChar (26) | SLBSymbol        | Series Code<br>(eg. HDFCBANK01MAR18–<br>MNF)                                                                                                                                                                              |
| 6  | Cash Code                     | Number (6,0) | CashCode         | Scrip Code of the<br>underlying Asset (eg<br>500180)                                                                                                                                                                      |
| 7  | Cash Symbol                   | VarChar (11) | CashSymbol       | Scrip Id of the underlying<br>Asset (eg HDFCBANK)                                                                                                                                                                         |
| 8  | Expiry Date                   | VarChar (11) | ExpiryDate       | dd–mmm–yyyy                                                                                                                                                                                                               |
| 9  | Series                        | VarChar (9)  | Series           | “MNF” / “MCF”                                                                                                                                                                                                             |
| 10 | O/sLend Quantity              | Number (9,0) | Lend Quantity    | Outstanding Lend Quantity<br>(Lend less Early Recall)                                                                                                                                                                     |
| 11 | O/sBorrow Quantity            | Number (9,0) | Borrow Quantity  | Outstanding Borrow<br>Quantity (Borrow less<br>Early Repay) [Not Early<br>Return / Early Pay–In for<br>availing margin reduction]                                                                                         |
| 12 | Rollover Flag                 | VarChar (20) | BalanceRollovers | R11 ... R0 (Balance<br>Rollovers)                                                                                                                                                                                         |
| 13 | CP Code                       | VarChar (12) | CPCode           |                                                                                                                                                                                                                           |
| 14 | ISIN                          | Char (12)    | ISINCode         | (eg. INE040A01026)                                                                                                                                                                                                        |
| 15 | Reverse Leg<br>SettlementDate | VarChar (11) | RLSD             | dd–mmm–yyyy<br>Reverse Leg Settlement<br>Date for ‘LE’ and ‘BO’<br>Revised Reverse Leg<br>Settlement Date for ‘RC’<br>and ‘RP’ (next day)<br>Revised Reverse Leg<br>Settlement Date for ‘LR’<br>and ‘BR’(new expiry date) |

|    |                             |               |                         |                                                                                                                                                                                                                                                     |
|----|-----------------------------|---------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |                             |               |                         | Reverse Leg Settlement<br>No for 'LE' and 'BO',<br>Revised Reverse Leg<br>Settlement Settlement No<br>for 'RC' and 'RP' (next<br>day)<br>Revised Reverse Leg<br>Settlement Settlement No<br>for 'LR' and 'BR' (new<br>expiry date)<br>(eg. 1819001) |
| 16 | Reverse Leg<br>SettlementNo | Number (7,0)  | RLSN                    |                                                                                                                                                                                                                                                     |
| 17 | Filler 01                   | VarChar (20)  | Filler01                | Currently Blank. Proposed<br>to be used for Early Pay-<br>In Quantity (against day's<br>Lend Transactions – First<br>Leg)                                                                                                                           |
| 18 | Filler 02                   | VarChar (50)  | Filler02                | Currently Blank. Proposed<br>to be used for Early Return<br>Quantity (against o/s<br>Borrow Positions – Return<br>Leg)                                                                                                                              |
| 19 | Filler 03                   | VarChar (100) | Filler03                | Blank. For future use                                                                                                                                                                                                                               |
| 20 | Filler 04                   | Number (6,0)  | Filler04                | '0'. For future use                                                                                                                                                                                                                                 |
| 21 | Filler 05                   | Number (9,2)  | Filler05                | '0.00'. For future use                                                                                                                                                                                                                              |
| 22 | Filler 06                   | Number (18,4) | Filler06                | '0.0000'. For future use                                                                                                                                                                                                                            |
| 23 | Executing Member Code       | Number (4,0)  | Code<br>ExecutingMember | Code of the Executing<br>Member, in case of<br>Custodial / CP Position,<br>applicable to report<br>disseminated to<br>Custodian. '0'<br>in Executing Member's<br>report                                                                             |
| 24 | CashMarket Close Price      | Number (12,2) | CashMarketClose         |                                                                                                                                                                                                                                                     |



|    |                     |               |                  |  |
|----|---------------------|---------------|------------------|--|
|    |                     |               | Price            |  |
|    |                     |               | ValueOfUnderlyin |  |
| 25 | Value Of Underlying | Number (18,2) | g                |  |

## 27. PHYSICAL EXPIRY RESTRICTION FILE FORMAT

**Description:** This file contains contracts which member blocks for physical expiry during last 5 days before expiry.

This file contains the Derivative contracts which member wants to disallow the client to take positions in current Physical expiry days. All Options contracts and Futures contract will be blocked automatically for current expiry.

In case of removal of one scrip, then member can keep all derivative scrip name in the file and except that one scrip and re-upload the file. The Options and Futures of current expiry will be removed from scrip block and rest scrip will continue to remain block in physical expiry.

Kindly note this file member needs to upload daily. The day on which client does not wants to block, he does not need to upload on that particular day.

After uploading this file, kindly ensure the Profile master tick for “Block Physical Expiry Contract” in Advance section for allowing the Block for particular clients who are mapped in that profile. For clients for which Member wants to allow clients to place order in Physical expiry contracts, he can simply untick “Block Physical Expiry Contract”.

**File name:** PHY\_EXP.txt

**Delimiter:** , (COMMA SEPARATED)

**Start of file:** Broker's name|PHY\_BAN|Date

(RUPEE|PHY\_BAN|2024-04-08)

**Illustration:**

In case if member wants to block for all products

RUPEE|PHY\_BAN|28092024

ASHOKLEY

ABFRL

In case if member wants to block for Margin product

RUPEE|PHY\_BAN|28092024

ASHOKLEY,M

ABFRL,M

In case if member wants to block for Intraday product

RUPEE|PHY\_BAN|28092024

ASHOKLEY,I

ABFRL,I

In case if member wants to block for selective product

RUPEE|PHY\_BAN|28092024

ASHOKLEY,I

ABFRL,M

## 28. PS03 AVERAGE PRICE UPLOAD (CASH, INDEX AND CURRENCY DERIVATIVES)

**Description:** This file should be uploaded after PS03 file is uploaded. It is used to display the price at which position was bought.

**File name:** AVG\_TRD\_PRICE.txt

**Delimiter:** | (PIPE SEPARATED)

**Start of file:**

UCC|Instrument\_Type|Symbol|Expiry\_Date|Strike\_Price|Option\_Type|Price|Quantity

| Data   |             |          |                               |
|--------|-------------|----------|-------------------------------|
| Sr. No | Field Name  | type     | Description                   |
| 1      | UCC code    | Char(30) | UCC as registered in exchange |
|        | Instrument  |          |                               |
| 2      | type        | Char(10) | FUTIDX/FUTSTK/OPTIDX          |
| 3      | Symbol      | Char(45) | NIFTY/BANKNIFTY/TCS           |
| 4      | Expiry date | Char(40) | MM/DD/YYYY                    |

|   |              |          |                                 |
|---|--------------|----------|---------------------------------|
|   |              |          | Strike Price – For options      |
| 5 | Strike price | Char(45) | 0 – For Futures                 |
|   |              |          | CE/PE – For Call or Put Options |
| 6 | Option type  | Char(10) | XX – For Futures                |

Illustration:

UCC|Instrument\_Type|Symbol|Expiry\_Date|Strike\_Price|Option\_Type|Price|Quantity

NW7001|FUTIDX|NIFTY|05/30/2024|0|XX|2550

NW7002|FUTSTK|PNB|05/30/2024|0|XX|40000

NW7003|OPTIDX|FINNIFTY|05/28/2024|21100|PE|3600

NW7003|FUTCUR|USDJPY|05/29/2024|0|XX|265

NW7004|OPTCUR|GBPINR|05/29/2024|105|CE|35

## 29. PS03 AVERAGE PRICE UPLOAD (COMMODITY DERIVATIVES)

**Description:** This file should be uploaded after PS03 file is uploaded. It is used to display the price at which position was bought.

**File name:** AVG\_COMM\_TRD\_PRICE.txt

**Delimiter:** | (PIPE SEPARATED)

**Start of file:**

UCC|Instrument\_Type|Symbol|Expiry\_Date|Strike\_Price|Option\_Type|Price|Quantity

| Sr. no | Field Name      | Data type | Description                     |
|--------|-----------------|-----------|---------------------------------|
| 1      | UCC code        | Char(30)  | UCC as registered in exchange   |
| 2      | Instrument type | Char(10)  | FUTIDX/FUTCOM/OPTCOM            |
| 3      | Symbol          | Char(45)  | CRUDEOIL/CRUDEOILM              |
| 4      | Expiry date     | Char(40)  | MM/DD/YYYY                      |
| 5      | Strike price    | Char(45)  | Strike Price – For options      |
|        |                 |           | 0 – For Futures                 |
| 6      | Option type     | Char(10)  | CE/PE – For Call or Put Options |

**Illustration:**

UCC|Instrument\_Type|Symbol|Expiry\_Date|Strike\_Price|Option\_Type|Price|Quantity

NW7022|FUTCOM|SILVERMIC|06/28/2024|0|XX|84798|1

NW7023|OPTFUT|SILVER|06/26/2024|83000|PE|1500|1

### 30. MEMBER WISE PLEDGE QUANTITY

**Description:** This file contains the Member-level Pledge Limits as defined at the exchange level. It is primarily used to validate client pledge requests. In cases where a client attempts to pledge securities but the Member's cumulative pledge limit has already reached the exchange-defined threshold, the client's pledge will be restricted accordingly—up to the Member's available limit. This file shall be uploaded after SEC\_OL\_dd-mmm-yyyy.csv has been successfully uploaded.

File name has to be same and exact as "MEMBER.csv".

**File name:** MEMBER.csv (Case sensitive)

**Delimiter:** , (COMMA SEPARATED)

**Start of file:** Symbol,ISIN,Member wise Permitted Qty

| Sr. no | Field Name                | Data type    | Description               |
|--------|---------------------------|--------------|---------------------------|
| 1      | Symbol                    | Varchar(100) | Symbol                    |
| 2      | ISIN                      | Varchar(100) | ISIN                      |
| 3      | Member wise Permitted Qty | Varchar(100) | Member wise Permitted Qty |

Illustration:

Symbol,ISIN,Member wise Permitted Qty

20MICRONS,INE144J01027,50

360ONE,INE466L01038,50

3IINFOLTD,INE748C01038,50

3MINDIA,INE470A01017,50

3PLAND,INE105C01023,50

5PAISA,INE618L01018,50

63MOONS,INE111B01023,50

## 31. MTF Exposure limit

**Description:** Member can use this exposure limit for Member wide positions of MTF monitoring.

**File name:** MTF\_Exposure\_limit

**Delimiter:** , (COMMA SEPARATED)

**Start of file:** Broker's name|MTF\_EXP\_LIMIT|Date  
(RUPEE|MTF\_EXP\_LIMIT|21092025)

| Sr. No | Field Name       | Data type   | Description      | Mandatory |
|--------|------------------|-------------|------------------|-----------|
| 1      | Symbol           | varchar(50) | Symbol           | Y         |
| 2      | ISIN             | varchar(30) | ISIN             | Y         |
| 3      | Allowed Value    | varchar(30) | Allowed Value    | Y         |
| 4      | Allowed Quantity | varchar(30) | Allowed Quantity | Y         |

Illustration:

RUPEE|MTF\_EXP\_LIMIT|21092025  
20MICRONS,INE144J01027,20000,50  
360ONE,INE466L01038,20000,50  
3IINFOLD,INE748C01038,20000,50  
3MINDIA,INE470A01017,20000,50  
3PLAND,INE105C01023,20000,50  
5PAISA,INE618L01018,20000,50



## 32. QL FORMAT

**Description:** Member can use this file for restricting the clients from taking excess positions. Member has to upload this file from Admin terminal.

**File name:** QL.csv

**Delimiter:** , (COMMA SEPARATED)

**Start of file:** Operation

Code,RETAIN\_FLAG,PROFILE\_CODE,PROFILE\_NAME,EXCHANGE,SEGMENT,INS  
TRUMENT,PRODUCT,SERIES,SCRIP\_CODE,MAX\_ORD\_VAL,MAX\_SPD\_ORD\_VAL,  
MAX\_ORD\_QTY,MAX\_LOT,MIN\_ORD\_QTY,MIN\_ORD\_VALUE,GROSS\_BUY\_QTY,  
GROSS\_SELL\_QTY,GROSS\_BUY\_VAL,GROSS\_SELL\_VAL,TURNOVER,PENDING\_  
BUY\_ORD\_VAL,PENDING\_SELL\_ORD\_VAL,TOTAL\_PENDING\_ORD\_VAL,NET\_VA

LUE,MTM,NET\_LOT,NET\_QTY,NET\_SELL\_VAL,NET\_BUY\_VAL,CLIENT\_ID,UNDE  
RLAYING\_QL,SYMBOL

| Sr. no | Field Name      | Data type | Description                                                                                   | Mandator<br>y |
|--------|-----------------|-----------|-----------------------------------------------------------------------------------------------|---------------|
| 1      | Operation Code  | –         | I– Insert, U– Update, D– Delete                                                               | Y             |
| 2      | RETAIN_FLAG     | –         | P – Permanent, T – Temporary                                                                  | Y             |
| 3      | PROFILE_CODE    | –         | QL profile code                                                                               | Y             |
| 4      | PROFILE_NAME    | –         | QL profile name                                                                               | Y             |
| 5      | EXCHANGE        | –         | NSE – NSE<br>BSE – BSE<br>MCX – MCX<br>NCDEX – NCDEX<br>MSE – MSE                             | Y             |
| 6      | SEGMENT         | –         | E – Equity<br>D – Derivatives<br>C – Currency<br>M – Commodity                                | Y             |
| 7      | INSTRUMENT      | –         | Instrument name                                                                               | N             |
| 8      | PRODUCT         | –         | C – CNC,<br>M – Margin,<br>I – Intraday,<br>F – MTF,<br>V – Cover Order,<br>B – Bracket Order | Y             |
| 9      | SERIES          | –         | Series name                                                                                   | N             |
| 10     | SCRIP_CODE      | –         | Scrip code                                                                                    | Y             |
| 11     | MAX_ORD_VAL     | –         | Maximum Order value                                                                           | N             |
| 12     | MAX_SPD_ORD_VAL | –         | Maximum Spread order value                                                                    | N             |
| 13     | MAX_ORD_QTY     | –         | Maximum Order quantity                                                                        | N             |
| 14     | MAX_LOT         | –         | Maximum lot size                                                                              | N             |
| 15     | MIN_ORD_QTY     | –         | Minimum Order quantity                                                                        | N             |
| 16     | MIN_ORD_VALUE   | –         | Minimum Order value                                                                           | N             |

|    |                       |   |                            |   |
|----|-----------------------|---|----------------------------|---|
| 17 | GROSS_BUY_QTY         | – | Gross buy quantity         | N |
| 18 | GROSS_SELL_QTY        | – | Gross Sell quantity        | N |
| 19 | GROSS_BUY_VAL         | – | Gross buy value            | N |
| 20 | GROSS_SELL_VAL        | – | Gross sell value           | N |
| 21 | TURNOVER              | – | Turnover value             | N |
| 22 | PENDING_BUY_ORD_VAL   | – | Pending Buy order value    | N |
| 23 | PENDING_SELL_ORD_VAL  | – | Pending sell order value   | N |
| 24 | TOTAL_PENDING_ORD_VAL | – | Total pending order value  | N |
| 25 | NET_VALUE             | – | Net value                  | N |
| 26 | MTM                   | – | Mark to Market %           | N |
| 27 | NET_LOT               | – | Net lot                    | N |
| 28 | NET_QTY               | – | Net quantity               | N |
| 29 | NET_SELL_VAL          | – | Net sell value             | N |
| 30 | NET_BUY_VAL           | – | Net buy value              | N |
| 31 | CLIENT_ID             | – | Client ID wise restriction | N |
| 32 | UNDERLAYING_QL        | – | Underlying scrip code      | N |
| 33 | SYMBOL                | – | Symbol name                | N |

Illustration:

For Fresh new insert

Operation

Code,RETAIN\_FLAG,PROFILE\_CODE,PROFILE\_NAME,EXCHANGE,SEGMENT,INSTRUMENT,PRODUCT,SERIES,SCRIP\_CODE,MAX\_ORD\_VAL,MAX\_SPD\_ORD\_VAL,MAX\_ORD\_QTY,MAX\_LOT,MIN\_ORD\_QTY,MIN\_ORD\_VALUE,GROSS\_BUY\_QTY,GROSS\_SELL\_QTY,GROSS\_BUY\_VAL,GROSS\_SELL\_VAL,TURNOVER,PENDING\_BUY\_ORD\_VAL,PENDING\_SELL\_ORD\_VAL,TOTAL\_PENDING\_ORD\_VAL,NET\_VALUE,MTM,NET\_LOT,NET\_QTY,NET\_SELL\_VAL,NET\_BUY\_VAL,CLIENT\_ID,UNDERLAYING\_QL,SYMBOL

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1660,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,474,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,2595,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,445,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,12533,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,23729,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,235,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1030,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,17145,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

For Update,

Operation

Code,RETAIN\_FLAG,PROFILE\_CODE,PROFILE\_NAME,EXCHANGE,SEGMENT,INSTRUMENT,PRODUCT,SERIES,SCRIP\_CODE,MAX\_ORD\_VAL,MAX\_SPD\_ORD\_VAL,MAX\_ORD\_QTY,MAX\_LOT,MIN\_ORD\_QTY,MIN\_ORD\_VALUE,GROSS\_BUY\_QTY,GROSS\_SELL\_QTY,GROSS\_BUY\_VAL,GROSS\_SELL\_VAL,TURNOVER,PENDING\_BUY\_ORD\_VAL,PENDING\_SELL\_ORD\_VAL,TOTAL\_PENDING\_ORD\_VAL,NET\_VALUE,MTM,NET\_LOT,NET\_QTY,NET\_SELL\_VAL,NET\_BUY\_VAL,CLIENT\_ID,UNDERLYING\_QL,SYMBOL

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1660,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,474,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,2595,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,445,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,12533,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,23729,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,235,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1030,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,17145,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

For deletion,

Operation

Code,RETAIN\_FLAG,PROFILE\_CODE,PROFILE\_NAME,EXCHANGE,SEGMENT,INSTRUMENT,PRODUCT,SERIES,SCRIP\_CODE,MAX\_ORD\_VAL,MAX\_SPD\_ORD\_VAL,MAX\_ORD\_QTY,MAX\_LOT,MIN\_ORD\_QTY,MIN\_ORD\_VALUE,GROSS\_BUY\_QTY,GROSS\_SELL\_QTY,GROSS\_BUY\_VAL,GROSS\_SELL\_VAL,TURNOVER,PENDING\_BUY\_ORD\_VAL,PENDING\_SELL\_ORD\_VAL,TOTAL\_PENDING\_ORD\_VAL,NET\_VALUE,MTM,NET\_LOT,NET\_QTY,NET\_SELL\_VAL,NET\_BUY\_VAL,CLIENT\_ID,UNDERLYING\_QL,SYMBOL

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1660,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,474,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,2595,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,445,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,12533,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,23729,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,235,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1030,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,17145,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,-1,

### 33. Pledge Approve scrips

**Description:** Member can use this file for only allowing Approved scrips by the Clearing member and restricting other scrips.

**File name:** APPROVE\_PLEDGE\_SCRIPT.txt

**Start of file:** Broker's name|PLE\_APPRV\_SCRIP|Date  
(Rupee|PLE\_APPRV\_SCRIP|08032026)

| Sr. no | Field Name | Data type | Description | Mandatory |
|--------|------------|-----------|-------------|-----------|
|--------|------------|-----------|-------------|-----------|

|   |      |             |            |   |
|---|------|-------------|------------|---|
| 1 | ISIN | Varchar(30) | Enter ISIN | Y |
|---|------|-------------|------------|---|

Illustration:

RUPEE|PLE\_APPRV\_SCRIP|08032026

INE144J01027

INE466L01038

INE748C01038

INE470A01017