



© Rupeeseed Technology Ventures Pvt Ltd

Prepared by: RMS-OPS-QA and RMS
Date: 21-09-2025

Index

1. CLIENT FILE	3
2. CLIENT UPDATE FILE	6
3. CLIENT BANK DETAILS.....	8
4. CLIENT PRODUCT ALLOWED	9
5. CLIENT EXCHANGE ALLOWED	10
6. CLIENT LIMIT.....	12
7. SLBM LIMIT.....	15
8. INCREMENTAL SLBM LIMIT	16
9. INCREMENTAL CLIENT LIMIT	17
10. CLIENT HOLDING.....	20
11. INCREMENTAL CLIENT HOLDING.....	22
12. CLIENT HOLDING (SEPARATE SEGMENT)	24
13. INCREMENTAL CLIENT HOLDING (SEPARATE SEGMENT)	26
14. DEALER CREATION.....	28
15. DEALER MAPPING	32
16. PROFILE MAPPING	33
17. QL PROFILE MAPPING	34
18. MF HOLDING.....	35
19. HOLIDAY MASTER	36
20. FUND ALLOCATION - CASH FORMAT	37
21. FUND ALLOCATION - COLLATERAL FORMAT.....	39
22. MTF HAIRCUT	40
23. POA INFO.....	41
24. CLIENT LEVEL RESTRICTIONS	42
25. NSE MTF POSITION FILE FORMAT	43
26. BSE MTF POSITION FILE FORMAT	44
27. SLB_POSITION (NSE)	45
28. PHYSICAL EXPIRY RESTRICTION FILE FORMAT.....	47
29. PS03 AVERAGE PRICE UPLOAD (CASH, INDEX AND CURRENCY DERIVATIVES)	48
30. PS03 AVERAGE PRICE UPLOAD (COMMODITY DERIVATIVES)	49
31. MEMBER WISE PLEDGE QUANTITY	50
32. MTF Exposure limit.....	51
33. QL FORMAT.....	52
34. Pledge Approve scrips.....	56

1. CLIENT FILE

Description: This file contains data related to customer like name, account code, address, PAN etc.

File name: Client.txt

Delimiter: | (pipe)

Start of file: Broker's name|CLT |Date (RUPEE|CLT|20250906)

Sr. no	Column name	Data type	Remarks	Mandatory
1	Acctcode	CHAR(30)	Client ID/ UCC	Y
2	Acct name	CHAR(50)	Name of the Account	Y
3	UserId	CHAR(30)	User ID to login in System	Y
4	Branch ID	CHAR(30)	HO/Branch ID, in case of branch mapping	Y
5	Password	CHAR(30)	Filler	N
6	TmPass	CHAR(30)	Filler	N
7	Email	CHAR(30)	Registered Email ID	Y
8	ResAddr	CHAR(100)	Residential Address	Y
9	OffAddr	CHAR(100)	Filler	Y
10	Off_phone	CHAR(10)	Filler	N
11	Resphone	CHAR(10)	Residential Phone	Y
12	Filler	CHAR(30)	Filler	N
13	DpId	CHAR(10)	ID of DP Account (8 digit DP ID)	N
14	DpName	CHAR(30)	Name of DP Account (NSDL / CDSL)	N
15	DpAccNo	CHAR(30)	DP Account Number for Client master Quick view (16 digit DP ID)	N
16	DeciPref	CHAR(30)	Filler	N
17	Pan	CHAR(10)	Pan Number	Y
18	ClientType	CHAR(10)	Filler	N
19	BankAccNo	CHAR(30)	Filler	N
20	MICRNo	CHAR(30)	Filler	N
21	Bankname	CHAR(50)	Filler	N
22	BankAddr	CHAR(100)	Filler	N
23	ClientStatus/OfflineFlag	CHAR(10)	Y-Offline Flag enable & A- Activeclient	Y
24	TradeSMSEmailFlag	CHAR(10)	Y/S/E/N(Trade Y-SMS and Email; S-Only SMS; E-Only Email; N-None of the notification)	Y
25	MTMSMSEmailFlag	CHAR(10)	Y/S/E/N(MTM Y-SMS and Email ; S-Only SMS ; E-Only Email; N-None of the notification)	Y
26	ClientType2	CHAR(10)	Filler	N
27	UserAccessType	CHAR(10)	Filler	N
28	CIOverview	CHAR(10)	Filler	N

RUPEE|CLT|20250906
47787|RAJ SINGH|55472|ONLINE|||abc@gmail.com|S/O ERLA BHADRA
REDDY||9588888888|9588888888|ONLINE||NSDL||2|PPPI5207R|Individual|63059600
00|ICIC0332222|ICIC|4-112/1A MAINROAD
ALGONDA|A|Y|Y||WEB||E|||26/07/1982|||R16|||7|2|N||NRE-PIS||

2. CLIENT UPDATE FILE

Description: This file updates data related to customer like name, account code, address, PAN etc.

For client file update, only Client ID/ UCC, User ID to login in system and DOB is mandatory while updating any other field records for a client. Member can change UserID or DOB as well by giving the new value and uploading the Client Update file

File name: ClientUpdate.txt

Delimiter: | (pipe)

Start of file: Broker's name|CLT_UPT|Date (RUPEE|CLT_UPT|20250906)

Sr. No	Column name	Data type	Remarks	Mandatory
1	Acctcode	CHAR(30)	Client ID/ UCC	Y
2	Acct name	CHAR(50)	Name of the Account	Y
3	UserId	CHAR(30)	User ID to login in System	Y
4	Branch ID	CHAR(30)	HO/Branch ID, in case of branch mapping	N
5	Password	CHAR(30)	Filler	N
6	TmPass	CHAR(30)	Filler	N
7	Email	CHAR(30)	Registered Email ID	N
8	ResAddr	CHAR(100)	Residential Address	N
9	OffAddr	CHAR(100)	Filler	N
10	Off_phone	CHAR(10)	Filler	N
11	Resphone	CHAR(10)	Residential Phone	N
12	Filler	CHAR(30)	Filler	N
13	DpId	CHAR(10)	ID of DP Account (8 digit DP ID)	N
14	DpName	CHAR(30)	Name of DP Account (NSDL / CDSL)	N
15	DpAccNo	CHAR(30)	DP Account Number for Client master Quick view (16 digit DP ID)	N
16	DeciPref	CHAR(30)	Filler	N
17	Pan	CHAR(10)	Pan Number	N
18	ClientType	CHAR(10)	Filler	N
19	BankAccNo	CHAR(30)	Filler	N
20	MICRNo	CHAR(30)	Filler	N
21	Bankname	CHAR(50)	Filler	N
22	BankAddr	CHAR(100)	Filler	N
23	ClientStatus/OfflineFlag	CHAR(10)	Y-Offline Flag enable & A- Activeclient	N
24	TradeSMSEmailFlag	CHAR(10)	Y/S/E/N(Trade Y-SMS and Email; S-Only SMS; E-Only Email; N-None of the notification)	N
25	MTMSMSEmailFlag	CHAR(10)	Y/S/E/N(MTM Y-SMS and Email ; S-Only SMS ; E-Only Email; N-None of the notification)	N
26	ClientType2	CHAR(10)	Filler	N
27	UserAccessType	CHAR(10)	Filler	N

28	CIOverview	CHAR(10)	Filler	N
29	UserStatus	CHAR(10)	E/D/S(E - enabled,D - disabled,S - suspended)	N
30	EnableMobTr	CHAR(10)	Filler	N
31	CorpID	CHAR(10)	Filler	N
32	ResetAnswer	CHAR(10)	Filler	N
33	DOB	CHAR(10)	Date of Birth (Format: DD/MM/YYYY)	Y
34	Include	CHAR(10)	Filler	N
35	QLTemplate	CHAR(100)	QL template Code (for ex. Q106)	N
36	RiskProfile	CHAR(10)	Profile code (For ex. R16)	N
37	Ben ID	CHAR(10)	DP Account Number for IPO (16 digit DP ID)	N
38	Remarks1	CHAR(100)	Filler	N
39	Remarks2	CHAR(100)	Filler	N
40	Remarks3	CHAR(100)	Filler	N
41	ClientCategoryType	CHAR(10)	1: PRO ; 2: NRI ; 3: Institute; 4: Non-Institute; 5: Foreign ; 7: Client ; 8: Parent NRI	N
42	Poa_flag	CHAR(2)	Y/N (Y: Yes in case of POA / DDPI POA available; N: No in case of EDIS opted by client)	N
43	EDIS_Bo_Id	CHAR(30)	16 digit BOID if EDIS opted.	N
44	NRI_SUB_CATEGORY	CHAR(20)	NRO-PIS/NRE-PIS/NRENON-PIS/NRONON- PIS/SEBI-MTF	N (Mandatory for NRI and MTF client)
45	BOI_DPSECURE_CLIEN T_FLAG	CHAR(5)	Y	N (Mandatory for BOI Client)

Illustration:

Member can modify any records by adding the correct values in blank field.

RUPEE|CLT_UPT|20250906
MK7000||AK7000|

3. CLIENT BANK DETAILS

Description: This file contains the data related to customer's bank, like Bank name, Account number and IFSC code.

Filename: BankFileFormat.txt

Delimiter: | (pipe)

Start of file: Broker's name|CBM|Date (RUPEE|CBM|20250906)

Sr. no	Column Name	Data Type	Remarks	Mandatory
1	SequenceNo.	Integer(10)	Sequence Number	N
2	Client Id	CHAR(30)	Client ID/ UCC	Y
3	Bankname	CHAR(45)	Name of the bank in short(Eg. ICICI)	N
4	Account number	INT(20)	Client's account number	Y
5	DefaultBankMap	CHAR (10)	Default Bank Mapping (Y/N)	N
6	IFSC	CHAR(20)	Client's IFSC code	Y
7	Filler2	--	Filler	N

Illustration:

For Mapping any bank for client for All segment

RUPEE|CBM|20180315

1|MK7000|Kotak Mahindra Bank|121112002|Y|KKBK0253666||

For Mapping any bank for client for Capital segment and Commodity Segment separate Capital

RUPEE|CBM|20180315

1|MK7000|Kotak Mahindra Bank|121112002|Y|KKBK0253666||

Commodity

RUPEE|COMBM|20180315

1|MK7000|Kotak Mahindra Bank|121112002|Y|KKBK0253666||

For Modifying the IFSC code

RUPEE|CBM|20180315

1|MK7000||121112002|Y|KKBK0253888||

For Modifying the Account number

RUPEE|CBM|20180315

1|MK7000||122222002|Y|KKBK0253666||

For Single Deletion of Bank, member can do it from Frontend Admin Delete option. For Multiple Deletion of bank will require a request to tech support to delete from database.

4. CLIENT PRODUCT ALLOWED

Description: This file is to allow the client to trade in specific product.

Filename:InvestorClientProduct.txt

Delimiter: |(pipe)

Start of file: Broker'sname|PROD_ALW |Date (RUPEE|PROD_ALW|20250906)

Sr. no	Column Name	Data Type	Remarks	Mandatory
1	Client Id	CHAR(30)	Client ID/ UCC	Y
2	Login Id	CHAR(30)	Client's login Id	N
3	Product 1	CHAR(3)	MIS - Intraday	Y
4	Product 2	CHAR(3)	NRML - Margin	N
5	Product 3	CHAR(3)	CNC - Cash and Carry	N
6	Product 4	CHAR(3)	MTF - Margin Trading facility	N
7	Product 5	CHAR(3)	CO - Cover order	N
8	Product 6	CHAR(3)	BO - Bracket order	N
9	Product 7	CHAR(3)	NORMAL - NORMAL	N

Illustration:

For allowing the product for client

RUPEE|PROD_ALW|20250906

MK7000||MIS|CO|BO|NRML|CNC|MTF|NORMAL|

In case of member wants to remove all products for any account he can do so by keeping all records blank

RUPEE|PROD_ALW|20250906

MK7000|||||||

5. CLIENT EXCHANGE ALLOWED

Description: This file is to allow the client to trade in specific Exchange.

File name: InvestorClientSegment.txt

Delimiter: |(pipe)

Start of file: Broker's name|EXCH_ALW|Date (RUPEE|EXCH_ALW|20250906)

Sr. no	Column Name	Data Type	Remarks	Mandatory
1	Client Id	CHAR (30)	Client ID/ UCC	Y
2	LoginId	CHAR (30)	Client's login Id	N
3	Exchange allowed	CHAR (6)	NSE Equity-NSEEQ; NSE Derivative - NSEFO; NSE Currency - CDS; BSE Equity - BSEEQ; BSE Derivative - BSEFO; BSE Currency - BCR; MCX - MCX; NCDEX - NCDX; MFSS - NSEMF; BSESTARMF - BSEMF; NSECOM - NSECOM; BSECOM - BSECOM; SLBM - NSESLB, BSESLB; MSE Equity - MSEEQ	Y
4	Exchcode		---	N
5	date	DATE	---	N
6	LOCcode	CHAR (20)	For Enabling : 111111111111(For NSE, MCX, NCDEX 12 times '1') 111111111111(For BSE 13 times '1') ; For disabling : 0	Y

Illustration:

For **Enabling** Exch allowed
 RUPEE|EXCH_ALW|20250906
 MK7000||NSEEQ||111111111111
 MK7000||BSEEQ||111111111111
 MK7000||CDS||111111111111
 MK7000||NSEFO||111111111111
 MK7000||BCR||111111111111
 MK7000||BSEFO||111111111111
 MK7000||MCX||111111111111
 MK7000||NSEMF||111111111111
 MK7000||BSEMF||111111111111
 MK7000||NCDX||111111111111
 MK7000||BSECOM||111111111111
 MK7000||NSECOM||111111111111
 MK7000||BSESLB||111111111111

MK7000||NSES LB||111111111111
MK7000||MSEEQ||111111111111

For **Disabling** Exch allowed
RUPEE|EXCH_ALW|2071212

MK7000||NSEEQ||0
MK7000||BSEEQ||0
MK7000||CDS||0
MK7000||NSEFO||0
MK7000||BCR||0
MK7000||BSEFO||0
MK7000||MCX||0
MK7000||NSEMF||0
MK7000||BSEMF||0
MK7000||NCDX||0
MK7000||BSECOM||0
MK7000||NSECOM||0
MK7000||BSES LB||0
MK7000||NSES LB||0
MK7000||MSEEQ||0

6. CLIENT LIMIT

Description: This file is for the balance at the beginning of the day.

File name: ClientMargin.txt

Delimiter: | (pipe)

Start of file: Broker's name|CAP_LMT|Date (RUPEE|CAP_LMT|20250906)

Sr. No	ColumnName	DataType	Remarks	Mandatory
1	CLIENTID	CHAR(30)	ClientID/ UCC	Y
2	SODLIMIT	DOUBLE	Limit at the start of the day/ Opening balance	Y
3	Exchange	CHAR	NSE	N
			In case of Separate Segment , E - Equity, D - Derivative, C - Currency, M - Commodity, F - MTF, N - NRML	
			In case of Cap-com with MTF as separate segment, A - Capital; M - Commodity, F - MTF	
4	Segment	CHAR	In case of All segments combined (A- Capital) . If not specified would take across the segment.	N
5	RISK_PROFILE	CHAR	Enter Risk Profile Name	N
6	QLTemplate	CHAR	Enter QL Template Name	N
7	OPTIONVALUE	DOUBLE	Option Value	N
8	FUTUREVALUE	DOUBLE	Future Value	N
9	FILLER_1	DOUBLE	UNCLEAR_BALANCE	N
10	FILLER_2	DOUBLE	Filler	N
11	FILLER_3	DOUBLE	Filler	N
12	FILLER_4	DOUBLE	Filler	N
13	FILLER_5	DOUBLE	Filler	N
14	ADHOC_LIMIT	DOUBLE	Adhoc Limit	N
15	EQ_CNC_ADHOC	DOUBLE	Adhoc For Equity CNC	N
16	EQ_INT_ADHOC	DOUBLE	Adhoc For Equity Intraday	N
17	EQ_MARG_ADHOC	DOUBLE	Adhoc For Equity Margin	N
18	FO_MARG_ADHOC	DOUBLE	Adhoc For FNO Margin	N
19	FO_INT_ADHOC	DOUBLE	Adhoc For FNO Margin	N
20	FO_OPT_MARG_ADHOC	DOUBLE	Adhoc For FNO Option Margin	N

21	FO_OPT_INT_ADHOC	DOUBLE	Adhoc For FNO Option Intraday	N
22	CUR_MARG_ADHOC	DOUBLE	Adhoc For Currency Margin	N
23	CUR_INT_ADHOC	DOUBLE	Adhoc For Currency Intraday	N
24	CUR_OPT_MARG_ADHOC	DOUBLE	Adhoc For Currency Option Margin	N
25	CUR_OPT_INT_ADHOC	DOUBLE	Adhoc For Currency Option Intraday	N
26	COM_MARG_ADHOC	DOUBLE	Adhoc For Commodity Margin	N
27	COM_INT_ADHOC	DOUBLE	Adhoc For Commodity Intraday	N
28	COM_OPT_MARG_ADHOC	DOUBLE	Adhoc For Commodity Option Margin	N
29	COM_OPT_INT_ADHOC	DOUBLE	Adhoc For Commodity Option Intraday	N
30	EQ_MTF_ADHOC	DOUBLE	Adhoc For Equity MTF	N
31	EQ_CO_ADHOC	DOUBLE	Filler	N
32	EQ_BO_ADHOC	DOUBLE	Filler	N
33	FO_CO_ADHOC	DOUBLE	Filler	N
34	FO_OPT_CO_ADHOC	DOUBLE	Filler	N
35	FO_BO_ADHOC	DOUBLE	Filler	N
36	FO_OPT_BO_ADHOC	DOUBLE	Filler	N
37	CUR_CO_ADHOC	DOUBLE	Filler	N
38	CUR_OPT_CO_ADHOC	DOUBLE	Filler	N
39	CUR_BO_ADHOC	DOUBLE	Filler	N
40	CUR_OPT_BO_ADHOC	DOUBLE	Filler	N
41	COM_CO_ADHOC	DOUBLE	Filler	N
42	COM_OPT_CO_ADHOC	DOUBLE	Filler	N
43	COM_BO_ADHOC	DOUBLE	Filler	N
44	COM_OPT_BO_ADHOC	DOUBLE	Filler	N

For Separate segment - Commodity Limit

RUPEE|COM_LMT|09122023

SM01|100000|NSE|M|RISK1|

For Separate segment - Derivative Limit

RUPEE|DERIVATIVE_CAP|09122023

SM01|100000|NSE|D|RISK1|

For Separate segment - Currency Limit

RUPEE|CURRENCY_CAP|09122023

SM01|100000|NSE|C|RISK1|

For Separate segment - MTF Limit

RUPEE|MTF_CAP|09122023

SM01|100000|NSE|F|RISK1|

For Separate segment - NRML Limit

RUPEE|NRML_CAP|09122023

SM01|100000|NSE|F|RISK1|

7. SLBM LIMIT

Description: This file is for the balance at the beginning of the day.

File name: ClientMargin.txt

Delimiter: | (pipe)

Start of file: Broker's name|SLB_LMT|Date (RUPEE|SLB_LMT|20250906)

ColumnName	DataType	Remarks	Mandatory
CLIENT ID	CHAR(30)	ClientID/ UCC	Y
SOD LIMIT	DOUBLE	Limit at the start of the day/ Opening balance for SLB	Y

RUPEE|SLB_LMT|201980125
YLS001|7526584.13

8. INCREMENTAL SLBM LIMIT

Description: This file is for the balance during Intraday. If any client need to update limit should use incremental limit file upload to update Limit. In Incremental Limit file upload it Add SOD amount with given amount in Incremental File upload.

For eg:-If client is having 2000/- in SOD and want to add 500 then incremental file need to have 500 for that client so it will be $SOD = 2000 + 500 = 2500/-$

File name: ClientSLBSOD_INCR.csv

Delimiter: | (pipe)

Start of file: Broker's name|SLB_INCR_LMT|Date (RUPEE|SLB_INCR_LMT|20250906)

ColumnName	DataType	Remarks	Mandatory
CLIENT ID	CHAR(30)	ClientID/ UCC	Y
SOD LIMIT	DOUBLE	Limit at the start of the day/ Opening balance for SLB	Y

RUPEE|SLB_INCR_LMT|201980125
YLS001|1000

9. INCREMENTAL CLIENT LIMIT

Description: This file is for the balance during Intraday. If any client need to update limit should use incremental limit file upload to update Limit. In Incremental Limit file upload it Add SOD amount with given amount in Incremental File upload.

For eg:-If client is having 2000/- in SOD and want to add 500 then incremental file need to have 500 for that client so it will be SOD= 2000 + 500 = 2500/-

File name: ClientMargin.txt

Delimiter: |(pipe)

Start of file: Broker'sname| INCR_CAP_LMT|Date (RUPEE| INCR_CAP_LMT|20250906)

Sr. No	ColumnName	DataType	Remarks	Mandatory
1	CLIENTID	CHAR(30)	ClientID/ UCC	Y
2	SODLIMIT	DOUBLE	Limit at the start of the day/ Opening balance	Y
3	Exchange	CHAR	NSE	N
4	Segment	CHAR	In case of Separate Segment , E - Equity, D - Derivative, C - Currency, M - Commodity, F - MTF, N - NRML	N
			In case of Cap-com with MTF as separate segment, A - Capital; M - Commodity, F - MTF	
			In case of All segments combined (A- Capital) . If not specified would take across the segment.	
5	RISK_PROFILE	CHAR	Enter Risk Profile Name	N
6	QLTemplate	CHAR	Enter QL Template Name	N
7	OPTIONVALUE	DOUBLE	Option Value	N
8	FUTUREVALUE	DOUBLE	Future Value	N
9	FILLER_1	DOUBLE	UNCLEAR_BALANCE	N
10	FILLER_2	DOUBLE	Filler	N
11	FILLER_3	DOUBLE	Filler	N
12	FILLER_4	DOUBLE	Filler	N
13	FILLER_5	DOUBLE	Filler	N
14	ADHOC_LIMIT	DOUBLE	Adhoc Limit	N
15	EQ_CNC_ADHOC	DOUBLE	Adhoc For Equity CNC	N
16	EQ_INT_ADHOC	DOUBLE	Adhoc For Equity Intraday	N

For **reducing** the limit

RUPEE|INCR_CAP_LMT|201980125

MK7000|-1000000|NSE|A|R152|||-20000|||-50000|

For Seperate segment - Equity Limit

RUPEE|EQUITY_INCR|09122023

SM01|100000|NSE|E|RISK1|

For Seperate segment - Commodity Limit

RUPEE|INCR_COM_LMT|09122023

SM01|100000|NSE|M|RISK1|

For Seperate segment - Derivative Limit

RUPEE|DERIVATIVE_INCR|09122023

SM01|100000|NSE|D|RISK1|

For Seperate segment - Currency Limit

RUPEE|CURRENCY_INCR|09122023

SM01|100000|NSE|C|RISK1|

For Seperate segment - MTF Limit

RUPEE|MTF_INCR|09122023

SM01|100000|NSE|F|RISK1|

For Seperate segment - NRML Limit

RUPEE|MTF_INCR|09122023

SM01|100000|NSE|F|RISK1|

10. CLIENT HOLDING

Description: This file contains the holding quantities of the client. For Separate source separate files need to be uploaded.

For instance, for DP holdings, a separate txt file should contain the details of the holding of the client and that needs to be uploaded.

File name: Holdings.txt

Delimiter: |(pipe)

Start of file: Broker's name|DP_HLD|Date (RUPEE|DP_HLD|20250906)

Sr. no	ColumnName	DataType	Remarks	Mandatory
1	Client ID	CHAR(10)	Client ID/ UCC	Y
2	ISINCODE	CHAR(50)	ISIN Number	Y
3	RemQuantity	INT(30)	Quantity	Y
4	CollateralUp Qty	BIGINT(20)	Filler	N
5	Collaterals Flag	CHAR(1)	1 or 0 (1 for considering collateral and 0 for not)	Y
6	CollateralQty	BIGINT(20)	Collateral Qty, In case of no Collateral qty, update as 0, Do not keep blank	Y
7	HairCut %	INT(5)	Haircut	Y
8	CostPrice	DECIMAL(20, 5)	Cost Price	Y

Note: Holding file will **replace** the previous values, however this file **will affect** the other clients holdings

Illustration

For uploading the holdings

For DP stock

RUPEE|DP_HLD|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

For T1 Stock

RUPEE|OBB_HLD|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

For Margin stock

RUPEE|BEN_HLD|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

For MTF Stock

RUPEE|MTF_HLD|20250906

MK7000|INE618L01018|1000||Y|1000|20|100|

For MTFT Stock

RUPEE|MTF_T1|20250906
MK7000|INE618L01018|1000||Y|1000|20|100|

For NRML Stock

RUPEE|NRML_HLD|20250906
MK7000|INE618L01018|1000||Y|1000|20|100|

For NRML T1 Stock

RUPEE|NRML_OBB_HLD|20250906
MK7000|INE618L01018|1000||Y|1000|20|100|

11. INCREMENTAL CLIENT HOLDING

Description: This file contains the incremental holding quantities of the client. For Separate source separate files need to be uploaded.

For instance, for Incremental DP holdings, a separate txt file should contain the details of the holding of the client and that needs to be uploaded.

File name: Holdings.txt

Delimiter: |(pipe)

Start of file: Broker's name|INDP_HLD|Date (RUPEE|INDP_HLD|20250906)

Sr. no	ColumnName	DataType	Remarks	Mandatory
1	Client ID	CHAR(10)	Client ID/ UCC	Y
2	ISINCODE	CHAR(50)	ISIN Number	Y
3	RemQuantity	INT(30)	Quantity	Y
4	CollateralUp Qty	BIGINT(20)	Filler	N
5	Collaterals Flag	CHAR(1)	1 or 0 (1 for considering collateral and 0 for not)	Y
6	CollateralQty	BIGINT(20)	Collateral Qty, In case of no Collateral qty, update as 0, Do not keep blank	Y
7	HairCut %	INT(5)	Haircut	Y
8	CostPrice	DECIMAL(20, 5)	Cost Price	Y

Note: Incremental Holding file will **replace** the previous values, however this file will **not** affect the other clients holdings.

For uploading the Incremental holdings or For reducing and replacing the incorrect values

For DP stock

RUPEE|INDP_HLD|20250906

MK7000|INE618L01018|100||Y|100|20|100|

For T1 Stock

RUPEE|INOBB_HLD|20250906

MK7000|INE618L01018|100||Y|100|20|100|

For Margin stock

RUPEE|INBEN_HLD|20250906

MK7000|INE618L01018|100||Y|100|20|100|

For MTF Stock

RUPEE|INMTF_HLD|20250906

MK7000|INE618L01018|1000||Y|100|20|100|

For MTFT Stock

RUPEE|INMTFT_HLD|20250906
MK7000|INE618L01018|100||Y|100|20|100|

For NRML Stock

RUPEE|INC_NRML_HLD|20250906
MK7000|INE618L01018|100||Y|100|20|100|

For NRML T1 Stock

RUPEE|NRML_OBB_INC|20250906
MK7000|INE618L01018|100||Y|100|20|100|

12. CLIENT HOLDING (SEPARATE SEGMENT)

Description: This file contains the holding quantities of the client. For Separate source separate files need to be uploaded.

For instance, for DP holdings, a separate txt file should contain the details of the holding of the client and that needs to be uploaded.

File name: Holdings.txt

Delimiter: |(pipe)

Start of file: Broker's name|DP_HLD|Date (RUPEE|DP_HLD|20250906)

Sr. no	ColumnName	Data Type	Remarks	Mandatory
1	Client ID	CHAR(10)	Client ID/ UCC	Y
2	ISINCODE	CHAR(50)	ISIN Number	Y
3	RemQuantity	INT(30)	Quantity	Y
4	CollateralUp Qty	BIGINT(20)	Filler	N
5	Collaterals Flag	CHAR(1)	1 or 0 (1 for considering collateral and 0 for not)	Y
6	CollateralQty	BIGINT(20)	Collateral Qty (In case of segment wise fund limit this column use as collateral qty for equity), In case of no Collateral qty, update as 0, Do not keep blank	Y
7	HairCut %	INT(5)	Haircut	Y
8	CostPrice	DECIMAL(20,5)	Cost Price	Y
9	CollateralQtyDrv	BIGINT(20)	Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Derivative), In case of no Collateral qty, update as 0, Do not keep blank	Y
10	CollateralQtyCur	BIGINT(20)	Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Currency), In case of no Collateral qty, update as 0, Do not keep blank	Y
11	CollateralQtyCom	BIGINT(20)	Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Commodity), In case of no Collateral qty, update as 0, Do not keep blank	Y
12	CollateralQtyMTF	BIGINT(20)	Collateral Qty (In case of segment wise fund limit this column use as collateral qty for MTF), In case of no Collateral qty, update as 0, Do not keep blank	Y

Note: Holding file will **replace** the previous values, however this file **will affect** the other clients holdings

Illustration

For uploading the holdings

For DP stock

RUPEE|DP_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For T1 Stock

RUPEE|OBB_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For Margin stock

RUPEE|BEN_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For MTF Stock

RUPEE|MTF_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For MTFT Stock

RUPEE|MTF_T1|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For NRML Stock

RUPEE|NRML_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

For NRML T1 Stock

RUPEE|NRML_OBB_HLD|20250906

MK7000|INE618L01018|1000||Y|300|20|100|20|10|10|10

13. INCREMENTAL CLIENT HOLDING (SEPARATE SEGMENT)

Description: This file contains the incremental holding quantities of the client. For Separate source separate files need to be uploaded.

For instance, for DP holdings, a separate txt file should contain the details of the holding of the client and that needs to be uploaded.

File name: Holdings.txt

Delimiter: |(pipe)

Start of file: Broker's name|INDP_HLD|Date (RUPEE|INDP_HLD|20250906)

Sr. no	ColumnName	Data Type	Remarks	Mandatory
1	Client ID	CHAR(10)	Client ID/ UCC	Y
2	ISINCODE	CHAR(50)	ISIN Number	Y
3	RemQuantity	INT(30)	Quantity	Y
4	CollateralUp Qty	BIGINT(20)	Filler	N
5	Collaterals Flag	CHAR(1)	1 or 0 (1 for considering collateral and 0 for not)	Y
6	CollateralQty	BIGINT(20)	Collateral Qty (In case of segment wise fund limit this column use as collateral qty for equity), In case of no Collateral qty, update as 0, Do not keep blank	Y
7	HairCut %	INT(5)	Haircut	Y
8	CostPrice	DECIMAL(20,5)	Cost Price	Y
9	CollateralQtyDrv	BIGINT(20)	Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Derivative), In case of no Collateral qty, update as 0, Do not keep blank	Y
10	CollateralQtyCur	BIGINT(20)	Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Currency), In case of no Collateral qty, update as 0, Do not keep blank	Y
11	CollateralQtyCom	BIGINT(20)	Collateral Qty (In case of segment wise fund limit this column use as collateral qty for Commodity), In case of no Collateral qty, update as 0, Do not keep blank	Y
12	CollateralQtyMTF	BIGINT(20)	Collateral Qty (In case of segment wise fund limit this column use as collateral qty for MTF), In case of no Collateral qty, update as 0, Do not keep blank	Y

Note: Incremental Holding file will **replace** the previous values, however this file will **not** affect the other clients holdings.

Illustration:

For uploading the Incremental holdings

For reducing and replacing the incorrect values

For DP stock

RUPEE|INDP_HLD|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

For T1 Stock

RUPEE|INOBB_HLD|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

For Margin stock

RUPEE|INBEN_HLD|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

For MTF Stock

RUPEE|INMTF_HLD|20250906

MK7000|INE618L01018|1000||Y|30|20|100|20|10|10|10

For MTFT Stock

RUPEE|INMTFT_HLD|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

For NRML Stock

RUPEE|INC_NRML_HLD|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

For NRML T1 Stock

RUPEE|NRML_OBB_INC|20250906

MK7000|INE618L01018|100||Y|30|20|100|20|10|10|10

14. DEALER CREATION

Description: This file contains the details of the dealer

Filename: Dealer_Creation.txt

Delimiter: | (pipe)

Start of file: Broker's name|DEALER_CREATION|Date

(RUPEE|DEALER_CREATION|20241014)

Sr. no	ColumnName	Data Type	Remarks	Mandatory
1	Category	CHAR(1)	D for Dealer and BR for Branch	Y
2	Entity_ID	CHAR(10)	Entity ID/ UCC of Dealer or Branch UCC	Y
3	Controller_Type	CHAR(10)	B - Broker ; BR - Branch	Y
4	Controller	CHAR(10)	If set B - broker then HO ; If set BR - Branch then Branch Code	Y
5	User Status	CHAR(1)	E/D/S(enabled,disabled,suspend)	Y
6	NameOfEntity	CHAR(30)	Name of Entity	Y
7	DOB	CHAR(10)	12-05-2019(DD-MM-YYYY)	Y
8	Mkt_Allowed	CHAR (6)	NSE Equity - NSEEQ; NSE Derivative - NSEFO; NSE Currency - CDS; BSE Equity - BSEEQ ; BSE Derivative - BSEFO; BSE Currency - BCR; MCX - MCX; NCDEX - NCDX; MFSS - NSEMF; BSESTARMF - BSEMF; NSECOM - NSECOM, BSECOM - BSECOM, NSE SLBM - NSESLB, BSE SLBM - BSESLB, MSE Equity - MSEEQ	Y
9	PANNO	CHAR(10)	PanNumber	Y
10	Branch_Id_NSEEQ	CHAR(3)	BranchID	Y
11	Terminal_Id_NSEEQ	CHAR(3)	TerminalID	Y
12	Branch_Id_BSEEQ	CHAR(4)	BranchID	Y
13	Terminal_Id_BSEEQ	CHAR(3)	TerminalID	Y
14	Branch_Id_NSEFNO	CHAR(3)	BranchID	Y
15	Terminal_Id_NSEFNO	CHAR(3)	TerminalID	Y
16	Branch_Id_BSEFNO	CHAR(4)	BranchID	Y
17	Terminal_Id_BSEFNO	CHAR(3)	TerminalID	Y
18	Branch_Id_NSECR	CHAR(3)	BranchID	Y
19	Terminal_Id_NSECR	CHAR(3)	TerminalID	Y

20	Branch_Id_BSECR	CHAR(4)	BranchID	Y
21	Terminal_Id_BSECR	CHAR(3)	TerminalID	Y
22	Branch_Id_NSECOM	CHAR(3)	BranchID	Y
23	Terminal_Id_NSECOM	CHAR(3)	TerminalID	Y
24	Branch_Id_BSECOM	CHAR(4)	BranchID	Y
25	Terminal_Id_BSECOM	CHAR(3)	TerminalID	Y
26	Branch_Id_MCX	CHAR(3)	BranchID	Y
27	Terminal_Id_MCX	CHAR(3)	TerminalID	Y
28	Branch_Id_NCDEX	CHAR(3)	Branch ID	Y
29	Terminal_Id_NCDEX	CHAR(3)	TerminalID	Y
30	Branch_Id_ICEX	CHAR(3)	Branch ID	Y
31	Terminal_Id_ICEX	CHAR(3)	TerminalID	Y
32	CertID_NSEEQ	CHAR(10)	NISMcertificateID	Y
33	CertID_BSEEQ	CHAR(10)	NISMcertificateID	Y
34	CertID_NSEFNO	CHAR(10)	NISMcertificateID	Y
35	CertID_BSEFNO	CHAR(10)	NISMcertificateID	Y
36	CertID_NSECR	CHAR(10)	NISM certificateID	Y
37	CertID_BSECR	CHAR(10)	NISM certificateID	Y
38	CertID_NSECOM	CHAR(10)	NISMcertificateID	Y
39	CertID_BSECOM	CHAR(10)	NISMcertificateID	Y
40	CertID_MCX	CHAR(10)	NISMcertificateID	Y
41	CertID_NCDEX	CHAR(10)	NISMcertificateID	Y
42	CertID_ICEX	CHAR(10)	NISMcertificateID	Y
43	Cert_Exp_date_NSEEQ	Date	(DD-MMM-YYYY) 05-May-2019	Y
44	Cert_Exp_date_BSEEQ	Date	(DD-MMM-YYYY) 05-May-2019	Y
45	Cert_Exp_Date_NSEFNO	Date	(DD-MMM-YYYY) 05-May-2019	Y
46	Cert_Exp_date_BSEFNO	Date	(DD-MMM-YYYY) 05-May-2019	Y
47	Cert_Exp_date_NSECR	Date	(DD-MMM-YYYY) 05-May-2019	Y
48	Cert_Exp_date_BSECR	Date	(DD-MMM-YYYY) 05-May-2019	Y
49	Cert_Exp_date_NSECOM	Date	(DD-MMM-YYYY) 05-May-2019	Y
50	Cert_Exp_date_BSECOM	Date	(DD-MMM-YYYY) 05-May-2019	Y
51	Cert_Exp_date_MCX	Date	(DD-MMM-YYYY) 05-May-2019	Y
52	Cert_Exp_date_NCDEX	Date	(DD-MMM-YYYY) 05-May-2019	Y
53	Cert_Exp_date_ICEX	Date	(DD-MMM-YYYY) 05-May-2019	Y
54	Address1	CHAR(100)	Address	Y
55	Address2	CHAR(100)	Address	N
56	Pin_code	CHAR(10)	PinCode	Y
57	Mobile	Int(10)	MobileNumber	Y
58	PHONE	Int(10)	Phonenumber	Y
59	State	CHAR(15)	State	Y
60	Email_id	CHAR(30)	Email ID	Y

RUPEE|DEALER_CREATION|20171212
BR|NANDED|B|HO|E|NANDED|45387|BSEEQ,NSEFNO,BSEFNO,NSECR,BSECR,NSECOM,
NCDX,NCDEX,MCX,NSE,MSEEQ,NSESLB,BSESLB|ABCDE1234F|||||||||||||||||||||||
|||||||Q|Q|400093|1234567890||MAHARASHTRA|S@G.COM|BRANCH11|N|||||||

15. DEALER MAPPING

Description: This file contains the mapping of Client to Dealer.

Filename: DealerMapping.txt

Delimiter: | (pipe)

Start of file: Broker's name|CLIENT_DEALER|Date (RUPEE|CLIENT_DEALER|20250906)

ColumnName	DataType	Remarks	Mandatory
Client Id	CHAR (30)	UCC Code NSE/ BSE/ MCX/ NCDEX	Y
DealerId	CHAR (30)	Dealer UCC in which client id is to be mapped	Y

Illustration:

RUPEE|CLIENT_DEALER|20250906
NW7000|RMSD01|

16. PROFILE MAPPING

Description: This file contains the quick mapping of Client Profile.

File name: Client_Profile.txt

Delimiter: | (pipe)

Start of file: Broker's name|CLIENT_PROFILE|Date

(RUPEE|CLIENT_PROFILE |20250906)

Column Name	Data Type	Remarks	Mandatory
Client Id	CHAR (30)	UCC Code	Y
Profile code	CHAR (30)	Profile code in which client id is to be mapped (For ex. R16)	Y

Illustration:

RUPEE|CLIENT_PROFILE|20250906

NW7000|R16|

17. QL PROFILE MAPPING

Description: This file contains the quick mapping of QL Profile.

File name: QL_Profile.txt

Delimiter: | (pipe)

Start of file: Broker's name|QL_TEMP|Date

(RUPEE|QL_TEMP |20250906)

Column Name	Data Type	Remarks	Mandatory
Client Id	varchar (20)	UCC Code	Y
QL code	varchar (20)	Profile code in which client id is to be mapped (For ex. Q160)	Y

Illustration:

RUPEE|QL_TEMP|20250906

NW7000|Q160|

18. MF HOLDING

Description: This file contains the MF holding quantities of the client.

File name: MF_HOLDING.txt

Delimiter:|(pipe)

Start of file: Broker's name|MF_HOLDING |Date
(RUPEE|MF_HOLDING|31032021)

Sr. no	ColumnName	Data Type	Remarks	Mandatory
1	Client Id	CHAR (30)	Client ID/ UCC	Y
2	SCHEMECODE	VARCHAR(45)	SCHEME CODE (Scheme should be existing in SCHEME MASTER DEMAT)	Y
3	Quantity	DOUBLE	Quantity	Y
4	BUYPRICE	DOUBLE	BUY PRICE	Y
5	Collateral Flag	CHAR(1)	Y or N (Y for considering collateral and N for not)	Y
6	COLLATERAL %	VARCHAR -25	COLLATERAL PERCENTAGE	N
7	MF COLLATERAL QUANTITY	DOUBLE	MF COLLATERAL QUANTITY	Y

Illustration:

RUPEE|MF_HOLDING|31032021
NW7000|BS153D-DP-L0|100|10|Y|9|100|

Note: SCHMSTRDMAT_DDMMYYYY.txt file and NAVDWLD_DDMMYYYY.txt (Of last working day) needs to be uploaded before MF holding file format uploaded from bsestartmf.in website

19. HOLIDAY MASTER

Description: This file contains the Trading Holiday List.

File name: HOLIDAY_LIST.txt

Delimiter: |(pipe)

Start of file: Broker's name| HOLIDAY_LIST|Date

Column Name	Data Type	Remark	Mandatory
EXCH_ID	char(5)	Exchange Name (NSE, BSE, MCX, NCDEX)	Y
HOLIDAY_DATE	varchar(100)	Holiday Date (Except weekends)	Y
HOLIDAY_NAME	varchar(100)	Name of Holiday (As per Exchange Holiday list)	Y
UPDATE_BY	varchar(100)	Name of User/ uploader	N

Illustration

RUPEE|HOLIDAY_LIST|Date
NSE|2024-05-20|Parliament Elections|Sanket|
BSE|2024-05-20|Parliament Elections|Sanket|
MCX|2024-05-20|Parliament Elections|Sanket|
NCDEX|2024-05-20|Parliament Elections|Sanket|

20. FUND ALLOCATION - CASH FORMAT

Description: ICCLCOLL_CMCODE_DDMMYYYY_batchno (CM's will have to upload single file for all segments. File Nomenclature date i.e.,DDMMYYYY should be the current business date.)
Batch No – Batch no will be unique four-digit sequence no (0001 to 9999)

File name: ICCLCOLL_670702022022_0001.CSV

Delimiter : , (COMMA SEPARATED)

Start of file : Broker's name|ICCL_LIMIT|Date
(RUPEE|ICCL_LIMIT|31032021)

Sr. No	FieldName	DataType	Remarks	Mandatory
1	Current Date	Char(11)	DD-MMM-YYYY. Date will be the current business date (fileupload date). It should match with the date mentioned in file nomenclature.	Y
2	Segment Indicator	Char(03)	*Values shall be CM,FO, CD, COM	Y
3	Clearing MemberCode	VarChar(5)	Clearing Member code	Y
4	Trading MemberCode	VarChar(5)	Trading Member code	Y
5	CP Code	VarChar(12)	CP Code	N
6	Client Code	VarChar(10)	UCC Code. Value should be Blank when CP code is populated, or Account type is 'P'	Y
7	Account Type	Char(1)	P-prop,C-Client	Y
8	Cash & Cash Equivalents Amount	Number(15,2)	Valuein Rs.(Cash + FDR +BG)	Y
9	Filler1		Filler	N
10	Filler2		Filler	N
11	Filler3		Filler	N
12	Filler4		Filler	N
13	Filler5		Filler	N
14	Filler6		Filler	N
15	Action	Char(1)	BSE: Allocation- A , Deallocation - D ; NSE: Allocation - U , Deallocation - D	Y

Illustration

For Allocation - NCL

RUPEE|ICCL_LIMIT|02022024

11-05-2024,CM,7639,7639,,NW7000,C,1000,,,,,U
11-05-2024,CD,7639,7639,,NW7000,C,1000,,,,,U
11-05-2024,FO,7639,7639,,NW7000,C,1000,,,,,U
11-05-2024,CM,7639,7639,,,P,1000,,,,,U
11-05-2024,CD,7639,7639,,,P,1000,,,,,U
11-05-2024,FO,7639,7639,,,P,1000,,,,,U
11-05-2024,CM,7639,7639,028935693IK,,C,1000,,,,,U
11-05-2024,CD,7639,7639,028935693IK,,C,1000,,,,,U
11-05-2024,FO,7639,7639,028935693IK,,C,1000,,,,,U

For Allocation - ICCL

RUPEE|ICCL_LIMIT|02022024

11-05-2024,CM,7639,7639,,NW7000,C,1000,,,,,A
11-05-2024,CD,7639,7639,,NW7000,C,1000,,,,,A
11-05-2024,FO,7639,7639,,NW7000,C,1000,,,,,A
11-05-2024,CM,7639,7639,,,P,1000,,,,,A
11-05-2024,CD,7639,7639,,,P,1000,,,,,A
11-05-2024,FO,7639,7639,,,P,1000,,,,,A
11-05-2024,CM,7639,7639,028935693IK,,C,1000,,,,,A
11-05-2024,CD,7639,7639,028935693IK,,C,1000,,,,,A
11-05-2024,FO,7639,7639,028935693IK,,C,1000,,,,,A

21. FUND ALLOCATION - COLLATERAL FORMAT

File name: Coll_Client.txt

Delimiter : , (COMMA SEPARATED)

Start of file : Broker's name|FUND_ALLOC|Date
(RUPEE|FUND_ALLOC|31032021)

Sr. No	FieldName	DataType	Remarks	Mandatory
1	Client ID	CHAR(30)	UCC/ Client code	Y
2	Previous day equity Margin utilization	DOUBLE	Net Obligation details in the EQ segment for the previous trading day	N
3	Equity Collateral	DOUBLE	Collateral value allocation	N
4	FO Collateral	DOUBLE	Collateral value allocation	N
5	Currency collateral	DOUBLE	Collateral value allocation	N
6	Commodity collateral	DOUBLE	Collateral value allocation	N
7	Previous day Option Buy utilize	DOUBLE	Net Obligation details of Options instrument for the previous trading day.	N

Illustration:

RUPEE|FUND_ALLOC|14102024
NW7000,1000,0,0,0,950,4580
NW7001,1000,0,100,0,0,0
NW7002,1000,0,0,560,0,0

22. MTF HAIRCUT

Description: This file contains the MTF_HAIRCUT UPLOAD.

Filename: MTF_HAIRCUT.txt

Delimiter: | (pipe)

Start of file: Broker's name|CLIENT_PROFILE|Date
(RUPEE|MTF_HAIRCUT|20250906)

ColumnName	DataType	Remarks	Mandatory
EXCHANGE	VARCHAR (30)	EXCHANGE	Y
SYMBOL	VARCHAR (100)	SYMBOL	Y
HAIRCUT_PERC	DECIMAL(10,4)	HAIRCUT PRECENTAGE %	Y

Illustration:

RUPEE|MTF_HAIRCUT|20250906
NSE|ICICIBANK-EQ|28|
NSE|HDFCBANK-EQ|30|
BSE|ICICIBANK|28|
BSE|HDFCBANK|30|

23. POA INFO

Description: Uploading Third Party POA data in Rupeeseed application.

File name: SampleExportPOA.txt

Delimiter: |(pipe)

Start of file: Broker's name|POA_PROFILE |Date (RUPEE |POA_PROFILE|2024-01-24)

Sr. no	Column Name	Data Type	Remarks	Mandatory
1	ClientId	CHAR(30)	UCC	Y
2	Name	CHAR(30)	Name of the POA	N
3	Addrees	CHAR(3)	Address of the POA	Y
4	DOB	CHAR(3)	DOB of the POA	N
5	PAN	CHAR(3)	PAN of the POA	N
6	Mobile No	CHAR(3)	Mobile no of the POA	N
7	Landline No	CHAR(3)	Landline or alternate number of the POA	N
8	Email ID	CHAR(3)	Email ID of the POA	N
9	POA_TYPE	CHAR(30)	POA Type (General/ Special/Financial)	
10	ActivationDate	CHAR(3)	Date of POA activation	N
11	Relation	CHAR(20)	Relation with client	
12	DDPI Flag	CHAR(5)	If client is under DDPI category than FLAG will be Y else N	N
13	POA No	CHAR(50)	POA number	N

Illustration:

RUPEE|POA_PROFILE|20240124
NW7000|SANKET|15 Modi
road|08/05/2024|ANKKM5923X|9866963253||D@g.com|Special|11-05-
2024|Father|N|526235218695|
NW7001|SANKET|15 Modi
Road|08/05/2024|ANKKM5933X|9866963253||D@g.com||11-05-2024|Mother|Y||

24. CLIENT LEVEL RESTRICTIONS

Description: This file contains client level restrictions.

File name: ClientRestrict.txt

Delimiter: | (pipe)

Start of file: Broker's name|CLIENT_LEVEL_RESTRICT|Date

(RUPEE|CLIENT_LEVEL_RESTRICT|2024-04-08

Column Name	Data Type	Remarks	Mandatory
CLIENT_ID	CHAR (30)	CLIENT ID/ UCC	Y
MODES	CHAR (30)	SQ_OFF	Y
FLAG	CHAR(5)	Y / N (Y-Yes in case of only sq off allowed, N-No in case of client allowed to take new fresh positions)	N

Illustration:

RUPEE|CLIENT_LEVEL_RESTRICT|2024-04-08

NW7000|SQ_OFF|Y

NW7001|SQ_OFF|N

NW7002|SQ_OFF|N

25. NSE MTF POSITION FILE FORMAT

Description: This file contains NSE MTF position.

File name: NSE.csv

Delimiter: | (pipe)

Start of file: Broker's name|MTFPS03|Date

(RUPEE|MTFPS03|2024-04-08)

Sr. no	Column Name	Data Type	Remarks	Mandatory
1	CLIENT_ID	varchar(35)	UCC	Y
2	EXCHANGE_SEGMENT	varchar(10)	nse_cm	Y
3	SYMBOL	varchar(35)	Scrip symbol name	Y
4	SERIES	varchar(5)	Scrip series	N
5	BUY_QTY	decimal(10,0)	Settle qty	Y
6	BUY_VALUE	decimal(20,4)	Settle qty value	Y
7	SELL_QTY	decimal(10,0)	Filler	N
8	SELL_VALUE	decimal(20,4)	Filler	N
9	PRODUCT	varchar(10)	MTF	Y
10	ND_FLAG	varchar(1)	Filler	N
11	BTST_QTY	decimal(10,0)	Unsettle qty	N
12	UNSETTLED_BUY_VALUE	decimal(20,4)	Unsettle qty value	N

Illustration:

RUPEE|MTFPS03|14102024

SM04|nse_cm|INFY|EQ|5|350|0|0|MTF||10|1300|

26. BSE MTF POSITION FILE FORMAT

Description: This file contains BSE MTF position.

File name: BSE.txt

Delimiter: , (COMMA SEPARATED)

Start of file: Broker's name|BSEMTFPS03|Date

(RUPEE|BSEMTFPS03|2024-04-08)

Sr. No	Column Name	Data Type	Remarks
1	CLIENT_ID	varchar(35)	UCC
2	EXCHANGE_SEGMENT	varchar(10)	bse_cm
3	SYMBOL	varchar(35)	Scrip token number/ Security ID
4	SERIES	varchar(5)	Scrip series
5	BUY_QTY	decimal(10,0)	Settle qty
6	BUY_VALUE	decimal(20,4)	Settle qty value
7	SELL_QTY	decimal(10,0)	Filler
8	SELL_VALUE	decimal(20,4)	Filler
9	PRODUCT	varchar(10)	MTF
10	ND_FLAG	varchar(1)	Filler
11	BTST_QTY	decimal(10,0)	Unsettle qty
12	UNSETTLED_BUY_VALUE	decimal(20,4)	Unsettle qty value

Illustration:

RUPEE|BSEMTFPS03|14102024
SM04,bse_cm,500209,A,5,350,0,0,MTF,,10,1300

27. SLB_POSITION (NSE)

Description: This file contains Client wise open position.

File name: NSESLB_mmmm_OpenPositionReport_yyyymmdd.csv

Delimiter: , (COMMA SEPARATED)

Sr. No	Name	Size	Header	Remarks
1	Segment	Char (6)	Segment	"NSESLB" hardcoded
2	Member Code	Number (4,0)	MemberCode	
3	Client Code	VarChar (11)	ClientCode	
4	SLB Code	Number (6,0)	SLBCode	SLB Contract Identifier (eg. 360287)
5	SLB Symbol (J)	VarChar (26)	SLBSymbol	Series Code (eg. HDFCBANK01MAR18-MNF)
6	Cash Code	Number (6,0)	CashCode	Scrip Code of the underlying Asset (eg 500180)
7	Cash Symbol	VarChar (11)	CashSymbol	Scrip Id of the underlying Asset (eg HDFCBANK)
8	Expiry Date	VarChar (11)	ExpiryDate	dd-mmm-yyyy
9	Series	VarChar (9)	Series	"MNF" / "MCF"
10	O/sLend Quantity	Number (9,0)	Lend Quantity	Outstanding Lend Quantity (Lend less Early Recall)
11	O/sBorrow Quantity	Number (9,0)	Borrow Quantity	Outstanding Borrow Quantity (Borrow less Early Repay) [Not Early Return / Early Pay-In for availing margin reduction]
12	Rollover Flag	VarChar (20)	BalanceRollovers	R11 ... R0 (Balance Rollovers)
13	CP Code	VarChar (12)	CPCode	
14	ISIN	Char (12)	ISINCode	(eg. INE040A01026)
15	Reverse Leg SettlementDate	VarChar (11)	RLSD	dd-mmm-yyyy Reverse Leg Settlement Date for 'LE' and 'BO' Revised Reverse Leg Settlement Date for 'RC' and 'RP' (next day) Revised Reverse Leg Settlement Date for 'LR' and 'BR'(new expiry date)
16	Reverse Leg SettlementNo	Number (7,0)	RLSN	Reverse Leg Settlement No for 'LE' and 'BO', Revised Reverse Leg Settlement Settlement No for 'RC' and 'RP' (next day) Revised Reverse Leg

				Settlement Settlement No for 'LR' and 'BR' (new expiry date) (eg. 1819001)
17	Filler 01	VarChar (20)	Filler01	Currently Blank. Proposed to be used for Early Pay-In Quantity (against day's Lend Transactions – First Leg)
18	Filler 02	VarChar (50)	Filler02	Currently Blank. Proposed to be used for Early Return Quantity (against o/s Borrow Positions – Return Leg)
19	Filler 03	VarChar (100)	Filler03	Blank. For future use
20	Filler 04	Number (6,0)	Filler04	'0'. For future use
21	Filler 05	Number (9,2)	Filler05	'0.00'. For future use
22	Filler 06	Number (18,4)	Filler06	'0.0000'. For future use
23	Executing Member Code	Number (4,0)	ExecutingMemberC ode	Code of the Executing Member, in case of Custodial / CP Position, applicable to report disseminated to Custodian. '0' in Executing Member's report
24	CashMarket Close Price	Number (12,2)	CashMarketClosePr ice	
25	Value Of Underlying	Number (18,2)	ValueOfUnderlying	

28. PHYSICAL EXPIRY RESTRICTION FILE FORMAT

Description: This file contains contracts which member blocks for physical expiry during last 5 days before expiry.

This file contains the Derivative contracts which member wants to disallow the client to take positions in current Physical expiry days. All Options contracts and Futures contract will be blocked automatically for current expiry.

In case of removal of one scrip, then member can keep all derivative scrip name in the file and except that one scrip and re-upload the file. The Options and Futures of current expiry will be removed from scrip block and rest scrip will continue to remain block in physical expiry.

Kindly note this file member needs to upload daily. The day on which client does not wants to block, he does not need to upload on that particular day.

After uploading this file, kindly ensure the Profile master tick for “Block Physical Expiry Contract” in Advance section for allowing the Block for particular clients who are mapped in that profile. For clients for which Member wants to allow clients to place order in Physical expiry contracts, he can simply untick “Block Physical Expiry Contract”.

File name: PHY_EXP.txt

Delimiter: , (COMMA SEPARATED)

Start of file: Broker’s name|PHY_BAN|Date

(RUPEE|PHY_BAN|2024-04-08)

Illustration:

In case if member wants to block for all products

RUPEE|PHY_BAN|28092024
ASHOKLEY
ABFRL

In case if member wants to block for Margin product

RUPEE|PHY_BAN|28092024
ASHOKLEY,M
ABFRL,M

In case if member wants to block for Intraday product

RUPEE|PHY_BAN|28092024
ASHOKLEY,I
ABFRL,I

In case if member wants to block for selective product

RUPEE|PHY_BAN|28092024
ASHOKLEY,I
ABFRL,M

29. PS03 AVERAGE PRICE UPLOAD (CASH, INDEX AND CURRENCY DERIVATIVES)

Description: This file should be uploaded after PS03 file is uploaded. It is used to display the price at which position was bought.

File name: AVG_TRD_PRICE.txt

Delimiter: | (PIPE SEPARATED)

Start of file:

UCC|Instrument_Type|Symbol|Expiry_Date|Strike_Price|Option_Type|Price|Quantity

Sr. No	Field Name	Data type	Description
1	UCC code	Char(30)	UCC as registered in exchange
2	Instrument type	Char(10)	FUTIDX/FUTSTK/OPTIDX
3	Symbol	Char(45)	NIFTY/BANKNIFTY/TCS
4	Expiry date	Char(40)	MM/DD/YYYY
5	Strike price	Char(45)	Strike Price - For options 0 - For Futures CE/PE - For Call or Put Options
6	Option type	Char(10)	XX - For Futures

Illustration:

UCC|Instrument_Type|Symbol|Expiry_Date|Strike_Price|Option_Type|Price|Quantity
NW7001|FUTIDX|NIFTY|05/30/2024|0|XX|2550
NW7002|FUTSTK|PNB|05/30/2024|0|XX|40000
NW7003|OPTIDX|FINNIFTY|05/28/2024|21100|PE|3600
NW7003|FUTCUR|USDJPY|05/29/2024|0|XX|265
NW7004|OPTCUR|GBPINR|05/29/2024|105|CE|35

30. PS03 AVERAGE PRICE UPLOAD (COMMODITY DERIVATIVES)

Description: This file should be uploaded after PS03 file is uploaded. It is used to display the price at which position was bought.

File name: AVG_TRD_PRICE_COM.txt

Delimiter: | (PIPE SEPARATED)

Start of file:

UCC|Instrument_Type|Symbol|Expiry_Date|Strike_Price|Option_Type|Price|Quantity

Sr. no	Field Name	Data type	Description
1	UCC code	Char(30)	UCC as registered in exchange
2	Instrument type	Char(10)	FUTIDX/FUTCOM/OPTCOM
3	Symbol	Char(45)	CRUDEOIL/CRUDEOILM
4	Expiry date	Char(40)	MM/DD/YYYY
			Strike Price - For options
5	Strike price	Char(45)	0 - For Futures
6	Option type	Char(10)	CE/PE - For Call or Put Options

Illustration:

UCC|Instrument_Type|Symbol|Expiry_Date|Strike_Price|Option_Type|Price|Quantity

NW7022|FUTCOM|SILVERMIC|06/28/2024|0|XX|84798|1

NW7023|OPTFUT|SILVER|06/26/2024|83000|PE|1500|1

31. MEMBER WISE PLEDGE QUANTITY

Description: This file contains the Member-level Pledge Limits as defined at the exchange level. It is primarily used to validate client pledge requests. In cases where a client attempts to pledge securities but the Member's cumulative pledge limit has already reached the exchange-defined threshold, the client's pledge will be restricted accordingly—up to the Member's available limit. This file shall be uploaded after SEC_OL_dd-mm-yyyy.csv has been successfully uploaded.

File name has to be same and exact as "MEMBER.csv".

File name: MEMBER.csv (Case sensitive)

Delimiter: , (COMMA SEPARATED)

Start of file: Symbol,ISIN,Member wise Permitted Qty

Sr. no	Field Name	Data type	Description
1	Symbol	Varchar(100)	Symbol
2	ISIN	Varchar(100)	ISIN
3	Member wise Permitted Qty	Varchar(100)	Member wise Permitted Qty

Illustration:

Symbol,ISIN,Member wise Permitted Qty

20MICRONS,INE144J01027,50

360ONE,INE466L01038,50

3IINFOLTD,INE748C01038,50

3MINDIA,INE470A01017,50

3PLAND,INE105C01023,50

5PAISA,INE618L01018,50

63MOONS,INE111B01023,50

32. MTF Exposure limit

Description: Member can use this exposure limit for Member wide positions of MTF monitoring.

File name: MTF_Exposure_limit

Delimiter: , (COMMA SEPARATED)

Start of file: Broker's name|MTF_EXP_LIMIT|Date (RUPEE|MTF_EXP_LIMIT|21092025)

Sr. No	Field Name	Data type	Description	Mandatory
1	Symbol	varchar(50)	Symbol	Y
2	ISIN	varchar(30)	ISIN	Y
3	Allowed Value	varchar(30)	Allowed Value	Y
4	Allowed Quantity	varchar(30)	Allowed Quantity	Y

Illustration:

RUPEE|MTF_EXP_LIMIT|21092025
20MICRONS,INE144J01027,20000,50
360ONE,INE466L01038,20000,50
3IINFOLTD,INE748C01038,20000,50
3MINDIA,INE470A01017,20000,50
3PLAND,INE105C01023,20000,50
5PAISA,INE618L01018,20000,50

33. QL FORMAT

Description: Member can use this file for restricting the clients from taking excess positions. Member has to upload this file from Admin terminal.

File name: QL.csv

Delimiter: , (COMMA SEPARATED)

Start of file: Operation

Code,RETAIN_FLAG,PROFILE_CODE,PROFILE_NAME,EXCHANGE,SEGMENT,INSTRUMENT,PRODUCT,SERIES,SCRIP_CODE,MAX_ORD_VAL,MAX_SPD_ORD_VAL,MAX_ORD_QTY,MAX_LOT,MIN_ORD_QTY,MIN_ORD_VALUE,GROSS_BUY_QTY,GROSS_SELL_QTY,GROSS_BUY_VAL,GROSS_SELL_VAL,TURNOVER,PENDING_BUY_ORD_VAL,PENDING_SELL_ORD_VAL,TOTAL_PENDING_ORD_VAL,NET_VALUE,MTM,NET_LOT,NET_QTY,NET_SELL_VAL,NET_BUY_VAL,CLIENT_ID,UNDERLAYING_QL,SYMBOL

Sr. no	Field Name	Data type	Description	Mandatory
1	Operation Code	-	I- Insert, U- Update, D- Delete	Y
2	RETAIN_FLAG	-	P - Permanent, T - Temporary	Y
3	PROFILE_CODE	-	QL profile code	Y
4	PROFILE_NAME	-	QL profile name	Y
5	EXCHANGE	-	NSE - NSE BSE - BSE MCX - MCX NCDEX - NCDEX MSE - MSE E - Equity	Y
6	SEGMENT	-	D - Derivatives C - Currency M - Commodity	Y
7	INSTRUMENT	-	Instrument name	N
8	PRODUCT	-	C - CNC, M - Margin, I - Intraday, F - MTF, V - Cover Order, B - Bracket Order	Y
9	SERIES	-	Series name	N
10	SCRIP_CODE	-	Scrip code	Y
11	MAX_ORD_VAL	-	Maximum Order value	N
12	MAX_SPD_ORD_VAL	-	Maximum Spread order value	N
13	MAX_ORD_QTY	-	Maximum Order quantity	N
14	MAX_LOT	-	Maximum lot size	N
15	MIN_ORD_QTY	-	Minimum Order quantity	N

16	MIN_ORD_VALUE	-	Minimum Order value	N
17	GROSS_BUY_QTY	-	Gross buy quantity	N
18	GROSS_SELL_QTY	-	Gross Sell quantity	N
19	GROSS_BUY_VAL	-	Gross buy value	N
20	GROSS_SELL_VAL	-	Gross sell value	N
21	TURNOVER	-	Turnover value	N
22	PENDING_BUY_ORD_VAL	-	Pending Buy order value	N
23	PENDING_SELL_ORD_VAL	-	Pending sell order value	N
24	TOTAL_PENDING_ORD_VAL	-	Total pending order value	N
25	NET_VALUE	-	Net value	N
26	MTM	-	Mark to Market %	N
27	NET_LOT	-	Net lot	N
28	NET_QTY	-	Net quantity	N
29	NET_SELL_VAL	-	Net sell value	N
30	NET_BUY_VAL	-	Net buy value	N
31	CLIENT_ID	-	Client ID wise restriction	N
32	UNDERLAYING_QL	-	Underlying scrip code	N
33	SYMBOL	-	Symbol name	N

Illustration:

For Fresh new insert

Operation

Code,RETAIN_FLAG,PROFILE_CODE,PROFILE_NAME,EXCHANGE,SEGMENT,INSTRUMENT,PRODUCT,SERIES,SCRIP_CODE,MAX_ORD_VAL,MAX_SPD_ORD_VAL,MAX_ORD_QTY,MAX_LOT,MIN_ORD_QTY,MIN_ORD_VALUE,GROSS_BUY_QTY,GROSS_SELL_QTY,GROSS_BUY_VAL,GROSS_SELL_VAL,TURNOVER,PENDING_BUY_ORD_VAL,PENDING_SELL_ORD_VAL,TOTAL_PENDING_ORD_VAL,NET_VALUE,MTM,NET_LOT,NET_QTY,NET_SELL_VAL,NET_BUY_VAL,CLIENT_ID,UNDERLAYING_QL,SYMBOL

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1660,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,
I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,474,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,
I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,2595,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,
I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,445,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,
I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,12533,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,
I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,23729,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,
I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,235,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,
I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1030,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

I,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,17145,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

For Update,

Operation

Code,RETAIN_FLAG,PROFILE_CODE,PROFILE_NAME,EXCHANGE,SEGMENT,INSTRUMENT,PRODUCT,SERIES,SCRIP_CODE,MAX_ORD_VAL,MAX_SPD_ORD_VAL,MAX_ORD_QTY,MAX_LOT,MIN_ORD_QTY,MIN_ORD_VALUE,GROSS_BUY_QTY,GROSS_SELL_QTY,GROSS_BUY_VAL,GROSS_SELL_VAL,TURNOVER,PENDING_BUY_ORD_VAL,PENDING_SELL_ORD_VAL,TOTAL_PENDING_ORD_VAL,NET_VALUE,MTM,NET_LOT,NET_QTY,NET_SELL_VAL,NET_BUY_VAL,CLIENT_ID,UNDERLAYING_QL,SYMBOL

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1660,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,474,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,2595,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,445,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,12533,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,23729,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,235,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1030,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

U,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,17145,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

For deletion,

Operation

Code,RETAIN_FLAG,PROFILE_CODE,PROFILE_NAME,EXCHANGE,SEGMENT,INSTRUMENT,PRODUCT,SERIES,SCRIP_CODE,MAX_ORD_VAL,MAX_SPD_ORD_VAL,MAX_ORD_QTY,MAX_LOT,MIN_ORD_QTY,MIN_ORD_VALUE,GROSS_BUY_QTY,GROSS_SELL_QTY,GROSS_BUY_VAL,GROSS_SELL_VAL,TURNOVER,PENDING_BUY_ORD_VAL,PENDING_SELL_ORD_VAL,TOTAL_PENDING_ORD_VAL,NET_VALUE,MTM,NET_LOT,NET_QTY,NET_SELL_VAL,NET_BUY_VAL,CLIENT_ID,UNDERLAYING_QL,SYMBOL

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1660,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,474,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,2595,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,445,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,12533,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-1,-1,-1,-1,-1,

D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,23729,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-
1,-1,-1,-1,-1,-1,
D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,235,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-1,-
1,-1,-1,-1,-1,-1,
D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,1030,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-
1,-1,-1,-1,-1,-1,
D,P,Q123,RISK3,NSE,E,EQUITY,F,EQ,17145,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,100000,-
1,-1,-1,-1,-1,-1,

34. Pledge Approve scrips

Description: Member can use this file for only allowing Approved scrips by the Clearing member and restricting other scrips.

File name: APPROVE_PLEDGE_SCRIPT.txt

Start of file: Broker's name|PLE_APPRV_SCRIP|Date
(Rupee|PLE_APPRV_SCRIP|08032026)

Sr. no	Field Name	Data type	Description	Mandatory
1	ISIN	Varchar(30)	Enter ISIN	Y

Illustration:

RUPEE|PLE_APPRV_SCRIP|08032026

INE144J01027

INE466L01038

INE748C01038

INE470A01017