


Engineering Physics II	Faculty of Engineering	Date: 3 /8/2025
B₁ A/E	First Test - Modeule A	
Name:	Reg. No.:	

Section I: Answer all the following by putting true (T) or false (F): **8 Marks**


1) Pascal principle related to partially or fully immersed object		
2) When the object is floating, $a \neq 0$		
3) The electric force is a region around ta charge		

Section II: Answer all the following by selecting the correct choice: **14 Marks**

1) The number of E lines of a charge q depends on the:				
a) Magnitude of q	b) Type of q	c) Sign of q	d) Direction of q	e) None of these
2) If a ratio of fluid to object densities is 1.8. Then the fully immersed object is:				
a) Sinking	b) Floating	c) Moving up	d) At rest	e) None of these
3) 13 neutrons and 7 protons. The total charge is:				
a) - 13 e	b) 7 e	c) 13 e	d) - 7 e	e) None of these
4) From the figure shown below. The pressures				



a) $P_C < P_A$	b) $P_A = P_C$	c) $P_C > P_B$	d) $P_A > P_B$	e) None of these
5) A cube of x each side is placed in $\vec{E} = \alpha \hat{i} - \beta \hat{j} - \gamma \hat{k}$. The electric flux in yz and xz planes is:				
a) $-(\gamma + \beta) x^2$	b) $(\alpha - \gamma) x^2$	c) $(\alpha - \beta) x^2$	d) $-(\alpha - \gamma) x$	e) None of these
6) The electric field is given by:				
a) $K_e q/r^2$	b) $k_e q_1 q_2 / r$	c) $k_e q_1 q_2 / r^2$	d) $k_e q/r$	e) None of these
7) An object of ρ suspended between liquid 1 of ρ_1 and liquid 2 of ρ_2 . The object's density is:				



a) $\rho = 2 \rho_1 + 4 \rho_2$	b) $\rho = 4 \rho_1 + 2 \rho_2$	c) $\rho = \frac{4}{6} \rho_1 + \frac{2}{6} \rho_2$	d) $\rho = \frac{2}{6} \rho_1 + \frac{4}{6} \rho_2$	e) None of these
---------------------------------	---------------------------------	---	---	------------------

Section III: Answer all the following by selecting the correct choice

Full and clear steps are required


20 Marks

Constant		
Electron: $m = 9.11 \times 10^{-31} \text{ kg}$	$K_e = 9 \times 10^9 \text{ N.m}^2/\text{C}^2$	Gravity: $g = 10 \text{ m/s}^2$
Proton: $m = 1.67 \times 10^{-27} \text{ kg}$	$G = 6.67 \times 10^{-11} \text{ N.m}^2/\text{kg}^2$	Water: $\rho_f = 1000 \text{ kg/m}^3$

1) 500 N object floats in water of $\rho_f = 1000 \text{ kg/m}^3$, the object is immersed by 7 cm and 5 cm over the water. The volume of the object in m^3 is:

a) 0.086	b) 583.3	c) 0.119	d) 1400	e) None of these
----------	----------	----------	---------	------------------

2) 2 kg at one side of a balance scale and a charge $q_1 = 5 \text{ nC}$ at the other as shown. The value of the charge q_2 for equilibrium is:




a) 0.0444 C	b) - 0.01778 C	c) 0.01481 C	d) - 0.0296 C	e) None of these
-------------	----------------	--------------	---------------	------------------

3) $q_1 = - 3 \text{ nC}$ is placed at $(- 0.3 \text{ m}, 0)$, $q_2 = 3 \text{ nC}$ is placed at $(0 , - 0.3 \text{ m})$. The electric field in N/C at the origin is:


a) 424.3 at 315°	b) 282.8 at 135°	c) 424.3 at 135°	d) 282.8 at 225°	e) None of these
-------------------------	-------------------------	-------------------------	-------------------------	------------------

4) 100 g and $q_1 = 2 \text{ }\mu\text{C}$ charge hung by a rope. A charge of $q_2 = - 8 \text{ }\mu\text{C}$ attracts q_1 charge. Then the rope inclined and the distance between the charges is 20 cm. The tension in the rope is:



a) 120.6 N	b) 3.7 N	c) 2.9 N	d) 4.2 N	e) None of these
------------	----------	----------	----------	------------------

5) In Pascal principle: The piston areas are 75 cm^2 and 250 cm^2 respectively, the weight on the output piston is 10000 N. The weight that the input piston handle is:



a) 33.3 N	b) 3000 N	c) 3333.3 N	d) 300000 N	e) None of these
-----------	-----------	-------------	-------------	------------------