



- AHU, 2 Ton (Assumed) 1.5
- 22"x18" Supply Air Duct 8.4 FT
- 22"x18" Supply Air Duct 90 Deg Elbow 3.6
- 22"x18" / 18"x12" Supply Air Duct Reducer 1.0
- 18"x12" Supply Air Duct 6.7 FT
- 10" Dia Supply Air Duct 1.0
- 18"x12" / 12"x10" Supply Air Duct Reducer 6.3 FT
- 12"x10" Supply Air Duct 1.0
- 12"x10" / 10" Dia Supply Air Duct Transition 1.0
- 12"x10" / 10"x8" Supply Air Duct Takeoff 1.0
- 10"x8" Supply Air Duct 1.0
- 10" Dia Supply Air Duct 90 Deg Elbow 1.0
- 10" / 8" Dia Supply Air Duct Reducer 1.0
- 8" Dia Supply Air Duct 1.0
- 10"x8" / 8" Dia Supply Air Duct Takeoff 1.0
- 10"x8" / 10"x6" Supply Air Duct Reducer 1.0
- 8"x8" Supply Air Duct 1.0
- 8"x8" / 8" Dia Supply Air Duct Transition 1.0
- 8" Dia Supply Air Duct 90 Deg Elbow 1.0
- 18"x12" / 10"x8" Supply Air Duct Takeoff 7.0 FT
- 10"x8" Supply Air Duct 1.0
- 10"x8" / 8" Dia Supply Air Duct Takeoff 1.0
- 10"x8" / 8" Dia Supply Air Duct Transition 1.0
- 8" Dia Supply Air Duct 90 Deg Elbow 1.0
- 8" Dia Flexible Air Duct 4.1 FT
- 8" Dia Flexible Air Duct 1.0
- Supply Diffuser, 8" Dia Neck Size, 130 CFM 1.0
- Supply Diffuser, 8" Dia Neck Size, 115 CFM 1.0
- Supply Diffuser, 8" Dia Neck Size, 175 CFM 3.0
- 8" Dia Supply Air Duct 90 Deg Elbow 1.0
- 8" / 10" Dia Supply Air Duct Takeoff 1.0
- 8" Dia Supply Air Duct 1.0
- Supply Diffuser, 8" Dia Neck Size, 30 CFM 1.0
- Thermostat (For AHU) 1.0
- 22"x18" Fire Damper 1.0
- 22"x18" Flexible Connection 6.0
- 8" Dia Volume Damper 8.4 FT
- 4" Dia Exhaust Air Duct 1.0
- 4" Dia Exhaust Air Duct 90 Deg Elbow 1.0
- Exhaust Air Grille, 4" Dia Neck Size, 25 CFM 1.0
- Exhaust Fan 1.0
- 8"x8" / 8" Dia Supply Air Duct Takeoff 1.0
- 20"x18" Flexible Connection 26.4 FT
- 20"x18" Return Air Duct 1.0
- 20"x18" Return Air Duct 90 Deg Elbow 1.0
- Return Air Grille, 20"x18" Neck Size 1.0
- CU 23.3 FT
- 3/8" Dia Refrigerant Pipe 6.0
- 3/8" Dia Refrigerant Pipe 90 Deg Elbow 1.0
- Baseboard Heater 48.2 FT
- 3/4" Dia HWS Pipe 8.0
- 3/4" Dia HWS Pipe 90 Deg Elbow 1.0
- 3/4" Dia HWS Pipe Tee 16.7 FT
- 6" Dia Exhaust Air Duct 1.0
- 6" Dia Exhaust Air Duct 90 Deg Elbow 1.0
- 6" Dia Bird Screen 7.7 FT
- (Plumbing) - BG - 4" Dia Waste Pipe 6.0
- (Plumbing) - BG - 4" Dia Waste Pipe 90 Deg Elbow 1.0
- (Plumbing) - BG - 4" / 3" Dia Waste Pipe Wye 2.4 FT
- (Plumbing) - BG - 3" Dia Waste Pipe 1.0
- (Plumbing) - BG - 3" Dia Waste Pipe 90 Deg Elbow 1.0
- (Plumbing) - BG - 3" Dia Waste Pipe Wye 1.0
- (Plumbing) - BG - 3" / 2" Dia Waste Pipe Reducer 1.0
- (Plumbing) - BG - 4" / 2" Dia Waste Pipe Wye 6.2 FT
- (Plumbing) - BG - 2" Dia Waste Pipe 3.0
- (Plumbing) - BG - 2" Dia Waste Pipe 90 Deg Elbow 1.0
- (Plumbing) - BG - 2" Dia Waste Pipe Wye 8.2 FT
- (Plumbing) - 2" Dia Vent Pipe 2.0
- (Plumbing) - 2" Dia Vent Pipe Tee 1.0
- (Plumbing) - Count - WC 1.0
- (Plumbing) - Count - Lav 1.0
- (Plumbing) - Count - Kitchen Sink 1.0
- (Plumbing) - Count - Ref 1.0
- (Plumbing) - 1-1/2" Dia CW Pipe 11.5 FT
- (Plumbing) - 1-1/2" Dia CW Pipe 90 Deg Elbow 2.0
- (Plumbing) - 1-1/2" / 1" Dia CW Pipe Reducer 1.0
- (Plumbing) - 1" Dia CW Pipe 15.3 FT
- (Plumbing) - 1" Dia CW Pipe Tee 1.0
- (Plumbing) - 1" / 3/4" Dia CW Pipe Reducer 7.4 FT
- (Plumbing) - 3/4" Dia CW Pipe 1.0
- (Plumbing) - 3/4" / 1/2" Dia CW Pipe Tee 1.0
- (Plumbing) - 1/2" Dia CW Pipe 8.3 FT
- (Plumbing) - Count - Hot Water Heater 1.0
- (Plumbing) - 3/4" Dia HW Pipe 8.0
- (Plumbing) - 3/4" Dia HW Pipe 90 Deg Elbow 1.0
- (Plumbing) - 3/4" / 1/2" Dia HW Pipe Reducer 6.4 FT
- (Plumbing) - 1/2" Dia HW Pipe 2.0
- (Plumbing) - 1" / 3/4" Dia CW Pipe Tee 1.0
- (Plumbing) - 3/4" Dia CW Pipe 90 Deg Elbow 2.0
- (Plumbing) - 1/2" Dia CW Pipe Tee 1.0
- (Plumbing) - BG - 3/4" Dia CD Pipe 11.1 FT
- (Plumbing) - BG - 3/4" Dia CD Pipe 90 Deg Elbow 6.0




FIRST FLOOR PLAN
1/4" = 1'

- 1-01 General Notes
- 1-02 Foundation Notes
- 1-03 Structural Steel Notes
- 1-04 Concrete Notes
- 1-05 Masonry Notes
- 1-06 Roofing Notes
- 1-07 Siding Notes
- 1-08 Windows & Doors Notes
- 1-09 Mechanical Notes
- 1-10 Electrical Notes
- 1-11 Plumbing Notes
- 1-12 HVAC Notes
- 1-13 Fire Protection Notes
- 1-14 Energy Efficiency Notes
- 1-15 Accessibility Notes
- 1-16 Safety Notes
- 1-17 General Construction Notes
- 1-18 Foundation Notes
- 1-19 Structural Steel Notes
- 1-20 Concrete Notes
- 1-21 Masonry Notes
- 1-22 Roofing Notes
- 1-23 Siding Notes
- 1-24 Windows & Doors Notes
- 1-25 Mechanical Notes
- 1-26 Electrical Notes
- 1-27 Plumbing Notes
- 1-28 HVAC Notes
- 1-29 Fire Protection Notes
- 1-30 Energy Efficiency Notes
- 1-31 Accessibility Notes
- 1-32 Safety Notes
- 1-33 General Construction Notes
- 1-34 Foundation Notes
- 1-35 Structural Steel Notes
- 1-36 Concrete Notes
- 1-37 Masonry Notes
- 1-38 Roofing Notes
- 1-39 Siding Notes
- 1-40 Windows & Doors Notes
- 1-41 Mechanical Notes
- 1-42 Electrical Notes
- 1-43 Plumbing Notes
- 1-44 HVAC Notes
- 1-45 Fire Protection Notes
- 1-46 Energy Efficiency Notes
- 1-47 Accessibility Notes
- 1-48 Safety Notes
- 1-49 General Construction Notes
- 1-50 Foundation Notes
- 1-51 Structural Steel Notes
- 1-52 Concrete Notes
- 1-53 Masonry Notes
- 1-54 Roofing Notes
- 1-55 Siding Notes
- 1-56 Windows & Doors Notes
- 1-57 Mechanical Notes
- 1-58 Electrical Notes
- 1-59 Plumbing Notes
- 1-60 HVAC Notes
- 1-61 Fire Protection Notes
- 1-62 Energy Efficiency Notes
- 1-63 Accessibility Notes
- 1-64 Safety Notes
- 1-65 General Construction Notes
- 1-66 Foundation Notes
- 1-67 Structural Steel Notes
- 1-68 Concrete Notes
- 1-69 Masonry Notes
- 1-70 Roofing Notes
- 1-71 Siding Notes
- 1-72 Windows & Doors Notes
- 1-73 Mechanical Notes
- 1-74 Electrical Notes
- 1-75 Plumbing Notes
- 1-76 HVAC Notes
- 1-77 Fire Protection Notes
- 1-78 Energy Efficiency Notes
- 1-79 Accessibility Notes
- 1-80 Safety Notes
- 1-81 General Construction Notes
- 1-82 Foundation Notes
- 1-83 Structural Steel Notes
- 1-84 Concrete Notes
- 1-85 Masonry Notes
- 1-86 Roofing Notes
- 1-87 Siding Notes
- 1-88 Windows & Doors Notes
- 1-89 Mechanical Notes
- 1-90 Electrical Notes
- 1-91 Plumbing Notes
- 1-92 HVAC Notes
- 1-93 Fire Protection Notes
- 1-94 Energy Efficiency Notes
- 1-95 Accessibility Notes
- 1-96 Safety Notes
- 1-97 General Construction Notes
- 1-98 Foundation Notes
- 1-99 Structural Steel Notes
- 2-00 Concrete Notes



SECOND FLOOR PLAN
1/4" = 1'


- B: 1P/20A 10.0
- B: 2P/30A 2.0
- B: 2P/50A 1.0
- B: 3P/200A MCB 1.0
- DS: 3P/200A Service Dic... 1.0
- FA: Carbon monoxide Det... 1.0
- FA: Heat Detector 2.0
- FA: Smoke Detector 1.0
- LC: Single Pole Switch 6.0
- LF: 4' Flourescent Light 6.0
- LF: Pendant Mounted 6.0
- LF: Recessed Light 16.0
- LF: Surface Mounted 1.0
- LF: Under Cabinet Light 20.5 FT
- LF: Wall Sconce 1.0
- P: 2P/30A Special Recept... 2.0
- P: 2P/50A Special Recept... 1.0
- P: Duplex Receptacle 16.0
- P: Duplex Receptacle Cei... 4.0
- P: GFCI Duplex Receptacle 1.0
- P: Motor Connection 1.0
- LW: 3#12 Romax Cable 506.1 FT
- PW: 3#12 Romax Ca... 562.0 FT
- P: Exhaust Fan Connection 1.0
- PW: 3#10 Romax Ca... 145.2 FT
- FAW: 2#16 FPLP Cable 57.1 FT
- DISTW: 2#2 #6 2-1/2" E... 0.0
- DISTW: 2#2 #6 2-1/2" ... 10.2 FT
- DISTW: 2#2 #6 2-1/2" ... 20.5 FT



1st FLOOR LIVING SPACE - 1,164 SF

The square footage indicated is living space calculated from the exterior face of wall stud include decks, porches, garages, volumes, uninhabitable & unconditioned spaces. All dim and square footages are approximate and subject to change without notice. HPA Design assumes no responsibility for technical, typographical, and/or other inaccuracies or errors © 2019 HPA Design, Inc.

NOTE: WHEN GAS IS BEING USED AS A FUEL SOURCE FOR DRYER, THE FOLLOWING SHALL APPLY:
CONNECTION CLASS IS REQUIRED AT A MIN. VOLUME OF 50 CUFT PER 1000 BTU/H.
MAKEUP AIR SHALL BE PROVIDED BY AN OPENING OF NOT LESS THAN 100 SQUARE INCHES FROM AN ADJACENT SPACE.



- FA: Carbon monoxide D... 1.0
- FA: Smoke Detector 4.0
- LC: Single Pole Switch 6.0
- LF: Recessed Light 28.0
- LF: Surface Mounted 2.0
- LF: Wall Sconce 2.0
- P: Duplex Receptacle 15.0
- P: Exhaust Fan Connecti... 2.0
- P: GFCI Duplex Recepta... 3.0
- LW: 3#12 Romax Ca... 552.3 FT
- PW: 3#12 Romax Ca... 633.3 FT
- FAW: 2#16 FPLP Ca... 117.6 FT