Project Overview

I conducted an extensive data analysis project using raw JSON data from an online game environment, analyzing over 180 days' worth of interaction logs of 2 factions (Tattaglia and Cuneo) totaling around 230 players. This exercise focused on turning complex, unstructured data into meaningful insights through data cleaning, transformation, and visualization techniques. The analysis was done using R and Microsoft Excel.

Raw JSON File

```
("success":true, "warInfo":("war_id":40, "prize":500000000, "date_started":"2024-01-17118:00:05.00027, "date_end":"2024-06-
28720:19:20.00027, "started_by":70409, "winner_team_id":1), "factions":[("team_id":0, "faction_id":2, "kills":22263, "deaths":28253, "money_lost":3390250000, "faction":
("f.name":Tournoon,", abort."Cuncen')]), "kils":
[("killeName":"Angel_Dinero", "killerId":123222300, "killerfactionId":2, "killedName":"Pablo_Tattaglia", killedFactionId":2, "date_killed":"2024-06-
28720:19:10.00027, "eason':34, "x":1077.742554", "y":"2088.465820", "z":"10.820312", "interior":0, "virtualworld":100027, "killedFactionId":2, "date_killed":"2024-06-
28720:19:10.00027, "eason':31, "x":"253.5734242", "y":"2024.73493", "interior":0, "virtualworld":0),
['killerName': Scar_Salerno", "killerId":123133717, "killerFactionId":4, "killedName': "Bade_wilson", "killedId":123156712, "killedFactionId":2, "date_killed":"2024-06-
28720:19:10.000027, "eason':24, "x":"255.7544242", "y":"29:173932", "z":"13.4674949, "interior":0, "virtualworld":0),
['killerName': Elita_Cuneo", "killerId":123133717, "killerFactionId":4, "killedName': Bade_wilson", "killedId":122305, "killedFactionId":2, "date_killed":"2024-06-
28720:19:10.000027, "eason':24, "x":"255.734329, "y":"299.739932, "z": 13.4656101, "interior:0, "virtualworld":0),
['killerName': "pablo_Tattaglia", "killerId":123133717, "killedFactionId":2, "killedName':"0, "virtualworld":1013135580, "killedFactionId":2, "date_killed":"2024-06-
28720:19:10.000027, "eason':24, "x":1057.23333717, "killedFactionId":2, "killedName':"0, "virtualworld":1013135580, "killedFactionId":2, "date_killed":"2024-06-
28720:19:10.00027, "eason':24, "x":1057.23333717, "killedFactionId":2, "date_killed":"2024-06-
28720:19:10.00027, "eason':24, "x":1057.2353000, "x":100.200312, "interior":0, "virtualworld":100021,
28720:19:10.00027, "eason':24, "x":1057.235300, "x":100.200312, "interior":0, "virtualworld":100021,
28720:19:10.00027, "eason':24, "x":1057.235000, "x":100.200312, "interior":0, "virtualworld":100
```

I worked with a JSON file that provides detailed data from the event, focusing primarily on a comprehensive log of every kill that occurred during the event. The war information includes the war ID, start and end dates, prize for the winning team, and the initiator of the war. The primary section, which logs over 54,000 individual kills, contains detailed entries for each kill. Each entry records the names and IDs of the killer and the killed, their factions, the time and date of the kill, as well as precise location coordinates. Additional metadata includes the reason for the kill (weapon used) and virtual world identifiers. The detailed kill log offers a deep view into player interactions during the war, which I used to extract useful insights through data analysis and data visualization techniques.

Initial Variables in the Kill Logs

- Killer Name
- Killer ID
- Killer Faction ID (2 for Tattaglia, 4 for Cuneo)
- Killed Name
- Killed ID
- Killed Faction ID (2 for Tattaglia, 4 for Cuneo)
- Date-Time Killed
- Reason (ID of weapon used)
- X coordinate
- Y coordinate

- Z coordinate
- Interior ID (0 means the kill occurred in the open world)
- Virtual World ID (0 means the kill occurred in the common world with all other players)

Death Classification

As every row represents a death, we can only differentiate between the types of deaths (regular death to another player, suicide, NPC death). Therefore, we will set a few criteria to classify deaths:

- If the Killer Name is "N/A", the death is either a suicide (death to the environment) or an NPC death (death occurred when the player left the game, NPC state leaves a static player model for 5 minutes if the player quits the game)
- I used the Reason variable to differentiate between environment deaths (suicide) and NPC deaths:
 - The Reason ID for NPC deaths is always a weapon ID
 - The Reason ID for suicides is always one of a few environment or splash damage IDs

I used the "subset" function with all weapon IDs to select the NPC deaths, and the negation of those weapon IDs to select the suicide deaths.

```
npc_deaths <- subset(mydata, killedFactionId == 4 & is.na(killerName)
& reason %in% c(0, 1, 2, 5, 6, 7, 8, 10, 11, 12, 14, 15, 22, 24, 25, 26, 28, 29, 32, 30, 31, 33, 34, 41, 42))
```

```
suicides <- subset(mydata, killedFactionId == 4 & is.na(killerName) & !(reason %in% c(0, 1, 2, 5, 6, 7, 8, 10, 11, 12, 14, 15, 22, 24, 25, 26, 28, 29, 32, 30, 31, 33, 34, 41, 42)))
```

Data Transformation Process

The dataset was processed using R and Excel.

- 1. Converted the JSON file to a data frame table in R using the "jsonlite" library
- 2. Imported and merged a separately calculated "Hours" data frame into the main data frame
- 3. Cleaned up the formatting and variable names of certain variables
- 4. Extracted hour, week, day, and month info from the date and time variable using "as.POSIX" and "cut" functions
- 5. Imported a map of the game world to be used as background for a scatter plot of the coordinates using the "png" library
- 6. Added the tiers of the killer and killed players using known names of the tier 0 and tier 1 players and a series of "ifelse" statements to work out the rest (tier 2 and tier 3 players are merged into tier 2 as they are treated the same as far as the purposes of this analysis are concerned)
- 7. Added death fee paid by the killed player for every kill, depending on their tier
 - a. Tier 0: \$150,000 (double if the death is a suicide or an NPC death)

b. Tier 1: \$120,000c. Tier 2: \$100,000

8. Calculated the distance to an important coordinate in the map using the Euclidean distance between two points in a 2D space (using only the X and Y coordinates):

Point A (x1, y1) – Static coordinates on the map of the important location

Point B (x2, y2) – Variable, depends on every death's XY coordinates

Euclidean distance =
$$\sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

 $mydata$distance <- round((sqrt((mydata$x - 2189.5590)^2 + (mydata$y - 2262.3320)^2)), digits = 0)$

Frequency Analysis

This was primarily done using filters using the "subset" function to select kills, deaths, suicides, and NPC kills for specific factions or players or using specific weapons or between specific dates, etc.

Those were then transformed into frequency tables by counting instances using the "table" function and sorted using the "sort" function.

a. Basic frequencies

Counting the number of kills, deaths, suicides, and NPC deaths

b. Hourly Activity

Identifying peak periods of activity to better adapt the times daily offensives to the hours with the best performance.

The images below show how I visualized the activity and KDR for every hour of the day. The images show the end results after 6 months of events, but I would do these weekly and monthly or for notable events.

Actual numbers:

CUNEO		Kills			Deaths			Suicides		1	NPC death	s			KDR	
Hour	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3		Tier 0	Tier 1	Tier 2+3
0	43	101	465	32	79	564	2	7	75	1	1	4		1.23	1.16	0.72
1	11	13	60	3	6	59	1	3	16		1	3		2.75	1.30	0.77
2		8	9	1	1	6									8.00	1.50
3			3			7			2							0.33
4			2													
5			10			4			2							1.67
6	1		25	1		29			4			1		1.00		0.74
7		5	41		2	18			4			1			2.50	1.78
8	3	11	167		5	116			25			4			2.20	1.15
9	7	54	377	8	23	213		4	45			1		0.88	2.00	1.46
10	2	62	350		25	209		7	47		1	8			1.88	1.33
11	6	71	496	3	44	447	1	5	81		1	8		1.50	1.42	0.93
12	12	64	521	6	47	452		6	79			14		2.00	1.21	0.96
13	28	154	664	19	101	698		8	96		1	14		1.47	1.40	0.82
14	51	165	873	23	112	851	3	12	120		4	21		1.96	1.29	0.88
15	29	102	700	17	61	596	3	11	130			14		1.45	1.42	0.95
16	60	197	1248	52	127	1117		21	151		4	34		1.15	1.30	0.96
17	73	276	1791	48	150	1773	1	19	252		8	41		1.49	1.56	0.87
18	61	270	1739	31	158	1624		15	321		1	34		1.97	1.55	0.88
19	51	231	1416	22	148	1273	1	12	208	1	2	40		2.13	1.43	0.93
20	128	622	3031	74	346	3058	1	46	463		3	53		1.71	1.57	0.85
21	204	556	2933	98	326	2895	3	30	402	2	6	38		1.98	1.54	0.88
22	178	421	1909	89	256	1956	7	29	314	1	2	26		1.84	1.47	0.83
23	120	250	1105	66	147	1221	5	12	191	3	1	14		1.62	1.56	0.77
TOT	1068	3633	19935	593	2164	19186	28	247	3028	8	36	373	TOT	1.70	1.48	0.88
		24636			21943			3303			417					

TATTA		Kills			Deaths			Suicides		- 1	NPC death	s
Hour	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3
0	130	123	422	66	58	485	7	4	41	2		7
1	15	14	39	12	8	64	1	1	3			2
2	2		6			17	1		9			
3		4	3		3							
4						2			1			
5			4			10			3			
6		11	19		3	23			7			
7	4	1	15	2	3	41			12			3
8	24	16	81	10	12	159	1	1	30			9
9	45	20	179	27	10	401	3	4	46			11
10	12	34	188	17	22	375	1	4	48			11
11	100	96	298	58	54	461	3	9	63	2	3	17
12	79	68	358	48	34	515	8	9	64			15
13	133	162	523	87	103	656	9	9	76	3	1	22
14	157	164	665	107	85	897	8	15	102	4	3	14
15	123	145	406	91	81	659	10	5	51	2	2	18
16	216	287	793	162	182	1161	11	24	99	3	3	28
17	288	446	1237	192	310	1638	17	30	211	4	3	33
18	260	402	1151	198	263	1609	10	26	232	1	2	33
19	237	347	859	169	225	1304	8	30	170	7	3	31
20	602	733	2143	374	473	2934	22	42	355	7	6	51
21	514	776	2029	340	546	2807	26	46	316	8	11	42
22	402	486	1413	268	309	1931	19	24	219	1	6	42
23	232	262	940	160	144	1171	16	11	159	3	1	25
TOT	3575	4597	13771	2388	2928	19320	181	294	2317	47	44	414
	21943			24636		2792			505			

		KDR	
	Tier 0	Tier 1	Tier 2+3
	1.73	1.98	0.79
	1.15	1.56	0.57
	2.00		0.23
		1.33	
			0.31
		3.67	0.63
	2.00	0.33	0.27
	2.18	1.23	0.41
	1.50	1.43	0.39
	0.67	1.31	0.43
	1.59	1.45	0.55
	1.41	1.58	0.60
	1.34	1.43	0.69
	1.32	1.59	0.66
	1.19	1.65	0.56
	1.23	1.37	0.62
	1.35	1.30	0.66
	1.24	1.38	0.61
	1.29	1.34	0.57
	1.49	1.41	0.64
	1.37	1.29	0.64
	1.40	1.43	0.64
	1.30	1.68	0.69
TC	1.37	1.41	0.62

Percentages:

CUNEO	Kills			Deaths			Suicides			NPC death:	S	
Hour	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3
0	4.0%	2.8%	2.3%	5.4%	3.7%	2.9%	7.1%	2.8%	2.5%	12.5%	2.8%	1.1%
1	1.0%	0.4%	0.3%	0.5%	0.3%	0.3%	3.6%	1.2%	0.5%		2.8%	0.8%
2		0.2%	0.0%	0.2%	0.0%	0.0%						
3			0.0%			0.0%			0.1%			
4			0.0%									
5			0.1%			0.0%			0.1%			
6	0.1%		0.1%	0.2%		0.2%			0.1%			0.3%
7		0.1%	0.2%		0.1%	0.1%			0.1%			0.3%
8	0.3%	0.3%	0.8%		0.2%	0.6%			0.8%			1.1%
9	0.7%	1.5%	1.9%	1.3%	1.1%	1.1%		1.6%	1.5%			0.3%
10	0.2%	1.7%	1.8%		1.2%	1.1%		2.8%	1.6%		2.8%	2.1%
11	0.6%	2.0%	2.5%	0.5%	2.0%	2.3%	3.6%	2.0%	2.7%		2.8%	2.1%
12	1.1%	1.8%	2.6%	1.0%	2.2%	2.4%		2.4%	2.6%			3.8%
13	2.6%	4.2%	3.3%	3.2%	4.7%	3.6%		3.2%	3.2%		2.8%	3.8%
14	4.8%	4.5%	4.4%	3.9%	5.2%	4.4%	10.7%	4.9%	4.0%		11.1%	5.6%
15	2.7%	2.8%	3.5%	2.9%	2.8%	3.1%	10.7%	4.5%	4.3%			3.8%
16	5.6%	5.4%	6.3%	8.8%	5.9%	5.8%		8.5%	5.0%		11.1%	9.1%
17	6.8%	7.6%	9.0%	8.1%	6.9%	9.2%	3.6%	7.7%	8.3%		22.2%	11.0%
18	5.7%	7.4%	8.7%	5.2%	7.3%	8.5%		6.1%	10.6%		2.8%	9.1%
19	4.8%	6.4%	7.1%	3.7%	6.8%	6.6%	3.6%	4.9%	6.9%	12.5%	5.6%	10.7%
20	12.0%	17.1%	15.2%	12.5%	16.0%	15.9%	3.6%	18.6%	15.3%		8.3%	14.2%
21	19.1%	15.3%	14.7%	16.5%	15.1%	15.1%	10.7%	12.1%	13.3%	25.0%	16.7%	10.2%
22	16.7%	11.6%	9.6%	15.0%	11.8%	10.2%	25.0%	11.7%	10.4%	12.5%	5.6%	7.0%
23	11.2%	6.9%	5.5%	11.1%	6.8%	6.4%	17.9%	4.9%	6.3%	37.5%	2.8%	3.8%
TOT	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

TATTA	Kills			Deaths			Suicides		NPC deaths			
Hour	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3	Tier 0	Tier 1	Tier 2+3
0	3.6%	2.7%	3.1%	2.8%	2.0%	2.5%	3.9%	1.4%	1.8%	4.3%		1.7%
1	0.4%	0.3%	0.3%	0.5%	0.3%	0.3%	0.6%	0.3%	0.1%			0.5%
2	0.1%		0.0%			0.1%	0.6%		0.4%			
3		0.1%	0.0%		0.1%							
4						0.0%			0.0%			
5			0.0%			0.1%			0.1%			
6		0.2%	0.1%		0.1%	0.1%			0.3%			
7	0.1%	0.0%	0.1%	0.1%	0.1%	0.2%			0.5%			0.7%
8	0.7%	0.3%	0.6%	0.4%	0.4%	0.8%	0.6%	0.3%	1.3%			2.2%
9	1.3%	0.4%	1.3%	1.1%	0.3%	2.1%	1.7%	1.4%	2.0%			2.7%
10	0.3%	0.7%	1.4%	0.7%	0.8%	1.9%	0.6%	1.4%	2.1%			2.7%
11	2.8%	2.1%	2.2%	2.4%	1.8%	2.4%	1.7%	3.1%	2.7%	4.3%	6.8%	4.1%
12	2.2%	1.5%	2.6%	2.0%	1.2%	2.7%	4.4%	3.1%	2.8%			3.6%
13	3.7%	3.5%	3.8%	3.6%	3.5%	3.4%	5.0%	3.1%	3.3%	6.4%	2.3%	5.3%
14	4.4%	3.6%	4.8%	4.5%	2.9%	4.6%	4.4%	5.1%	4.4%	8.5%	6.8%	3.4%
15	3.4%	3.2%	2.9%	3.8%	2.8%	3.4%	5.5%	1.7%	2.2%	4.3%	4.5%	4.3%
16	6.0%	6.2%	5.8%	6.8%	6.2%	6.0%	6.1%	8.2%	4.3%	6.4%	6.8%	6.8%
17	8.1%	9.7%	9.0%	8.0%	10.6%	8.5%	9.4%	10.2%	9.1%	8.5%	6.8%	8.0%
18	7.3%	8.7%	8.4%	8.3%	9.0%	8.3%	5.5%	8.8%	10.0%	2.1%	4.5%	8.0%
19	6.6%	7.5%	6.2%	7.1%	7.7%	6.7%	4.4%	10.2%	7.3%	14.9%	6.8%	7.5%
20	16.8%	15.9%	15.6%	15.7%	16.2%	15.2%	12.2%	14.3%	15.3%	14.9%	13.6%	12.3%
21	14.4%	16.9%	14.7%	14.2%	18.6%	14.5%	14.4%	15.6%	13.6%	17.0%	25.0%	10.1%
22	11.2%	10.6%	10.3%	11.2%	10.6%	10.0%	10.5%	8.2%	9.5%	2.1%	13.6%	10.1%
23	6.5%	5.7%	6.8%	6.7%	4.9%	6.1%	8.8%	3.7%	6.9%	6.4%	2.3%	6.0%
TOT	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Although these frequencies are too long-term and wouldn't be ideal to be able to derive any meaningful insights, some recommendations could be:

- For Cuneo to play between 17:00 and 22:00
- For Tattaglia to play between 22:00 and 01:00

c. Sniper Hunters

Sniper hunter kills are the logs that match these filters:

- Killed Tier = 0 or 1
- Killer Tier ≠ 0 or 1 (To exclude sniper vs sniper kills)
- Killer Faction ID ≠ Killed Faction ID (To exclude team kills)
- Killer Name ≠ "N/A" (To exclude suicides and NPC deaths)

Name	Sniper Hunter kills	Faction
Renji_Corzetti	189	Cuneo
Kevin_Salerno	174	Cuneo
Calvin_Dinero	164	Tattaglia
Ralph_Toretto	150	Cuneo
Clayde_Cuneo	146	Cuneo
Lorenzo_Koizumi	131	Cuneo
Tyson_Salerno	121	Cuneo
Bjorgi_Cuneo	120	Cuneo
Brian_Morgan	115	Cuneo
Hakimi_Caruzo	114	Tattaglia
Jack_Kawasaki	112	Cuneo
Neo_Morgan	111	Cuneo
Kaspar_Vitali	109	Cuneo
Vinzy_Corzetti	108	Cuneo
Sharon_Riccio	99	Cuneo
Kyle_Cuneo	96	Cuneo
Ace_Alvarez	93	Cuneo
Kristo_Bucci	91	Cuneo
Bernd_Baustella	91	Tattaglia
Zirga_Galva	91	Tattaglia
Luca_Smoke	83	Cuneo
Kaan_Corzetti	82	Cuneo


Faction	Total Sniper Hunter Kills	Percentage
Cuneo	3479	69%
Tattaglia	1590	31%
Total	5069	100%

We can see that Cuneo players make up most of the Sniper Hunter leaderboard, and Cuneo in general have more than twice the number of Sniper Hunter kills.

d. Air deaths (deaths while flying, they are almost always registered as suicides)

In order to count the number of air deaths, I had to create a terrain elevation map to determine the Z coordinate value that separates the ground from the air. I added a buffer of 15 units to account for high-rise buildings and for errors in the calculation of the ground level.

Elevation map:



Air deaths table:

Name	Air deaths	Hours	Air deaths per hour
Calvin_Dinero	104	209.61	0.50
Renji_Corzetti	97	303.35	0.32
Kevin_Salerno	76	258.8	0.29
Ralph_Toretto	75	196.78	0.38
Martino_Gonzalez	59	133.3	0.44
Jason_McKamey	52	129.74	0.40
Ernesto_Dinero	52	190.72	0.27
Cruz_Tattaglia	43	334.06	0.13
Adam_Morgan	42	316.13	0.13
Thomas_Dinero	39	222.78	0.18
Clayde_Cuneo	37	169.6	0.22
Yami_Giovacchini	36	84.29	0.43
Kenji_Salerno	36	228.5	0.16
Ace_Alvarez	34	147.82	0.23
Bakar_Koizumi	32	324.06	0.10
Sharon_Riccio	28	190.94	0.15
Agazio_Bernardi	28	211.92	0.13
Sergio_Cacchione	28	238.7	0.12
Lorenzo_Koizumi	28	263.07	0.11
Kaan_Corzetti	27	160.91	0.17
Angel_Dinero	27	215.9	0.13
Elita_Cuneo	25	305.3	0.08
Zacaris_Marcellus	24	459.23	0.05
Bjorgi_Cuneo	24	168.64	0.14
Exor_Elarma	22	67.58	0.33
Lorenzo_Scarpelli	22	147.44	0.15
Pablo_Tattaglia	22	312.33	0.07
Brian_Morgan	21	88.38	0.24
Ron_Tattaglia	20	203.48	0.10
Boris_Bagarella	20	203.71	0.10


I combined the count of air deaths with the hours data to get a better idea of which players actually die in the air more relative to their time played.

Temporal Trends Analysis

I measured several metrics across time periods (usually days, weeks, or months) in order to identify trends over time.


a. Analysis of the Difference in Death Fees

I tracked the difference in death fees for every day of the event. We can see the interplay between the difference in the actual values (dollars) and the percentage difference between the two factions.



We can see that as the difference in millions increases, it becomes much harder to increase the percentage. Therefore, we would advise the factions to try to increase the difference in the early days of the event and avoid accumulating death fees as much as possible while also making sure the other side does.

We can observe this dynamic better in the following graph, where we can see it gets much harder to gain percentage as time goes on.



b. Daily and Weekly Kills, Deaths, Suicides, NPC deaths, and Distance to HQ

I calculated the totals at the end of every day. This can be analyzed further using Pivot Tables in Excel or manipulated directly in R. Below is a snippet of the result for Faction 2 (Tattaglia). I also did the same for individual players whenever such analysis was required.

Date	Kills	Deaths	Suicides	NPC deaths	KDR	Average Distance
17/01/2024	483	571	129	17	0.67	676.5
18/01/2024	300	311	80	11	0.75	1054.3
19/01/2024	58	24	8	3	1.66	1514.5
20/01/2024	346	304	59	5	0.94	1038.7
21/01/2024	505	405	76	7	1.03	825.7
22/01/2024	38	59	27	3	0.43	1920.5
23/01/2024	226	220	33	6	0.87	1548.0
24/01/2024	185	228	58	2	0.64	1412.5
25/01/2024	121	105	27	0	0.92	673.4
26/01/2024	173	189	23	6	0.79	1009.2
27/01/2024	146	135	8	3	1.00	1264.4
28/01/2024	121	116	15	4	0.90	683.7
29/01/2024	85	97	11	1	0.78	953.6
30/01/2024	156	162	26	0	0.83	1322.5
31/01/2024	177	207	27	2	0.75	1279.5
01/02/2024	129	205	37	1	0.53	1754.7

c. Daily Use of AK and M4 Weapons

Since AKs can be bought using in-game cash and M4s can only be bought using faction-points that require time and effort to make. I tracked their used for both factions to see how they evolved over the course of the event and see what conclusions could be made.


The table below shows the last days of the event and how these percentages could be used to obtain insights on a certain faction's gameplay strategy and a look into their stocks. For example, a low "M4 % of M4+AK" coincided with a high "M4+AK % of All" would indicate the faction is trying to conserve points by using less M4, but also playing actively. A low "M4+AK

% of All" would usually mean the faction is avoiding confrontations with the other faction and is therefore using less M4 and AK, weapons that are usually heavily used during fights.

Day	M4 kills	AK kills	Total kills	M4+AK kills	M4 % of M4+AK	M4% of All	M4+AK % of All
141	0	2	15	2	0	0	13.33
142	2	12	83	14	14.29	2.41	16.87
143	2	6	63	8	25	3.17	12.7
144	1	14	71	15	6.67	1.41	21.13
145	0	6	37	6	0	0	16.22
146	0	3	17	3	0	0	17.65
147	0	6	69	6	0	0	8.7
148	17	8	98	25	68	17.35	25.51
149	0	1	13	1	0	0	7.69
150	1	3	40	4	25	2.5	10
151	4	12	111	16	25	3.6	14.41
152	0	4	67	4	0	0	5.97
153	6	8	78	14	42.86	7.69	17.95
154	4	5	82	9	44.44	4.88	10.98
155	3	14	68	17	17.65	4.41	25
156	0	6	39	6	0	0	15.38
157	0	6	36	6	0	0	16.67
158	4	34	220	38	10.53	1.82	17.27
159	2	16	92	18	11.11	2.17	19.57
160	0	3	31	3	0	0	9.68
161	7	3	71	10	70	9.86	14.08
162	4	9	73	13	30.77	5.48	17.81
163	4	9	52	13	30.77	7.69	25
164	49	20	250	69	71.01	19.6	27.6

d. Comprehensive Weekly KDSN for All Players

I compiled a massive list with weekly stats for every player and used conditional formatting to track activity over the course of the event and to spot outliers.




Visualizations

a. Kills, Deaths, Suicides, and NPC deaths coordinates


I plotted KDSN coordinates and used several filters (specific times, tiers, weapons, scenarios, etc.) to get a better view of the game from a strategic standpoint, this was used to evaluate strategies and to improve planning.

I also used grids to quickly get KDSN and death fee stats for specific areas of the map. The map below is a bit hard to see because it contains the full 50,000 observations over the course of 6 months.

Green dots are the kills, red: deaths, yellow: suicides, and purple: NPC deaths.



Here is a zoomed in picture of 6 sections:



Kills and deaths by sniper only

