PoultryPro Farm Management System

Database and application flow

poultrypro	59	624	99
Database name	Tables	Columns	Foreign keys

Contents

1. The database at a glance 2
2. How the tables are organised 3
3. Full application flow 5
4. What each action writes 8
5. Roles and permissions 10
6. Rules the system enforces 11
7. Reference: all tables and columns 13

Generated 2 November 2026 from the live database schema. Row counts are the current sample data and change as the system is used.

1. The database at a glance

Database name	`poultrypro`
Local connection	Host `127.0.0.1`, port `3306`, user `root`, blank password (XAMPP default, local only)
Settings file	`.env` in the project folder. It cannot be reached from the web.
Manage it with	phpMyAdmin at `http://localhost/phpmyadmin`
Tested on	MariaDB 10.4.32, the version included with XAMPP. The SQL is written to suit MySQL 8 as well, but it has not been run on MySQL 8.
Storage	InnoDB tables, `utf8mb4_unicode_ci` character set

Database files in the project

File (in the `database` folder)	Use
`poultrypro_clean.sql`	Import this for a real installation: all tables plus only the base data.
`poultrypro_full.sql`	Import this to try the system: all tables plus five months of sample data.
`schema.sql`	The table definitions only.
`seed.sql`	The sample data only. Import it after `schema.sql`.
`migrations/2026_11_02_password_resets.sql`	Upgrades a database created before forgotten-password support. The import files already include it.

The idea behind the design

The database separates three things, and understanding them explains most of the system:

Kind of table	Examples	What it holds
Documents	`sales`, `purchases`, `mortality_records`, `expenses`	What a person entered. Each has a status such as draft, confirmed, posted or cancelled.
Ledgers	`bird_transactions`, `feed_transactions`, `financial_transactions`	Every effect of those documents, one row per effect. Rows are only ever added, never changed, so the history is complete.
Balances	`bird_inventory`, `feed_inventory`, `egg_inventory`	The current stock, updated in the same database transaction as its ledger row, and checked to never go below zero.

> **Why money figures can be trusted:** no total on the dashboard or in a report is typed in. Each one is added up from the ledgers, so any figure can be traced back to the document that caused it.

The ledgers

Ledger	Balance it supports	Measured in
`bird_transactions`	`bird_inventory`, `sheds.current_bird_count`	Birds, per batch and shed
`feed_transactions`	`feed_inventory`	Kilograms, per farm and product
`egg_transactions`	`egg_inventory`	Good eggs, per farm
`medicine_transactions`	`medicine_lots`	Doses or units, per lot
`product_transactions`	`products.stock_quantity`	Units, per product
`financial_transactions`	Account balances, profit and loss	Money, by entry type


2. How the tables are organised

The 59 tables fall into 10 groups. Section 7 lists every column.

Group	Tables	Tables in it
Users and access Who can sign in and what they may do.	8	`users`, `roles`, `permissions`, `role_permissions`, `user_farms`, `login_attempts`, `password_resets`, `activity_logs`
Farm structure The physical farm and its flocks.	3	`farms`, `sheds`, `batches`
Birds Current stock, and the history behind it.	6	`bird_inventory`, `bird_transactions`, `bird_transfers`, `bird_adjustments`, `mortality_reasons`, `mortality_records`
Feed Stock is always held in kilograms, per farm.	6	`units`, `feed_categories`, `feed_products`, `feed_inventory`, `feed_transactions`, `feed_consumption`
Eggs Only good eggs enter saleable stock.	4	`egg_production`, `egg_inventory`, `egg_transactions`, `egg_adjustments`
Medicine and vaccination Stock is held in lots so that expiry can be tracked.	7	`medicine_categories`, `medicines`, `medicine_lots`, `medicine_transactions`, `medicine_usage`, `vaccinations`, `vaccination_records`
Purchases and sales Documents with line items, plus the catalogue.	9	`suppliers`, `purchases`, `purchase_items`, `customers`, `sales`, `sale_items`, `product_categories`, `products`, `product_transactions`
Finance The source of every money figure in the application.	6	`accounts`, `account_transfers`, `payments`, `expense_categories`, `expenses`, `financial_transactions`
Employees Staff records.	3	`employees`, `attendance`, `salaries`
Website content What the public website shows.	7	`website_settings`, `content_blocks`, `testimonials`, `gallery`, `blog_posts`, `contact_messages`, `newsletter_subscribers`

How the main tables connect

Each arrow points from a parent to the records that belong to it. Only the main relationships are shown; every foreign key is listed in section 7.



Dark boxes are ledgers. Sales and expenses also link to payments and `financial_transactions`, through the same pattern shown for purchases. Those lines are left out to keep the picture readable.

3. Full application flow

This section follows the system from a web request through to reports. The order below is also the order to use when setting up a new farm.

3.1 What happens on every page request

Browser Requests a page → **Front controller** .htaccess sends everything to public/index.php, which starts the session → **Security** CSRF check, one-time form token, idle timeout → **Router** Matches the URL. Checks sign-in and permission → **Controller and service** Apply business rules in a transaction → **View** Returns the escaped page

Files outside `public/`, such as `.env`, `config/` and `storage/`, cannot be fetched from the web.

3.2 Signing in

Enter email and password admin/login → **Check lockout** login_attempts: 5 failures locks for 15 minutes → **Verify password** users.password_hash → **Start session** New session ID, 2-hour idle limit → **Dashboard** Menu shows only what the role allows

Forgotten password

Forgot password? Enter email. The reply is the same for every address → **Create link** password_resets stores a hash. Works once, for 60 minutes → **Email the link** On XAMPP it is shown on screen and written to mail.log → **Choose new password** At least 8 characters → **Sessions end** Old sessions sign out and any lockout is lifted

3.3 Setting up

Settings Currency, tax, alert levels → **Farms and sheds** farms, sheds, with capacity → **Users** users, user_farms → **Accounts** accounts, with opening balances → **Suppliers, customers** suppliers, customers → **Feed, medicine, staff** feed_products, medicines, vaccinations, employees

3.4 Placing a batch

Add batch Choose shed, quantity, optional price and supplier → **Check capacity** Refused if the shed lacks room → **Save batch** batches → **Add the birds** With a price: a confirmed purchase. Without: opening stock → **Update stock** bird_transactions, bird_inventory, sheds → **Schedule vaccinations** vaccination_records, from the programme

3.5 Daily farm operations

Staff enter these every day by choosing a *flock*, which is a batch in a particular shed. Entries cannot be edited. To correct one, cancel it and enter it again, so that the history stays complete.

Entry	What happens	Refused when
Mortality	Birds leave stock. Their average cost becomes a loss in profit and loss.	More than the birds present, a future date, or a date before the batch arrived
Feed consumption	Quantity is converted to kg and leaves stock. Feed used and wasted are costed at the average price.	More feed than the farm has in stock
Egg collection	Only good eggs enter stock. Damaged and broken eggs are recorded but not saleable.	A broiler batch, or a second entry for the same flock and date
Treatment	Medicine leaves the lot that expires first. The cost is charged to the batch.	Not enough unexpired stock
Vaccination given	Doses leave stock if a medicine is linked, and the next dose is scheduled if the plan repeats.	Not enough stock, or already given
Bird transfer	Birds leave one shed and enter another. The batch total and cost do not change.	Destination shed lacks room, or is the same shed
Bird adjustment	Stock goes up or down with a required reason. Saving it counts as approval. A reduction is charged at cost.	A reduction larger than the stock
Attendance	One entry per employee per day. Saving again updates it.	A future date

3.6 Buying: from order to stock

Purchase order Status draft. Nothing changes yet → **Confirm** Row locked. Refused if already confirmed → **Stock goes in** A ledger row per line → **Money recorded** financial_ transactions → **Supplier owed** Total less paid → **Record payment** Balance falls. Status unpaid, partial or paid

Line type	Stock effect	Recorded as
Chicks / birds	Added to the batch, in its first shed. Capacity is checked.	`inventory_purchase`, not in profit yet
Feed	Converted to kg. Average cost is updated.	`inventory_purchase`, not in profit yet
Medicine	Creates a new lot with its number and expiry date.	`inventory_purchase`, not in profit yet
Product for resale	Added to the product's stock.	`inventory_purchase`, not in profit yet
Equipment	None	`capex`, never in profit
Other	None	`opex`, reduces profit

3.7 Selling: from invoice to payment

Draft invoice Birds, eggs, feed or products. Nothing changes yet → **Confirm** Row locked. Refused if already confirmed → **Stock leaves** A ledger row per line. All lines succeed or none do → **Money recorded** Revenue, cost of goods, tax → **Customer owes** Total less paid → **Record payment** Print or download the invoice as PDF

The invoice discount is shared across the lines, so that each batch's revenue stays accurate. Tax is kept apart from revenue.

3.8 Payments and accounts

Payment entered Against one sale, purchase or expense → **Check amount** Cannot exceed what is outstanding → **payments** One new row → **financial_ transactions** Receipt or disbursement on the account → **Update document** paid_amount and payment_status

An account's balance is its opening balance, plus receipts and transfers in, less payments and transfers out. Moving money between your own accounts never affects profit.

3.9 Expenses and salaries

Add expense Category, amount, optional farm, batch and receipt → **Operational or capital?** Set by the category → **Post it** opex reduces profit. capex does not → **Pay now or later** Unpaid part stays listed

Pay salary Employee and month. Refused if that month is already paid → **Create expense** Under Employee Salaries → **Create payment** From the chosen account → **Save salary** salaries, linked to the expense

Receipts are stored outside the web folder and opened through a route that checks permission.

3.10 Cancelling safely

Cancel With an optional reason → **Check** Refused if already cancelled, or the stock has since been used → **Void payments** Money returns to the account → **Reverse stock** Opposite ledger rows, pointing back with reversal_of → **Reverse money** Negative financial rows → **Mark cancelled** History is kept. Nothing is deleted

3.11 Dashboard and reports

Ledgers and documents The recorded facts → **Filters** Date, farm, batch, customer or supplier → **Farm limits** Assigned farms only, applied in the query → **Dashboard or report** 12 figures, 7 charts, 15 reports → **Export** PDF, Excel or print

How profit is worked out

Revenue	Confirmed sales after discount, before tax
less **direct costs**	Feed eaten and wasted, medicine used, and the cost of birds, feed and products sold or lost
= Gross profit	
less **operating expenses**	Electricity, salaries, repairs and other running costs
= Net profit	
Shown apart, not in profit	Stock purchased, capital spending and sales tax collected

Batch profit is worked out differently: revenue less what was paid for the birds, feed and medicine used, and expenses charged to the batch. Birds still in stock are not valued in it.

3.12 The public website

Admin edits content website_settings, products, content_blocks, gallery, blog_posts, testimonials → **Visitor reads the site** Published items only → **Visitor sends a form** Contact, quote, inquiry or newsletter → **Spam checks** CSRF token, hidden field, 8 messages per hour per IP → **Saved** contact_messages, newsletter_subscribers → **Staff respond** Bell icon and Website > Messages. Not emailed

4. What each action writes

Every action below runs inside one database transaction: either all of its rows are saved, or none are. Most also add a row to `activity_logs`.

Action	Document tables	Stock ledger and balance	Money entry types
Add batch, no price	`batches`, `vaccination_records`	`bird_transactions` (opening), `bird_inventory`, `sheds`	None
Add batch, with price	`batches`, `purchases`, `purchase_items`, `vaccination_records`	`bird_transactions` (purchase), `bird_inventory`, `sheds`	`inventory_purchase`
Mortality	`mortality_records`	`bird_transactions`, `bird_inventory`, `sheds`	`cogs` (bird_mortality)
Bird transfer	`bird_transfers`	`bird_transactions` (two rows), `bird_inventory`, `sheds`	None

Action	Document tables	Stock ledger and balance	Money entry types
Bird adjustment	`bird_adjustments`	`bird_transactions`, `bird_inventory`, `sheds`	`cogs` (reductions only)
Feed consumption	`feed_consumption`	`feed_transactions`, `feed_inventory`	`cogs` (feed_consumed, feed_wastage)
Egg collection	`egg_production`	`egg_transactions`, `egg_inventory`	None
Egg damage	`egg_adjustments`	`egg_transactions`, `egg_inventory`	None
Treatment	`medicine_usage`	`medicine_transactions`, `medicine_lots`	`cogs` (medicine)
Vaccination given	`vaccination_records`, `medicine_usage`	`medicine_transactions`, `medicine_lots`	`cogs` (medicine)
Purchase, draft	`purchases`, `purchase_items`	None	None
Purchase, confirm	`purchases` (status)	Depends on the line type (section 3.6)	`inventory_purchase`, `capex`, `opex`
Sale, draft	`sales`, `sale_items`	None	None
Sale, confirm	`sales` (status)	The bird, egg, feed or product ledger and balance, per line	`revenue`, `cogs`, `tax_collected`
Payment	`payments`, and `paid_amount` on the document	None	`receipt` or `disbursement`
Expense	`expenses`, and `payments` if paid now	None	`opex` or `capex`, plus `disbursement` if paid
Salary	`salaries`, `expenses`, `payments`	None	`opex`, `disbursement`
Account transfer	`account_transfers`	None	`transfer_out`, `transfer_in`
Any cancel	Status set to cancelled or voided	Opposite rows with `reversal_of`	Negative rows with `reversal_of`

Money entry types

entry_type	Meaning	In profit?
`revenue`	Earned on a confirmed sale, after discount	Yes, adds
`cogs`	Cost of stock consumed, sold or lost	Yes, reduces
`opex`	Operating expense	Yes, reduces
`inventory_purchase`	Value moved into stock	No, until used or sold
`capex`	Capital spending	No
`tax_collected`	Sales tax held on invoices	No
`receipt`, `disbursement`	Money into or out of an account	No, these only move cash

entry_type	Meaning	In profit?
`transfer_in`, `transfer_out`	Money between your own accounts	No

5. Roles and permissions

Role	Farms	Purpose
Super Admin	All farms	Full access to every farm and module.
Farm Manager	Assigned farms	Runs the assigned farms: sheds, batches, stock, production and mortality.
Accountant	All farms	Purchases, sales, expenses, payments and financial reports.
Farm Staff	Assigned farms	Daily entries at the assigned farms: feed, eggs and mortality.
Viewer	All farms	Read-only access.

Permissions currently held by each role

M can view and change, **V** can view only, and a dash means no access. Super Admin always has full access. These can be changed under Administration > Roles.

Module	Super Admin	Farm Manager	Accountant	Farm Staff	Viewer
Dashboard	V	V	V	V	V
Farms	M	V	V	–	V
Sheds	M	M	–	–	V
Batches	M	M	V	–	V
Bird inventory	M	M	V	–	V
Feed stock and products	M	M	V	–	V
Feed consumption	M	M	–	M	V
Egg production	M	M	V	M	V
Mortality	M	M	–	M	V
Medicines and treatments	M	M	V	–	V
Vaccinations	M	M	–	–	V
Purchases	M	–	M	–	V
Sales	M	–	M	–	V
Expenses	M	–	M	–	V
Customers	M	–	M	–	V
Suppliers	M	–	M	–	V
Employees and attendance	M	V	V	–	V
Salaries	M	–	M	–	V
Payments	M	–	M	–	V

Module	Super Admin	Farm Manager	Accountant	Farm Staff	Viewer
Cash and bank accounts	M	–	M	–	V
Financial figures	V	–	V	–	V
Operational reports	V	V	V	–	V
Financial reports	V	–	V	–	V
Website CMS	M	–	–	–	–
Users	M	–	–	–	–
Roles and permissions	M	–	–	–	–
System settings	M	–	–	–	–
Activity log	V	–	–	–	–

How access is checked

Route Each admin route must name a permission → **Permission** role_permissions. Missing means a 403 page → **Farm limit** user_farms narrows lists and records → **Form choices** Values must be in the list this user may choose → **Service** Checks the farm again before posting

6. Rules the system enforces

Rule	How it is enforced
A document posts only once	Each ledger row has a UNIQUE `source_key`, such as `sale_item:42`, so the database itself rejects a second posting. The document is also locked and its status checked.
No duplicate form submissions	Each form carries a one-time token that the server refuses to accept twice. The button is also disabled on the first click.
All or nothing	Each action runs in one database transaction. A failure on any line rolls back the earlier lines.
No negative stock	Checked under a row lock before each change, with CHECK constraints in the database as a backstop.
Shed capacity	Checked for each batch, purchase and transfer, and a CHECK constraint on `sheds`.
Safe reversal	Cancelling writes opposite rows. It is refused if the stock has since been used, and cannot be repeated.
No double counting	Stock purchases reach profit only when consumed, sold or lost. Capital spending never does. A salary appears as exactly one expense.
Average costing	Birds, feed and products use a moving average. Medicine uses the actual cost of each lot, earliest expiry first, and expired lots are skipped.
Traceability	Each financial row records its `reference_type` and `reference_id`, plus its farm, batch and account where they apply.

Rule	How it is enforced
Master data is protected	Farms, customers and similar records in use cannot be deleted. Deleting others is a soft delete using `deleted_at`.

Security

Passwords	`password_hash()` and `password_verify()`. Reset tokens are stored only as a hash.
SQL injection	PDO prepared statements. Sort columns and filters come from fixed lists in code.
XSS	All output is escaped. Blog articles pass through an allow-list of safe HTML.
CSRF	A token is required on every form submission.
Uploads	File type is read from the content, names are random, and images are re-encoded. Nothing in the upload folder can run as a script.
Sessions	HttpOnly and SameSite cookies, a new ID at sign-in, a 2-hour idle limit, and sign-out after a password change.

Known limits

- There is no double-entry general ledger or balance sheet. Financial reporting is profit and loss, receivables, payables and account balances.
- Customers and suppliers have no opening-balance field, and each payment must be recorded against one document.
- The only email the system sends is the password reset link, and that has not been tested on a real mail server.

7. Reference: all tables and columns

Generated from the live database. PK primary key, UQ unique, IX indexed. The Links to column shows foreign keys. Rows are the current count.

Users and access

users

5 rows

Everyone who can sign in to the admin panel, with a hashed password and one role.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
role_id	int unsigned	No	IX	→ roles.id
name	varchar(120)	No		
email	varchar(160)	No	UQ	
phone	varchar(40)	Yes		
password_hash	varchar(255)	No		
avatar	varchar(255)	Yes		
status	enum('active','inactive')	No		
must_change_password	tinyint(1)	No		
password_changed_at	datetime	Yes		
last_login_at	datetime	Yes		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

roles

5 rows

The five roles, and whether each sees all farms or only assigned ones.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(60)	No		
slug	varchar(60)	No	UQ	
all_farms	tinyint(1)	No		
description	varchar(255)	Yes		
created_at	timestamp	No		
updated_at	timestamp	Yes		

permissions

51 rows

Each action that can be allowed, such as sales.view or sales.manage.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
slug	varchar(80)	No	UQ	
module	varchar(60)	No		
label	varchar(120)	No		
created_at	timestamp	No		

role_permissions

79 rows

Links roles to the permissions they hold.

Column	Type	Null	Key	Links to / notes
role_id	int unsigned	No	PK	→ roles.id
permission_id	int unsigned	No	PK	→ permissions.id

user_farms

2 rows

Links Farm Managers and Farm Staff to the farms they may work on.

Column	Type	Null	Key	Links to / notes
user_id	int unsigned	No	PK	→ users.id
farm_id	int unsigned	No	PK	→ farms.id

login_attempts

0 rows

Failed sign-ins, used to lock an account after repeated failures.

Column	Type	Null	Key	Links to / notes
id	bigint unsigned	No	PK	
email	varchar(160)	No	IX	
ip_address	varchar(45)	No	IX	
attempted_at	datetime	No		

password_resets

0 rows

Forgotten-password requests. Stores only a hash of each token.

Column	Type	Null	Key	Links to / notes
id	bigint unsigned	No	PK	
user_id	int unsigned	Yes	IX	→ users.id
email	varchar(160)	No	IX	
token_hash	char(64)	Yes	UQ	SHA-256 of the emailed token. NULL when the email matched no account.
ip_address	varchar(45)	No	IX	
requested_at	datetime	No		
expires_at	datetime	No		
used_at	datetime	Yes		

activity_logs

646 rows

Audit trail: who did what, on which record, from which IP address.

Column	Type	Null	Key	Links to / notes
id	bigint unsigned	No	PK	
user_id	int unsigned	Yes	IX	→ users.id
action	varchar(40)	No		
entity_type	varchar(60)	Yes	IX	
entity_id	bigint unsigned	Yes		
description	varchar(500)	Yes		
ip_address	varchar(45)	Yes		
created_at	timestamp	No	IX	

Farm structure

farms

2 rows

Each farm: code, location, manager, capacity and website visibility.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(160)	No		
code	varchar(30)	No	UQ	
location	varchar(255)	Yes		
manager_name	varchar(120)	Yes		
contact_phone	varchar(40)	Yes		
contact_email	varchar(160)	Yes		
capacity	int unsigned	No		
description	text	Yes		
image	varchar(255)	Yes		
is_public	tinyint(1)	No		
status	enum('active','inactive')	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

sheds

5 rows

Sheds on a farm, with maximum capacity and current bird count.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
farm_id	int unsigned	No	IX	→ farms.id
name	varchar(120)	No		
shed_number	varchar(30)	No		
shed_type	enum('broiler','layer')	No		
max_capacity	int unsigned	No		
current_bird_count	int unsigned	No		
status	enum('active','maintenance','inactive')	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

batches

6 rows

Each flock: breed, type, placement date, initial quantity and average bird cost.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
batch_code	varchar(40)	No	UQ	
name	varchar(120)	No		
farm_id	int unsigned	No	IX	→ farms.id
shed_id	int unsigned	No	IX	→ sheds.id Shed the batch was first placed in
breed	varchar(80)	Yes		
batch_type	enum('broiler','layer','breeder')	No		
purchase_date	date	No		
age_at_purchase_days	int unsigned	No		
initial_quantity	int unsigned	No		
supplier_id	int unsigned	Yes	IX	→ suppliers.id
purchase_price	decimal(12,2)	No		Per bird
avg_bird_cost	decimal(14,4)	No		Moving average, used for cost of birds sold or lost
expected_production_date	date	Yes		
status	enum('active','closed','cancelled')	No		
notes	text	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

Birds

bird_inventory

7 rows

Current balance: how many birds of a batch are in a shed.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
batch_id	int unsigned	No	IX	→ batches.id
shed_id	int unsigned	No	IX	→ sheds.id
farm_id	int unsigned	No	IX	→ farms.id
quantity	int	No		
updated_at	timestamp	Yes		

bird_transactions

298 rows

Ledger of every bird added or removed. Current stock is the sum of this.

Column	Type	Null	Key	Links to / notes
id	bigint unsigned	No	PK	
batch_id	int unsigned	No	IX	→ batches.id
shed_id	int unsigned	No	IX	→ sheds.id
farm_id	int unsigned	No	IX	→ farms.id
txn_date	date	No		
txn_type	enum, 8 values	No		
quantity	int	No		Signed: positive adds birds. Reversals carry the opposite sign and the same type.
balance_after	int	No		
unit_cost	decimal(14,4)	No		
reference_type	varchar(40)	No	IX	
reference_id	bigint unsigned	No		
source_key	varchar(100)	No	UQ	
reversal_of	bigint unsigned	Yes		
notes	varchar(255)	Yes		
created_by	int unsigned	Yes	IX	→ users.id
created_at	timestamp	No		

bird_transfers

1 rows

Moves of birds from one shed to another.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
batch_id	int unsigned	No	IX	→ batches.id
from_shed_id	int unsigned	No	IX	→ sheds.id
to_shed_id	int unsigned	No	IX	→ sheds.id
quantity	int unsigned	No		
transfer_date	date	No		
notes	varchar(255)	Yes		
status	enum('posted','cancelled')	No		
created_by	int unsigned	Yes		
created_at	timestamp	No		

bird_adjustments

0 rows

Approved increases or reductions, each with a required reason.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
batch_id	int unsigned	No	IX	→ batches.id
shed_id	int unsigned	No	IX	→ sheds.id
direction	enum('increase','reduction')	No		
quantity	int unsigned	No		
adjustment_date	date	No		
reason	varchar(255)	No		
status	enum('posted','cancelled')	No		
approved_by	int unsigned	Yes		
created_at	timestamp	No		

mortality_reasons

6 rows

List of causes of death to choose from.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(120)	No	UQ	
created_at	timestamp	No		
deleted_at	datetime	Yes		

mortality_records

280 rows

Daily dead-bird entries per batch and shed.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
record_date	date	No	IX	
farm_id	int unsigned	No	IX	→ farms.id
shed_id	int unsigned	No	IX	→ sheds.id
batch_id	int unsigned	No	IX	→ batches.id
reason_id	int unsigned	Yes	IX	→ mortality_reasons.id
quantity	int unsigned	No		
notes	varchar(255)	Yes		
status	enum('posted','cancelled')	No		
created_by	int unsigned	Yes		
created_at	timestamp	No		

Feed

units

4 rows

Units such as kg, 50 kg bag and tonne, with their kilogram value.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(60)	No		
symbol	varchar(20)	No	UQ	
kg_factor	decimal(12,4)	No		Kilograms in one unit
created_at	timestamp	No		
deleted_at	datetime	Yes		

feed_categories

2 rows

Groups of feed products.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(120)	No	UQ	
description	varchar(255)	Yes		
created_at	timestamp	No		
deleted_at	datetime	Yes		

feed_products

3 rows

Each feed, with its low-stock alert level and sale price.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
category_id	int unsigned	No	IX	→ feed_categories.id
supplier_id	int unsigned	Yes	IX	→ suppliers.id
default_unit_id	int unsigned	No	IX	→ units.id
name	varchar(160)	No		
sku	varchar(40)	Yes	UQ	
low_stock_kg	decimal(14,3)	No		
sale_price_kg	decimal(12,2)	No		
status	enum('active','inactive')	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

feed_inventory

3 rows

Current balance and average cost per kg, per farm and product.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
farm_id	int unsigned	No	IX	→ farms.id
feed_product_id	int unsigned	No	IX	→ feed_products.id
quantity_kg	decimal(14,3)	No		
avg_cost_kg	decimal(14,4)	No		
updated_at	timestamp	Yes		

feed_transactions

770 rows

Ledger of every kg in or out: purchase, consumption, wastage, sale.

Column	Type	Null	Key	Links to / notes
id	bigint unsigned	No	PK	
farm_id	int unsigned	No	IX	→ farms.id
feed_product_id	int unsigned	No	IX	→ feed_products.id
txn_date	date	No		
txn_type	enum, 5 values	No		
quantity_kg	decimal(14,3)	No		Signed
balance_after_kg	decimal(14,3)	No		
unit_cost	decimal(14,4)	No		
reference_type	varchar(40)	No	IX	
reference_id	bigint unsigned	No		
source_key	varchar(100)	No	UQ	
reversal_of	bigint unsigned	Yes		
notes	varchar(255)	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		

feed_consumption

386 rows

Daily feeding entries per batch and shed, with wastage and cost.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
record_date	date	No		
farm_id	int unsigned	No	IX	→ farms.id
shed_id	int unsigned	No	IX	→ sheds.id
batch_id	int unsigned	No	IX	→ batches.id
feed_product_id	int unsigned	No	IX	→ feed_products.id
unit_id	int unsigned	No	IX	→ units.id
quantity	decimal(14,3)	No		In the entered unit
quantity_kg	decimal(14,3)	No		
wastage_kg	decimal(14,3)	No		
unit_cost	decimal(14,4)	No		
total_cost	decimal(14,2)	No		
notes	varchar(255)	Yes		
status	enum('posted','cancelled')	No		
created_by	int unsigned	Yes		
created_at	timestamp	No		

Eggs

egg_production

242 rows

Daily collection per flock: total, good, damaged and broken.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
record_date	date	No		
farm_id	int unsigned	No	IX	→ farms.id
shed_id	int unsigned	No	IX	→ sheds.id
batch_id	int unsigned	No	IX	→ batches.id
total_eggs	int unsigned	No		
good_eggs	int unsigned	No		
damaged_eggs	int unsigned	No		
broken_eggs	int unsigned	No		
notes	varchar(255)	Yes		
status	enum('posted','cancelled')	No		
created_by	int unsigned	Yes		
created_at	timestamp	No		

egg_inventory

1 rows

Current count of saleable good eggs, per farm.

Column	Type	Null	Key	Links to / notes
farm_id	int unsigned	No	PK	→ farms.id
quantity	int	No		Saleable good eggs
updated_at	timestamp	Yes		

egg_transactions

294 rows

Ledger of every good egg in or out.

Column	Type	Null	Key	Links to / notes
id	bigint unsigned	No	PK	
farm_id	int unsigned	No	IX	→ farms.id
txn_date	date	No		
txn_type	enum, 4 values	No		
quantity	int	No		Signed
balance_after	int	No		
reference_type	varchar(40)	No	IX	
reference_id	bigint unsigned	No		
source_key	varchar(100)	No	UQ	
reversal_of	bigint unsigned	Yes		
notes	varchar(255)	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		

egg_adjustments

0 rows

Good eggs later removed from stock because of damage in store.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
farm_id	int unsigned	No	IX	→ farms.id
adjustment_date	date	No		
quantity	int unsigned	No		
reason	varchar(255)	No		
status	enum('posted','cancelled')	No		
created_by	int unsigned	Yes		
created_at	timestamp	No		

Medicine and vaccination

medicine_categories

2 rows

Groups of medicines.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(120)	No	UQ	
created_at	timestamp	No		
deleted_at	datetime	Yes		

medicines

4 rows

Each medicine or vaccine, with its unit and low-stock level.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
category_id	int unsigned	No	IX	→ medicine_categories.id
supplier_id	int unsigned	Yes	IX	→ suppliers.id
name	varchar(160)	No		
unit	varchar(30)	No		
low_stock_qty	decimal(14,3)	No		
status	enum('active','inactive')	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

medicine_lots

7 rows

Each received lot: lot number, expiry date, quantity and cost.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
farm_id	int unsigned	No	IX	→ farms.id
medicine_id	int unsigned	No	IX	→ medicines.id
lot_no	varchar(60)	Yes		
expiry_date	date	Yes	IX	
quantity	decimal(14,3)	No		
unit_cost	decimal(14,4)	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		

medicine_transactions

23 rows

Ledger of every dose in or out, per lot.

Column	Type	Null	Key	Links to / notes
id	bigint unsigned	No	PK	
lot_id	int unsigned	No	IX	→ medicine_lots.id
farm_id	int unsigned	No	IX	→ farms.id
medicine_id	int unsigned	No	IX	→ medicines.id
txn_date	date	No		
txn_type	enum('purchase','usage','adjustment')	No		
quantity	decimal(14,3)	No		Signed
unit_cost	decimal(14,4)	No		
reference_type	varchar(40)	No	IX	
reference_id	bigint unsigned	No		
source_key	varchar(100)	No	UQ	
reversal_of	bigint unsigned	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		

medicine_usage

16 rows

Treatment history: what was given to which batch, by which vet, at what cost.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
record_date	date	No		
farm_id	int unsigned	No	IX	→ farms.id
batch_id	int unsigned	No	IX	→ batches.id
medicine_id	int unsigned	No	IX	→ medicines.id
quantity	decimal(14,3)	No		
total_cost	decimal(14,2)	No		
veterinarian	varchar(120)	Yes		
diagnosis	varchar(255)	Yes		
notes	varchar(255)	Yes		
status	enum('posted','cancelled')	No		
created_by	int unsigned	Yes		
created_at	timestamp	No		

vaccinations

4 rows

The vaccination programme: what to give, at what age, and how often to repeat.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(160)	No		
disease	varchar(160)	Yes		
medicine_id	int unsigned	Yes	IX	→ medicines.id
batch_type	enum('all','broiler','layer','breeder')	No		
age_days	int unsigned	No		
repeat_days	int unsigned	Yes		
route	varchar(60)	Yes		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

vaccination_records

19 rows

Scheduled and given doses for each batch.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
batch_id	int unsigned	No	IX	→ batches.id
farm_id	int unsigned	No	IX	→ farms.id
vaccination_id	int unsigned	No	IX	→ vaccinations.id
scheduled_date	date	No		
given_date	date	Yes		
next_date	date	Yes		
doses	decimal(14,3)	Yes		
veterinarian	varchar(120)	Yes		
notes	varchar(255)	Yes		
status	enum('scheduled','given','missed','cancelled')	No	IX	
usage_id	int unsigned	Yes	IX	→ medicine_usage.id Stock consumed when given
created_by	int unsigned	Yes		
created_at	timestamp	No		
updated_at	timestamp	Yes		

Purchases and sales

suppliers

4 rows

Suppliers and what they supply.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(160)	No	IX	
contact_number	varchar(40)	Yes		
email	varchar(160)	Yes		
address	varchar(255)	Yes		
supplied_products	varchar(255)	Yes		
status	enum('active','inactive')	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

purchases

41 rows

Purchase orders (draft) and purchase invoices (confirmed).

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
purchase_no	varchar(30)	No	UQ	
supplier_invoice_no	varchar(60)	Yes		
supplier_id	int unsigned	No	IX	→ suppliers.id
farm_id	int unsigned	No	IX	→ farms.id
purchase_date	date	No	IX	
total_amount	decimal(14,2)	No		
paid_amount	decimal(14,2)	No		
status	enum('draft','confirmed','cancelled')	No	IX	draft is an open purchase order
payment_status	enum('unpaid','partial','paid')	No		
notes	varchar(500)	Yes		
confirmed_at	datetime	Yes		
cancelled_at	datetime	Yes		
cancel_reason	varchar(255)	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		
updated_at	timestamp	Yes		

purchase_items

45 rows

Lines on a purchase: chicks, feed, medicine, product, equipment or other.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
purchase_id	int unsigned	No	IX	→ purchases.id
item_type	enum, 6 values	No		
batch_id	int unsigned	Yes	IX	→ batches.id
feed_product_id	int unsigned	Yes	IX	→ feed_products.id
unit_id	int unsigned	Yes	IX	→ units.id
medicine_id	int unsigned	Yes	IX	→ medicines.id
product_id	int unsigned	Yes	IX	→ products.id
lot_no	varchar(60)	Yes		
expiry_date	date	Yes		
description	varchar(255)	No		
quantity	decimal(14,3)	No		
unit_price	decimal(14,4)	No		
line_total	decimal(14,2)	No		

customers

6 rows

Customers and their business details.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(160)	No	IX	
business_name	varchar(160)	Yes		
phone	varchar(40)	Yes		
email	varchar(160)	Yes		
address	varchar(255)	Yes		
status	enum('active','inactive')	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

sales

63 rows

Sales invoices with subtotal, discount, tax, total and amount paid.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
invoice_no	varchar(30)	No	UQ	
customer_id	int unsigned	No	IX	→ customers.id
farm_id	int unsigned	No	IX	→ farms.id
sale_date	date	No	IX	
subtotal	decimal(14,2)	No		
discount	decimal(14,2)	No		
tax_rate	decimal(6,3)	No		
tax_amount	decimal(14,2)	No		
grand_total	decimal(14,2)	No		
paid_amount	decimal(14,2)	No		
status	enum('draft','confirmed','cancelled')	No	IX	
payment_status	enum('unpaid','partial','paid')	No		
notes	varchar(500)	Yes		
confirmed_at	datetime	Yes		
cancelled_at	datetime	Yes		
cancel_reason	varchar(255)	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		
updated_at	timestamp	Yes		

sale_items

63 rows

Lines on an invoice: birds, eggs, feed or a product.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
sale_id	int unsigned	No	IX	→ sales.id
item_type	enum('bird','egg','feed','product')	No		
batch_id	int unsigned	Yes	IX	→ batches.id Required for birds; optional attribution for eggs
shed_id	int unsigned	Yes	IX	→ sheds.id
feed_product_id	int unsigned	Yes	IX	→ feed_products.id
product_id	int unsigned	Yes	IX	→ products.id
description	varchar(255)	No		
quantity	decimal(14,3)	No		
unit_price	decimal(14,4)	No		
line_total	decimal(14,2)	No		

product_categories

5 rows

Groups of products on the website.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(120)	No	UQ	
slug	varchar(140)	No	UQ	
sort_order	int	No		
created_at	timestamp	No		
deleted_at	datetime	Yes		

products

6 rows

Website catalogue, which can also be sold on invoices, with optional stock tracking.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
category_id	int unsigned	No	IX	→ product_categories.id
name	varchar(160)	No		
slug	varchar(180)	No	UQ	
summary	varchar(255)	Yes		
description	text	Yes		
image	varchar(255)	Yes		
price	decimal(12,2)	Yes		
price_unit	varchar(40)	Yes		
availability	enum, 4 values	No		
track_stock	tinyint(1)	No		
stock_quantity	decimal(14,3)	No		
avg_cost	decimal(14,4)	No		
is_published	tinyint(1)	No	IX	
sort_order	int	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

product_transactions

0 rows

Ledger of stock movements for products with tracking switched on.

Column	Type	Null	Key	Links to / notes
id	bigint unsigned	No	PK	
product_id	int unsigned	No	IX	→ products.id
txn_date	date	No		
txn_type	enum('purchase','sale','adjustment')	No		
quantity	decimal(14,3)	No		Signed
balance_after	decimal(14,3)	No		
unit_cost	decimal(14,4)	No		
reference_type	varchar(40)	No	IX	
reference_id	bigint unsigned	No		
source_key	varchar(100)	No	UQ	
reversal_of	bigint unsigned	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		

Finance

accounts

2 rows

Cash and bank accounts, with opening balances.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(120)	No		
account_type	enum('cash','bank')	No		
account_number	varchar(60)	Yes		
opening_balance	decimal(14,2)	No		
status	enum('active','inactive')	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

account_transfers

1 rows

Money moved between two of your own accounts.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
from_account_id	int unsigned	No	IX	→ accounts.id
to_account_id	int unsigned	No	IX	→ accounts.id
transfer_date	date	No		
amount	decimal(14,2)	No		
notes	varchar(255)	Yes		
status	enum('posted','cancelled')	No		
created_by	int unsigned	Yes		
created_at	timestamp	No		

payments

167 rows

Money received from customers or paid to suppliers and for expenses.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
payment_no	varchar(30)	No	UQ	
direction	enum('in','out')	No		
party_type	enum('customer','supplier','other')	No		
customer_id	int unsigned	Yes	IX	→ customers.id
supplier_id	int unsigned	Yes	IX	→ suppliers.id
sale_id	int unsigned	Yes	IX	→ sales.id
purchase_id	int unsigned	Yes	IX	→ purchases.id
expense_id	int unsigned	Yes	IX	→ expenses.id
account_id	int unsigned	No	IX	→ accounts.id
farm_id	int unsigned	Yes	IX	→ farms.id
payment_date	date	No	IX	
amount	decimal(14,2)	No		
method	enum, 5 values	No		
reference_no	varchar(80)	Yes		
notes	varchar(255)	Yes		
status	enum('posted','voided')	No		
voided_at	datetime	Yes		
void_reason	varchar(255)	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		

expense_categories

10 rows

Expense types, each marked operational or capital.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
name	varchar(120)	No	UQ	
expense_type	enum('operational','capital')	No		
description	varchar(255)	Yes		
created_at	timestamp	No		
deleted_at	datetime	Yes		

expenses

65 rows

Running costs and capital spending, with optional private receipts.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
expense_date	date	No	IX	
category_id	int unsigned	No	IX	→ expense_categories.id
farm_id	int unsigned	Yes	IX	→ farms.id
batch_id	int unsigned	Yes	IX	→ batches.id
description	varchar(255)	No		
amount	decimal(14,2)	No		
paid_amount	decimal(14,2)	No		
payment_status	enum('unpaid','partial','paid')	No		
receipt	varchar(255)	Yes		
status	enum('posted','cancelled')	No		
cancel_reason	varchar(255)	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		
updated_at	timestamp	Yes		

financial_transactions

1,388 rows

Ledger of every money effect. All reports and dashboards sum this.

Column	Type	Null	Key	Links to / notes
id	bigint unsigned	No	PK	
txn_date	date	No	IX	
entry_type	enum, 10 values	No		
sub_type	varchar(40)	Yes		
amount	decimal(14,2)	No		
account_id	int unsigned	Yes	IX	→ accounts.id
farm_id	int unsigned	Yes	IX	→ farms.id
batch_id	int unsigned	Yes	IX	→ batches.id
expense_category_id	int unsigned	Yes	IX	→ expense_categories.id
reference_type	varchar(40)	No	IX	
reference_id	bigint unsigned	No		
source_key	varchar(100)	No	UQ	
reversal_of	bigint unsigned	Yes		
description	varchar(255)	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		

Employees

employees

6 rows

Staff profiles: ID, designation, farm, salary and employment status.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
employee_code	varchar(30)	No	UQ	
farm_id	int unsigned	Yes	IX	→ farms.id
name	varchar(120)	No		
phone	varchar(40)	Yes		
email	varchar(160)	Yes		
address	varchar(255)	Yes		
designation	varchar(120)	Yes		
salary	decimal(12,2)	No		
joining_date	date	Yes		
status	enum, 4 values	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

attendance

72 rows

One attendance entry per employee per day.

Column	Type	Null	Key	Links to / notes
id	bigint unsigned	No	PK	
employee_id	int unsigned	No	IX	→ employees.id
attendance_date	date	No	IX	
status	enum('present','absent','leave','half_day')	No		
notes	varchar(255)	Yes		
created_by	int unsigned	Yes		
created_at	timestamp	No		
updated_at	timestamp	Yes		

salaries

30 rows

Salary payments, limited to one active payment per employee per month.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
employee_id	int unsigned	No	IX	→ employees.id
period	char(7)	No		YYYY-MM
basic_amount	decimal(12,2)	No		
allowances	decimal(12,2)	No		
deductions	decimal(12,2)	No		
net_amount	decimal(12,2)	No		
pay_date	date	No		
expense_id	int unsigned	Yes	IX	→ expenses.id
notes	varchar(255)	Yes		
status	enum('posted','cancelled')	No		
active_key	varchar(30)	Yes	UQ	employee:period while posted; NULL once cancelled, so a period can be re-paid
created_by	int unsigned	Yes		
created_at	timestamp	No		

Website content

website_settings

51 rows

Company details, hero text, statistics, SEO, footer and section visibility.

Column	Type	Null	Key	Links to / notes
setting_key	varchar(80)	No	PK	
setting_value	text	Yes		
updated_at	timestamp	Yes		

content_blocks

25 rows

Services, facilities, Why Choose Us items and farming process steps.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
block_type	enum('service','facility','why','process')	No	IX	
title	varchar(160)	No		
summary	varchar(500)	Yes		
icon	varchar(60)	Yes		
image	varchar(255)	Yes		
sort_order	int	No		
is_published	tinyint(1)	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

testimonials

3 rows

Customer feedback with ratings.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
customer_name	varchar(120)	No		
customer_title	varchar(120)	Yes		
image	varchar(255)	Yes		
feedback	text	No		
rating	tinyint unsigned	No		
is_published	tinyint(1)	No		
sort_order	int	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

gallery

12 rows

Photos and YouTube videos.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
title	varchar(160)	No		
category	enum, 5 values	No		
media_type	enum('image','video')	No		
image	varchar(255)	Yes		
video_url	varchar(255)	Yes		
is_published	tinyint(1)	No	IX	
sort_order	int	No		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

blog_posts

5 rows

Blog and news articles.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
title	varchar(200)	No		
slug	varchar(220)	No	UQ	
category	enum, 5 values	No		
excerpt	varchar(500)	Yes		
body	mediumtext	No		
image	varchar(255)	Yes		
author_id	int unsigned	Yes	IX	→ users.id
meta_title	varchar(200)	Yes		
meta_description	varchar(320)	Yes		
status	enum('draft','published')	No	IX	
published_at	datetime	Yes		
created_at	timestamp	No		
updated_at	timestamp	Yes		
deleted_at	datetime	Yes		

contact_messages

1 rows

Messages, quote requests and product inquiries sent from the website.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
message_type	enum('contact','quote','inquiry')	No		
product_id	int unsigned	Yes	IX	→ products.id
name	varchar(120)	No		
email	varchar(160)	Yes		
phone	varchar(40)	Yes		
subject	varchar(200)	Yes		
message	text	No		
ip_address	varchar(45)	Yes	IX	
is_read	tinyint(1)	No	IX	
created_at	timestamp	No		
deleted_at	datetime	Yes		

newsletter_subscribers

0 rows

Email addresses from the footer signup form.

Column	Type	Null	Key	Links to / notes
id	int unsigned	No	PK	
email	varchar(160)	No	UQ	
created_at	timestamp	No		
deleted_at	datetime	Yes		