Regression Test Result (STG)

Browser: chrome

Browser Version: 39.0

Operating System: OS X 10.10 Sat Apr 01 16:50:38 EDT 2017

FAILED TESTS			
Class	Method	Time (ms)	Exception

TestSigninPage	testWithInvalidEmailAndIn	2123	org.openqa.selenium.Web
	ValidPassword		DriverException: unknown error: keys should be a
			string
			(Session info: chrome=57.0.2987.98)
			(Driver info:
			chromedriver=2.28.455517 (2c6d2707d8ea850c862f0
			4ac066724273981e88f),pl
			atform=Mac OS X 10.10.5 x86 64) (WARNING: The
			server did not provide any
			stacktrace information) Command duration or
			timeout: 403 milliseconds
			Build info: version: '2.50.0', revision:
			'1070ace4650453d518aeb
			03e7a9a36c9d264a8e7', time: '2016-01-27 10:46:18'
			System info: host:
			'Muhammads- MBP.domain.actdsltmp', ip:
			'10.146.155.145', os.name:
			'Mac OS X', os.arch: 'x86_64', os.version:
			'10.11.6', java.version:
			'1.8.0_77' Driver info:
			org.openqa.selenium.remo
			te.RemoteWebDriver Capabilities
			[{applicationCacheEnabled
			=false, rotatable=false, networkConnectionEnable
			d=false,
			mobileEmulationEnabled=f alse,
			chrome={chromedriverVers ion=2.28.455517
			(2c6d2707d8ea850c862f0
			4ac066724273981e88f), userDataDir=/var/folders/5
			n/qvrkkll11sg_5xwc5_qcx4
			c40000kr/T/.org.chromium. Chromium.kpN5nL},
			takesHeapSnapshot=true,
			pageLoadStrategy=normal, hasMetadata=true,
			hasTouchScreen=false,
			handlesAlerts=true, databaseEnabled=false,
			version=57.0.2987.98,
			platform=MAC, browserConnectionEnable
			d=false, nativeEvents=true,
			acceptSslCerts=true, webdriver.remote.sessioni
			d=dcdbe7c08fd842a19284
			1e39734dda27, locationContextEnabled=tr
			ue,
			webStorageEnabled=true, takesScreenshot=true,
			browserName=chrome,
			javascriptEnabled=true, cssSelectorsEnabled=true,
			unexpectedAlertBehaviour
			=}] Session ID:
			dcdbe7c08fd842a192841e
			39734dda27[SCREEN SHOT]

PASSED TESTS							
Class	Method	Priority	Time (ms)	Exception			
TestSigninPage	testWithEmptyEmailAndE mptyPassword	0	8984				
TestSigninPage	testWithEmptyEmailAndVa lidPassword	0	5145				
TestSigninPage	testWithInValidEmailAndV alidPassword	0	5134				
TestSigninPage	testWithValidEmailAndEm ptyPassword	0	4938				
TestSigninPage	testWithValidEmailAndInV alidPassword	0	6007				
TestSigninPage	testWithValidEmailAndValidPassword	0	9768				

EXCEPTIONS SUMMARY

org.openqa.selenium.WebDriverException: unknown error: keys should be a string

(Session info: chrome=57.0.2987.98) (Driver info: chromedriver=2.28.455517

(2c6d2707d8ea850c862f04ac066724273981e88f),platform=Mac OS X 10.10.5 x86_64)

(WARNING: The server did not provide any stacktrace information)

Command duration or timeout: 403 milliseconds

Build info: version: '2.50.0', revision: '1070ace4650453d518aeb03e7a9a36c9d264a8e7', time:

'2016-01-27 10:46:18'

System info: host: 'Muhammads-MBP.domain.actdsltmp', ip: '10.146.155.145', os.name:

'Mac OS X', os.arch: 'x86_64', os.version: '10.11.6', java.version: '1.8.0_77'

Driver info: org.openqa.selenium.remote.RemoteWebDriver

Capabilities [{applicationCacheEnabled=false, rotatable=false,

networkConnectionEnabled=false, mobileEmulationEnabled=false,

chrome={chromedriverVersion=2.28.455517

(2c6d2707d8ea850c862f04ac066724273981e88f),

userDataDir=/var/folders/5n/qvrkkll11sg_5xwc5_qcx4c40000kr/T/.org.chromium.Chromium.

kpN5nL}, takesHeapSnapshot=true, pageLoadStrategy=normal, hasMetadata=true,

hasTouchScreen=false, handlesAlerts=true, databaseEnabled=false, version=57.0.2987.98,

 $\textbf{platform=MAC}, \ \textbf{browserConnectionEnabled=false}, \ \textbf{nativeEvents=true}, \ \textbf{acceptSslCerts=true}, \ \textbf{acceptSslCer$

webdriver.remote.sessionid=dcdbe7c08fd842a192841e39734dda27,

locationContextEnabled=true, webStorageEnabled=true, takesScreenshot=true,

browserName=chrome, javascriptEnabled=true, cssSelectorsEnabled=true,

unexpectedAlertBehaviour=}]

Session ID: dcdbe7c08fd842a192841e39734dda27

sun.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)

sun.reflect. Native Constructor Accessor Impl.new Instance (Native Constructor Accessor Impl. java: 62)

sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.j

ava:45)

java.lang.reflect.Constructor.newInstance(Constructor.java:423)

org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:206)

```
org.openga.selenium.remote.ErrorHandler.throwlfResponseFailed(ErrorHandler.java:158)
org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678)
org.openga.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:327)
org.openga.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:122)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.lang.reflect.Method.invoke(Method.java:498)
org.openga.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingEleme
ntHandler.java:51)
com.sun.proxy.$Proxy8.sendKeys(Unknown Source)
pages.SigninPage.signin(SigninPage.java:42)
tests.TestSigninPage.testWithInvalidEmailAndInValidPassword(TestSigninPage.java:75)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.lang.reflect.Method.invoke(Method.java:498)
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
org.testng.internal.Invoker.invokeMethod(Invoker.java:661)
org.testng.internal.Invoker.invokeTestMethod(Invoker.java:869)
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1193)
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:126)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
org.testng.TestRunner.privateRun(TestRunner.java:744)
org.testng.TestRunner.run(TestRunner.java:602)
org.testng.SuiteRunner.runTest(SuiteRunner.java:380)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:375)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:340)
org.testng.SuiteRunner.run(SuiteRunner.java:289)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1301)
org.testng.TestNG.runSuitesLocally(TestNG.java:1226)
org.testng.TestNG.runSuites(TestNG.java:1144)
org.testng.TestNG.run(TestNG.java:1115)
org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:295)
org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:84)
org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:90)
org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBoote
r.java:203)
org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:155)
```

org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:103)