Default test Result (STG)

Browser: chrome

Browser Version: 39.0

Operating System: OS X 10.10 Sat Apr 01 16:48:43 EDT 2017

FAILED TESTS			
Class	Method	Time (ms)	Exception

TestSigninPage	testWithInvalidEmailAndIn ValidPassword	5223	org.openqa.selenium.Web DriverException: unknown
	valideassword		error: keys should be a string
			(Session info: chrome=57.0.2987.98)
			(Driver info: chromedriver=2.28.455517
			(2c6d2707d8ea850c862f0 4ac066724273981e88f),pl
			atform=Mac OS X 10.10.5 x86_64) (WARNING: The
			server did not provide any stacktrace information)
			Command duration or timeout: 512 milliseconds
			Build info: version: '2.50.0', revision:
			'1070ace4650453d518aeb 03e7a9a36c9d264a8e7',
			time: '2016-01-27 10:46:18' System info: host:
			'Muhammads- MBP.domain.actdsltmp', ip:
			'10.146.155.145', os.name: 'Mac OS X', os.arch:
			'x86_64', os.version: '10.11.6', java.version:
			'1.8.0_77' Driver info:
			org.openqa.selenium.remo te.RemoteWebDriver
			Capabilities [{applicationCacheEnabled
			=false, rotatable=false, networkConnectionEnable
			d=false, mobileEmulationEnabled=f
			alse, chrome={chromedriverVers ion=2.28.455517
			(2c6d2707d8ea850c862f0 4ac066724273981e88f),
			userDataDir=/var/folders/5 n/qvrkkll11sg_5xwc5_qcx4
			c40000kr/T/.org.chromium. Chromium.HzrNaa},
			takesHeapSnapshot=true, pageLoadStrategy=normal,
			hasMetadata=true, hasTouchScreen=false,
			handlesAlerts=true, databaseEnabled=false,
			version=57.0.2987.98, platform=MAC,
			browserConnectionEnable d=false, nativeEvents=true,
			acceptSslCerts=true, webdriver.remote.sessioni
			d=77112ed19a304a01a2f3 61d0e9ab393d,
			locationContextEnabled=true,
			webStorageEnabled=true, takesScreenshot=true, browserName=chrome,
			javascriptEnabled=true, cssSelectorsEnabled=true,
			unexpectedAlertBehaviour =
			Session ID: 77112ed19a304a01a2f361
			d0e9ab393d[SCREEN SHOT]
	1	ļ.	12.10.1

EXCEPTIONS SUMMARY

org.openqa.selenium.WebDriverException: unknown error: keys should be a string

(Session info: chrome=57.0.2987.98)

(Driver info: chromedriver=2.28.455517

(2c6d2707d8ea850c862f04ac066724273981e88f),platform=Mac OS X 10.10.5 x86_64)

(WARNING: The server did not provide any stacktrace information)

Command duration or timeout: 512 milliseconds

Build info: version: '2.50.0', revision: '1070ace4650453d518aeb03e7a9a36c9d264a8e7', time:

'2016-01-27 10:46:18'

System info: host: 'Muhammads-MBP.domain.actdsltmp', ip: '10.146.155.145', os.name:

'Mac OS X', os.arch: 'x86_64', os.version: '10.11.6', java.version: '1.8.0_77'

Driver info: org.openga.selenium.remote.RemoteWebDriver

Capabilities [{applicationCacheEnabled=false, rotatable=false,

networkConnectionEnabled=false, mobileEmulationEnabled=false,

chrome={chromedriverVersion=2.28.455517

(2c6d2707d8ea850c862f04ac066724273981e88f),

userDataDir=/var/folders/5n/qvrkkll11sg_5xwc5_qcx4c40000kr/T/.org.chromium.Chromium.

HzrNaa}, takesHeapSnapshot=true, pageLoadStrategy=normal, hasMetadata=true,

hasTouchScreen=false, handlesAlerts=true, databaseEnabled=false, version=57.0.2987.98,

 $platform = \textbf{MAC}, \ browser \textbf{C}onnection \textbf{E} nable \textbf{d} = \textbf{false}, \ native \textbf{E} vents = \textbf{true}, \ accept \textbf{S} s \textbf{I} \textbf{C} erts = \textbf{true}, \ accept \textbf{S} s \textbf{I} \textbf{C} erts = \textbf{true}, \ accept \textbf{S} s \textbf{I} \textbf{C} erts = \textbf{true}, \ accept \textbf{S} s \textbf{I} \textbf{C} erts = \textbf{true}, \ accept \textbf{S} s \textbf{I} \textbf{C} erts = \textbf{true}, \ accept \textbf{S} s \textbf{I} \textbf{C} erts = \textbf{true}, \ accept \textbf{S} s \textbf{I} \textbf{C} erts = \textbf{C} erts =$

webdriver.remote.sessionid=77112ed19a304a01a2f361d0e9ab393d,

locationContextEnabled=true, webStorageEnabled=true, takesScreenshot=true,

browserName=chrome, javascriptEnabled=true, cssSelectorsEnabled=true,

unexpectedAlertBehaviour=}]

Session ID: 77112ed19a304a01a2f361d0e9ab393d

sun.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)

sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

java.lang.reflect.Constructor.newInstance(Constructor.java:423)

org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:206)

org.openga.selenium.remote.ErrorHandler.throwlfResponseFailed(ErrorHandler.java:158)

org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:678)

org.openga.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:327)

org.openga.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:122)

sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

java.lang.reflect.Method.invoke(Method.java:498)

org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)

```
com.sun.proxy.$Proxy10.sendKeys(Unknown Source)
pages.SigninPage.signin(SigninPage.java:42)
tests.TestSigninPage.testWithInvalidEmailAndInValidPassword(TestSigninPage.java:75)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.lang.reflect.Method.invoke(Method.java:498)
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:108)
org.testng.internal.lnvoker.invokeMethod(Invoker.java:661)
org.testng.internal.lnvoker.invokeTestMethod(Invoker.java:869)
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1193)
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:126)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)
org.testng.TestRunner.privateRun(TestRunner.java:744)
org.testng.TestRunner.run(TestRunner.java:602)
org.testng.SuiteRunner.runTest(SuiteRunner.java:380)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:375)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:340)
org.testng.SuiteRunner.run(SuiteRunner.java:289)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1301)
org.testng.TestNG.runSuitesLocally(TestNG.java:1226)
org.testng.TestNG.runSuites(TestNG.java:1144)
org.testng.TestNG.run(TestNG.java:1115)
org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:126)
```

org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:152)

org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:57)