

WINDOWS AND DOORS COLLECTION

ASG 102 Series Sliding Window and Door:

Designed to Open Up the Way You Live

The Atelier Classic Series 102 is a robust aluminium sliding door and window system designed for wide openings and contemporary Australian homes.

Its slim aluminium framing and large glazed panels maximise natural light while maintaining a clean, architectural appearance. A precision-engineered sliding track provides smooth and reliable operation, making the system ideal for connecting living areas with patios, gardens, balconies and pool areas.

Product Range	Atelier Classic
Series	Series 102
Product Type	Aluminium sliding doors and windows
Configuration Shown	Four-panel sliding system with central locking hardware
Compliance	AS 2047 and AS 1288
Aluminium Grade	6063-T5 aluminium
Profile Thickness	2.0 mm
System / Structure Width	102 mm
Standard Glazing Option 1	5 mm toughened glass + 12 mm air gap + 5 mm toughened glass
Standard Glazing Option 2	6 mm toughened glass + 12 mm air gap + 6 mm toughened glass
Additional Glazing	Other glass configurations available to suit project requirements
Hardware	Doric locking and operating hardware
Insect-Screen Options	Aluminium mesh, fibreglass mesh, stainless-steel mesh or retractable screen
Standard Frame Colours	Matt Black, Monument and Pure White
Custom Colours	Available to order
Suitable Applications	Living areas, patios, balconies, pool areas and large residential openings

ASG 102 Series Awning Windows:

Natural Light Without Compromising Ventilation

The Atelier Classic Series 102 Awning Window combines expansive fixed glazing with practical operable panels. The result is a refined architectural window that brings natural light and broad views into the home while still providing controlled airflow when required.

Its strong aluminium framing, double-glazing options and dependable Doric hardware make it a versatile solution for modern Australian residential projects.

Product Range	Atelier Classic
----------------------	-----------------



Series	Series 102
Product Type	Aluminium awning window system
Configuration Shown	Two side awning sashes with central fixed glazing and fixed lower panels
Aluminium Profile	6063-T5 aluminium
Profile Thickness	2.0 mm
System Width	102 mm
Glazing Option 1	5 mm toughened glass + 12 mm air gap + 5 mm toughened glass
Glazing Option 2	6 mm toughened glass + 12 mm air gap + 6 mm toughened glass
Other Glazing Options	Available subject to project and performance requirements
Hardware	Doric awning-window hardware
Insect-Screen Options	Aluminium mesh, fibreglass mesh, stainless-steel mesh or retractable flyscreen
Standard Frame Colours	Matt Black, Monument and Pure White
Custom Frame Colours	Special powder-coated colours available to order
Suitable Applications	Living rooms, bedrooms, stairwells, hallways and feature elevations
Operation	Outward-opening awning sash
Ventilation	Controlled ventilation through side awning panels

ASG 102 Series Casement Doors/Windows:

A Clean Transition Between Indoors and Out

The Atelier Classic Series 102 Casement Door introduces natural light and open views through a refined full-height glazed design. Its slim aluminium framing and minimal hardware create a modern architectural appearance, while the robust profile and double-glazing options provide strength and dependable performance.

Designed for residential projects, the door can be customised in size, glazing, hardware, flyscreen and frame colour to complement the surrounding architecture. The Series 102 Casement Door is ideal for balconies, courtyards, pool areas, side access points and residential living spaces. Available with Kinlong hardware, optional flyscreens and a selection of standard or customised powder-coat colours, each door can be configured to suit the project.

Product Range	Atelier Classic
Series	Series 102
Product Type	Aluminium casement door
Aluminium Profile	6063-T5 aluminium
Profile Thickness	2.0 mm
System / Structure Width	102 mm
Glazing Option 1	5 mm toughened glass + 12 mm air gap + 5 mm toughened glass
Glazing Option 2	6 mm toughened glass + 12 mm air gap + 6 mm toughened glass
Additional Glazing Option:	Available to suit project and performance requirements



Hardware	Kinlong lever handle and locking hardware
Flyscreens	Aluminium mesh, fibreglass mesh, stainless-steel mesh or retractable flyscr
Standard Frame Colours	Matt Black, Monument and Pure White
Custom Frame Colours	Special powder-coated colours available to order
Suitable Applications	Balconies, patios, courtyards, pool areas, side access and living spaces
Operation	Side-hinged casement operation

ASG102 Pocket Sliding Window and Door:

Designed to Disappear

The Atelier Classic Series 102 Pocket Sliding System allows the glazed panel to slide completely into the adjoining wall cavity, leaving the opening clear and uninterrupted.

This concealed design is ideal for projects seeking a stronger connection between indoor and outdoor living spaces without sacrificing valuable floor area. When closed, the large glazed panel introduces natural light and expansive views. When opened, the panel disappears discreetly from sight.

Product Range	Atelier Classic
Series	Series 102
Product Type	Pocket sliding window and door
Operation	Sliding panel retracts into a concealed wall cavity
Aluminium Profile	6063-T5 aluminium
Profile Thickness	2.0 mm
System / Structure Width	102 mm
Glazing Option 1	5 mm toughened glass + 12 mm air gap + 5 mm toughened glass
Glazing Option 2	6 mm toughened glass + 12 mm air gap + 6 mm toughened glass
Additional Glazing Option	Available to suit project and performance requirements
Hardware Options	Top China Brand or Australian Doric hardware
Flyscreens	Aluminium mesh, fibreglass mesh, stainless-steel mesh or retractable flyscreen
Standard Frame Colours	Matt Black, Monument and Pure White
Custom Frame Colours	Special powder-coated colours available to order
Suitable Applications	Living rooms, balconies, patios, courtyards, pool areas and entertaining spaces

ASG102 Glass Louvres:

Ventilation Designed Around the Space

The Atelier Classic Series 102 Glass Louvre Window allows airflow to be adjusted according to changing weather and ventilation requirements.



Its horizontal glass blades can be partially or fully opened to capture passing breezes while maintaining a clean architectural appearance. The system is particularly suited to bathrooms, kitchens and living areas where natural ventilation is required without sacrificing daylight.

Product Range	Atelier Classic
Series	Series 102
Product Type	Aluminium-framed glass louvre window
Operation	Manual handle louvre mechanism
Aluminium Profile	6063-T5 aluminium
Profile Thickness	2.0 mm
System / Structure Width	102 mm
Louvre Blades	Horizontal adjustable glass blades
Standard Blade Glass	5 mm toughened glass
Hardware	Manual Kinlong brand louvre operator and blade-control mechanism
Standard Frame Colours	Matt Black, Monument and Pure White
Custom Frame Colours	Special powder-coated colours available to order
Suitable Applications	Bathrooms, kitchens, laundries, hallways, stairwells and living spaces

ASG102 Thermal Break Sliding Doors/Windows:

Expansive Openings. Improved Thermal Performance.

The Atelier Signature Series 102 Thermal Break Sliding System is designed for projects requiring expansive glazing with improved thermal performance.

An insulating barrier separates the internal and external aluminium sections, reducing direct heat transfer through the frame. When combined with suitable double glazing, this can improve internal comfort, reduce unwanted heat gain or loss and help minimise condensation on the interior frame surface.

The result is a strong, refined sliding system that supports large openings while maintaining smooth operation and a clean contemporary appearance.

Product Range	Atelier Signature
Series	Series 102 Thermal Break
Product Type	Thermal break sliding doors and windows
Thermal Barrier	Insulating polyamide barrier separating the internal and external aluminium section
Aluminium Grade	6063-T5 aluminium
Profile Thickness	2.0 mm
System / Structure Width	102 mm
Operation	Horizontal sliding panels on a precision track
Glazing Option 1	5 mm toughened glass + 12 mm air gap + 5 mm toughened glass
Glazing Option 2	6 mm toughened glass + 12 mm air gap + 6 mm toughened glass



Additional Glazing	Available to suit project and performance requirements
Hardware	Doric sliding and locking hardware
Flyscreens	Aluminium mesh, fibreglass mesh, stainless-steel mesh or retractable flyscreen
Standard Frame Colours	Matt Black, Monument and Pure White
Custom Frame Colours	Special powder-coated colours available to order
Suitable Applications	Living areas, dining rooms, balconies, patios, pool areas and large architectural openings

ASG102 Thermal Break Casement Door:

A Refined Door with Improved Thermal Performance.

The Atelier Signature Series 102 Thermal Break Casement Door creates a light-filled connection between internal and external spaces while providing improved insulation through its thermally separated aluminium frame.

When combined with suitable double glazing, the system can help reduce unwanted heat transfer, improve indoor comfort and minimise condensation on the internal frame surface. Its strong construction, clean sightlines and dependable hinged operation make it a versatile choice for modern Australian homes.

Product Range	Atelier Signature
Series	Series 102 Thermal Break
Product Type	Full-height thermal break casement door
Operation	Side-hinged door opening inward or outward, subject to configuration
Frame Construction	Thermally broken aluminium framing
Thermal Barrier	Insulating polyamide barrier separating the internal and external aluminium sections
Aluminium Profile	6063-T5 aluminium
Profile Thickness	2.0 mm
System / Structure Width	102 mm
Glazing Option 1	5 mm toughened glass + 12 mm air gap + 5 mm toughened glass
Glazing Option 2	6 mm toughened glass + 12 mm air gap + 6 mm toughened glass
Additional Glazing Options	Available to suit project and performance requirements
Hardware	Kinlong lever handle, hinges and locking hardware
Flyscreens	Aluminium mesh, fibreglass mesh, stainless-steel mesh or retractable flyscreen
Standard Frame Colours	Matt Black, Monument and Pure White
Custom Frame Colours	Special powder-coated colours available to order
Suitable Applications	Balconies, patios, courtyards, side access, pool areas and living spaces

ASG102 Thermal Break Awning Window:

Designed for Light, Air and Everyday Comfort



The Atelier Signature Series 102 Awning Window opens outward from the bottom to introduce fresh air while maintaining a streamlined appearance.

Its robust aluminium framing, double-glazing options and dependable Doric hardware make it a versatile solution for contemporary residential projects. The system can be customised in size, glazing, flyscreen and frame colour to complement the surrounding architecture.

Product Range	Atelier Signature
Series	Series 102 Thermal Break
Product Type	Full-height thermal break Aluminium awning window
Operation	Top-hinged sash opening outward from the bottom
Extrusion Profile	6063-T5 aluminium
Profile Thickness	1.8 mm
System / Structure Width	102 mm
Glazing Option 1	5 mm toughened glass + 12 mm air gap + 5 mm toughened glass
Glazing Option 2	6 mm toughened glass + 12 mm air gap + 6 mm toughened glass
Other Glazing Options	Available to suit project and performance requirements
Frame Construction	Thermally broken aluminium framing
Thermal Barrier	Insulating polyamide barrier separating the internal and external aluminium sections
Hardware	Doric operating and locking hardware
Flyscreens	Aluminium mesh, fibreglass mesh, stainless-steel mesh or retractable flyscreen
Standard Frame Colours	Matt Black, Monument and Pure White
Custom Frame Colours	Special powder-coated colours available to order
Suitable Applications	Bedrooms, kitchens, bathrooms, laundries, living areas, hallways and feature elevations

ASG86 Sliding Doors and Windows:

Practical Sliding Performance for Everyday Living

The Atelier Classic Series 86 Sliding System provides a clean and space-efficient solution for connecting living areas with balconies, patios, gardens and other outdoor spaces.

Its sliding panels operate without projecting into the room, making the system particularly suitable where furniture placement or limited floor area must be considered. Generous glazing introduces natural light and open views, while the durable aluminium frame and double-glazing options provide dependable everyday performance.



Product Range	Atelier Classic
Series	Series 86
Product Type	Aluminium sliding doors and windows
Operation	Horizontal sliding panels operating along an aluminium track
Extrusion Profile	6063-T5 aluminium
Profile Thickness	1.6 mm
System / Structure Width	86 mm
Standard Glazing	5 mm toughened glass + 9 mm air gap + 5 mm toughened glass
Other Glazing Options	Available to suit project and performance requirements
Hardware Options	Siegenia or Doric sliding and locking hardware
Flyscreens	Aluminium mesh, fibreglass mesh, stainless-steel mesh or retractable flyscreen
Standard Frame Colours	Matt Black, Monument and Pure White
Custom Frame Colours	Special powder-coated colours available to order
Suitable Applications	Living areas, bedrooms, balconies, patios, courtyards and residential entertaining spaces

ASG86 Awning Windows:

Practical Ventilation. Clean Contemporary Design.

The Series 86 Awning Window provides a practical way to introduce fresh air and natural light into the home. Its top-hinged design allows the sash to open outward from the bottom, delivering controlled ventilation while maintaining a clean architectural finish.

With durable aluminium framing, double-glazing options and dependable Doric hardware, the Series 86 is suited to a wide range of contemporary Australian residential applications.

Product Range	Atelier Classic
Series	Series 86
Product Type	Aluminium awning window
Operation	Top-hinged sash opening outward from the bottom
Extrusion Profile	6063-T5 aluminium
Profile Thickness	1.6 mm
System / Structure Width	86 mm
Standard Glazing	5 mm toughened glass + 9 mm air gap + 5 mm toughened glass
Other Glazing Options	Available to suit project and performance requirements
Hardware	Doric operating and locking hardware
Flyscreens	Aluminium mesh, fibreglass mesh, stainless-steel mesh or retractable flyscreen
Standard Frame Colours	Matt Black, Monument and Pure White
Custom Frame Colours	Special powder-coated colours available to order
Suitable Applications	Bedrooms, kitchens, bathrooms, laundries, living areas, hallways and feature elev



ASG75 Folding Doors:

Fold Back the Boundary

The Series 75 Folding Door System allows multiple glazed panels to fold and stack compactly at the edge of the opening, creating a broad connection between internal living spaces and the outdoors.

When closed, the glazed panels provide natural light and clear views. When opened, the system reduces the obstruction across the doorway and allows living, dining and entertaining areas to function as one connected space.

Its durable aluminium construction, double glazing and dependable folding hardware make it a practical choice for contemporary Australian homes.

Product Range	Atelier Classic
Series	Series 75
Product Type	Aluminium folding door system
Operation	Multiple hinged panels fold and stack to the side of the opening
Extrusion Profile	6063-T5 aluminium
Profile Thickness	1.8 mm
System / Structure Width	75 mm
Standard Glazing	5 mm toughened glass + 12 mm air gap + 5 mm toughened glass
Flyscreens	0.5 mm folding aluminium flyscreen
Hardware	LSMA
Standard Frame Colours	Matt Black, Monument and Pure White
Configuration Options	Multi-panel folding arrangements subject to opening dimensions and project requirements
Opening Direction	Inward or outward folding, subject to the selected configuration
Suitable Applications	Living areas, dining rooms, patios, balconies, courtyards and covered alfresco areas

ASG101 Hung Windows:

Vertical Ventilation. Timeless Design.

The Series 101 Hung Window provides natural ventilation through a practical vertical sliding design. Because the sash remains within the plane of the window, it does not interfere with internal furnishings, external walkways or surrounding landscaping.

Its double-glazed construction, durable aluminium framing and refined proportions make it a versatile solution for contemporary Australian homes as well as projects seeking a more traditional window style.

Product Range	Atelier Classic
----------------------	-----------------



Series	Series 101
Product Type	Aluminium hung window
Operation	Vertical sliding sash operation
Configuration Options	Single-hung or double-hung, subject to project requirements
Extrusion Profile	6063-T5 aluminium
Profile Thickness	1.5 mm
System / Structure Width	101 mm
Standard Glazing	5 mm toughened glass + 12 mm air gap + 5 mm toughened glass
Other Glazing Options	Available to suit project and performance requirements
Flyscreens	Aluminium mesh, fibreglass mesh, stainless-steel mesh or retractable flyscreen
Standard Frame Colours	Matt Black, Monument and Pure White
Suitable Applications	Bedrooms, kitchens, living areas, hallways, upper-storey rooms and residential elevations

ASG120 Sunroom/Skylight:

Architecture Shaped by Natural Light

The Series 120 transforms patios, courtyards and underused external areas into protected, light-filled spaces that can be enjoyed throughout the year.

Its roof and wall glazing introduces natural light from multiple directions, while the robust aluminium framing supports a range of architectural shapes and panel configurations. Fixed and operable glazing can be combined to balance daylight, ventilation, weather protection and internal comfort.

Every skylight or sunroom is custom designed to integrate with the surrounding structure and respond to the specific environmental and performance requirements of the project.

Product Range	Atelier Signature
Series	Series 120
Product Type	Aluminium skylight and sunroom glazing system
Suitable Configurations	Skylights, glazed roofs, sunrooms, winter gardens and enclosed patios
Extrusion Profile	6063-T5 aluminium
Profile Thickness	3.0 mm
System / Structure Width	120 mm
Standard Glass Configuration	5 mm toughened glass + 1.14 mm PVB interlayer + 5 mm Laminated toughened safety glass
Other Glazing Options	Available to suit project and performance requirements
Roof Configuration	Fixed glazing with optional selected operable roof vents
Wall Configuration	Fixed glazing with optional sliding, awning, casement or other operable panels
Frame Finishes	Powder-coated finishes selected to suit the project



Manufacture

Custom manufactured to approved dimensions and shop drawings

ASG39PRO Ultra Narrow Panoramic Door (Forefront for Signature Luxe – Feature Product)

Minimal Frame. Maximum View.

The Ultra-Slim Panoramic Sliding System reduces the vertical interlock to just 20 mm, creating a refined transition between adjoining glass panels and preserving the surrounding outlook.

Large-format insulated glazing introduces natural light and a greater sense of openness, while premium pulley hardware supports smooth and controlled panel movement. The result is a highly refined sliding system designed for contemporary architecture where uninterrupted views and minimal framing are central to the design.

Product Range	Atelier Signature
Product Type	Ultra-slim panoramic sliding doors and windows
Operation	Large-format horizontal sliding panels
Vertical Interlock Visible Width	20 mm
Outer Frame Visible Width	50 mm
Top Rail Visible Width	60 mm
Aluminium Profile Thickness	2.0–5.0 mm
Standard Glazing	8 mm ultra-clear glass + 22 mm air gap + 8 mm ultra-clear glass
Glass Type	Insulated ultra-clear glazing
Other Glazing Options	Available to suit project, thermal, acoustic and structural requirements
Thermal Component	Polycarbonate thermal-insulation material
Pulley Options	POM pulley set or 304 stainless-steel pulley set
Declared Acoustic Performance	Up to 35 dB sound insulation, subject to configuration
Declared Thermal Performance	1.2–1.8 W/(m ² ·K), subject to glazing and configuration
Maximum Sliding Panel Area	Up to 12 m ²
Maximum Fixed Panel Area	Up to 18 m ²
Air-Tightness Classification	Class 5
Wind-Resistance Classification	Class 10
Water-Tightness Classification	Class 5
Available Frame Colours	Skin Black, Hepburn Black Grey, Starry Grey and Simba Coffee
Suitable Applications	Premium homes, apartments, villas, large living areas, balconies and architectural openings