

Reference Section

MUHAMMAD KHALLAD AHMAD

 Quick Submit

 Quick Submit

 University of Central Punjab, Lahore

Document Details

Submission ID

trn:oid::1:3456637641

Submission Date

Jan 13, 2026, 11:12 AM GMT+5

Download Date

Jan 13, 2026, 11:37 AM GMT+5

File Name

BigData_project_report.docx

File Size

193.5 KB

7 Pages

807 Words

4,559 Characters

*% detected as AI

AI detection includes the possibility of false positives. Although some text in this submission is likely AI generated, scores below the 20% threshold are not surfaced because they have a higher likelihood of false positives.

Caution: Review required.

It is essential to understand the limitations of AI detection before making decisions about a student's work. We encourage you to learn more about Turnitin's AI detection capabilities before using the tool.

Disclaimer

Our AI writing assessment is designed to help educators identify text that might be prepared by a generative AI tool. Our AI writing assessment may not always be accurate (i.e., our AI models may produce either false positive results or false negative results), so it should not be used as the sole basis for adverse actions against a student. It takes further scrutiny and human judgment in conjunction with an organization's application of its specific academic policies to determine whether any academic misconduct has occurred.

Frequently Asked Questions

How should I interpret Turnitin's AI writing percentage and false positives?

The percentage shown in the AI writing report is the amount of qualifying text within the submission that Turnitin's AI writing detection model determines was either likely AI-generated text from a large-language model or likely AI-generated text that was likely revised using an AI paraphrase tool or word spinner.

False positives (incorrectly flagging human-written text as AI-generated) are a possibility in AI models.

AI detection scores under 20%, which we do not surface in new reports, have a higher likelihood of false positives. To reduce the likelihood of misinterpretation, no score or highlights are attributed and are indicated with an asterisk in the report (*%).

The AI writing percentage should not be the sole basis to determine whether misconduct has occurred. The reviewer/instructor should use the percentage as a means to start a formative conversation with their student and/or use it to examine the submitted assignment in accordance with their school's policies.

What does 'qualifying text' mean?

Our model only processes qualifying text in the form of long-form writing. Long-form writing means individual sentences contained in paragraphs that make up a longer piece of written work, such as an essay, a dissertation, or an article, etc. Qualifying text that has been determined to be likely AI-generated will be highlighted in cyan in the submission, and likely AI-generated and then likely AI-paraphrased will be highlighted purple.

Non-qualifying text, such as bullet points, annotated bibliographies, etc., will not be processed and can create disparity between the submission highlights and the percentage shown.





PROJECT REPORT

Assessing Emoji Semantic Drift

Name	Registration No
Muhammad Khallad Ahmad	L1F22BSDS0021
Fazal Elahi	L1F22BSDS0033
M Azhar Sajjad	L1F22BSDS0020

Course

Big Data Analytics

Instructor/Supervisor

Sir Muhammad Rizwan

Faculty of Information Technology (FOIT)

Department of Data Science

Emoji Semantic Drift Analysis Report

1. Introduction

Emojis help us show what we're feeling, what we mean, and they add a little extra context that plain text just cannot add. But their meanings do not stay the same forever. Culture changes, people use different platforms, and suddenly an emoji can mean something totally new.

In this study, we are looking at how emoji meanings shift over time. We are using tweet embeddings and cosine similarity to look for these changes and comparing how emojis are used in different time periods.

However due to limitation of dataset not having real timestamps, we created simulated time slices for 2024 and 2025, to test out the method and see how well the drift in emoji semantic happens.

2. Dataset Description

We obtained Twitter Emoji sentiment dataset from Kaggle. The dataset had 43 csv files and each csv file was named as Emoji name mentioned below (e.g backhand_index_pointing_right.csv). And every csv file contained tens of thousand of tweets, the total of all CSV files combined came to **734286** tweets

Data set after cleaning and preprocessing had the following 3 columns.

- emoji: emoji unicode
- tweet: cleaned tweet text
- time_slice: simulated year (2024 or 2025)

Emojis Included in the Study

The analysis includes the following emojis:

- 👉 backhand_index_pointing_right
- ✅ check_mark
- ✅ check_mark_button
- 🤡 clown_face
- 🍳 cooking
- 🥚 egg
- 😡 enraged_face
- 👁 eyes
- 🙄 face_holding_back_tears
- 😋 face_savoring_food

 face_with_steam_from_nose
 face_with_tears_of_joy
 fearful_face
 fire
 folded_hands
 ghost
 grinning_face_with_sweat
 hatching_chick
 hot_face
 loudly_crying_face
☐ melting_face
 middle_finger
 party_popper
 partying_face
 pile_of_poo
 rabbit / rabbit_face
 red_heart
 rolling_on_the_floor_laughing
☐ saluting_face
 skull
 smiling_face
 smiling_face_with_halo
 smiling_face_with_heart_eyes
 smiling_face_with_hearts
 smiling_face_with_sunglasses
☐ smiling_face_with_tear
 sparkles
 sun
 thinking_face
 thumbs_up
 white_heart
 winking_face

- The final merged dataset which we refer to as **master_df** in our code implementation had **734286** tweets. All these tweets were unique.


3. Methodology

1. We converted the tweets into vector representations using sentence embeddings.
2. For each emoji and time slice, we computed **average embedding**.
3. Then we measured the **Cosine similarity** between the embeddings of consecutive time slices:

$$\text{Drift} = \text{cosine}(t1, t2)$$

4. Lower cosine similarity means higher semantic drift.

5. Visualization Interpretation



Observed Results (from the plot)

- For every emojis the cosine similarity values were in the range of approximately **0.835 to 0.870**.
- The data points for all the emoji appear vertically aligned, this is due to **single transition (2024 → 2025)**.
- Not a single Emoji showed extreme semantic drift.

Emoji-wise Interpretation

- **Highly Stable Emojis ($\approx 0.86 - 0.87$)**

Examples:

-  red_heart
-  thumbs_up
-  face_with_tears_of_joy
-  smiling_face
-  smiling_face_with_sunglasses

These emojis had consistent semantic usage across all the contexts, in all the tweets.

- **Moderately Variable Emojis ($\approx 0.84 - 0.85$)**

Examples:

-  clown_face
-  middle_finger
-  pile_of_poo
-  enraged_face

Because these emojis appear in more diverse or sarcastic contexts, they showed slightly lower similarity. Which suggested that their semantics tends to drift.

- **Emotion-Heavy Emojis ($\approx 0.85 - 0.86$)**

Examples:

- Loudly_crying_face
- face_holding_back_tears
- smiling_face_with_tear

Emotional nuance tends to make the usage of above Emojis in according to the context or the feelings of user using them. Hence we can say that Emoji which are associated with emotions show mild semantic drift.

5. Key Findings

- **No strong semantic drift** is observed for any emoji in our dataset.
- All the emojis showed **high semantic stability**, which is expected due to:
 - Artificial time slicing
 - Random data split

6. Limitations

- Time slices are **simulated**, not real.
- Real-world semantic drift requires:
 - Multiple real temporal intervals (e.g., yearly data)
 - Context evolution over long periods

7. Conclusion

Even though the simulated time slices in our experiment did not suggest much drift, the method still does a good job highlighting which emojis stay stable and which ones change meaning more often.

Emojis like ❤️, 👍, and 😂 tend to stick to their core meanings, **while emojis like 🤪 and 🙌 shift around a lot depending on context and feelings of the person posting them.**

8. Future Work

Our experiment lacked the dataset obtained from real timeline (for example, we should have all the tweets from 2020, 2021 and so on) in order to examine the real world drift of meanings. We also lacked computational capabilities to do so.

In future we can obtain high computing capabilities and with availability of funds we can also buy Twitter API to scrape the data of our choice and of high quality.

9. References

- **Modeling Semantic Drift of Emoji:** This study shows how the meanings of emojis shift as people use them differently over time and how different platforms display them in their own ways. [\[ACL Anthology\]](#)