

NEVADA CRITICAL CARE CONSULTANTS

PULMONARY OFFICE

715 MALL RING CIRCLE, SUITE 205 HENDERSON, NEVADA 89014

PHONE # 702-483-6200

FAX # 702-483-6202

EPWORTH SLEEPINESS SCALE

PATIENT NAME: _____ DOB: _____ DATE: _____

This questionnaire was developed to determine the level of daytime sleepiness in individuals. It has become one of the most frequently used methods for determining a person's average level of daytime sleepiness.

Please rate how likely you are to doze or fall asleep in the following situations by selecting the response that best applies. If you have not done some of these activities recently, select what would most likely happen if you were in that situation.

0	Would Never doze	1	Slight chance of dozing	2	Moderate chance of dozing	3	High chance of dozing
						CHANCE OF DOZING	
Sitting and Reading							
Watching TV							
Sitting inactive in a public place (e.g., a theater or a meeting)							
As a Passenger in a car for an hour without a break							
Lying Down to Rest in the afternoon when circumstances permit							
Sitting and Talking to someone							
Sitting quietly after a Lunch without Alcohol							
In a car, while stopped for a few minutes in traffic							
Total Score:							

Interpreting Epworth Sleepiness Scale Scores		
Normal	EDS	High Levels of EDS
0 - 10	> 10	> 16

Sources: 1. Johns M, Hocking B. Excessive daytime sleepiness: daytime sleepiness and sleep habits of Australian workers. Sleep. 1997;20(10):844-849. 2. Johns MW. A new method for measuring daytime sleepiness: the Epworth sleepiness scale. Sleep. 1991;14(6):540-545. This copyrighted material is used with permission granted by the Associated Professional Sleep Societies—April 2018.

Unauthorized copying, printing, or distribution of this material is strictly prohibited.

*Excessive daytime sleepiness.

© 2018 Jazz Pharmaceuticals. All rights reserved. Printed in USA. US-OSA-0015 Rev0318