

Ů Š Ā Ŵ Ă Ě Š Ž Ÿ Ź Ÿ Ğ

დავით, ზუგდიდში

Ź ŵ ĐZ † Ğđ Ǻ ĞŶ ĐĜŝ Ž ĐǺđŽ ũǺŁ

$\chi^{\circ} \acute{H}_i$, $\underline{\psi}^{\circ} \grave{H}\check{Y}$ $\overset{\circ}{\text{?}}\grave{A}_i \grave{H}$ `` $\underline{\psi}^{\check{J}}$ $\text{?}\Delta$?? , ?

$\frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(x) e^{-ixy} dx = \hat{f}(y)$

"... / ... [?] [?] ...
[?] [?] [?] [?] [?]

1. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

ÄËĞŦZĚŠĞĚ

[illegible]
$$g\dot{H}^{\circ}\tilde{A}_{\square}''\boxtimes G'_{\alpha o}\boxtimes\tilde{A}_{\square}\underline{y}$$

ZŽŮGŮVĚLJ

$\zeta \quad , \quad ' \quad - \quad f \quad ? \quad \sim \quad , \quad v \quad x \quad - \quad ? \quad v \quad - \quad , \quad ' \quad ? \quad u \quad '' \quad ? \quad ^\circ \quad v \quad , \quad ;$

$gH^{\circ} \tilde{A}_\bullet'' \boxtimes G' \rightarrow G \boxtimes \tilde{A} \xrightarrow{\psi}$

s ŽďAdZ ůĎL zÐΘ žŷ

1. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

$g\acute{H}^{\circ}\tilde{A}_{\square}''\boxtimes\circ'\tau G\boxtimes\tilde{A}\wr$

:ŝŌĖǺ|| Ǽ ĞǺĖŝŶŌ

B^a T v v ? v / ? x ? v ? ? / / ? u . ? " y v ? " , ? ? v , ? ? - , , :

$$g\dot{H}^{\circ}\tilde{A}_{\square}''\boxtimes_{\mathcal{O}}'\mathcal{G}\tilde{A}\boxtimes_{\mathcal{O}}'$$