
Operations on Sets

(Venn Diagram)

Sets









jee LIVE daily 3.0



Sameer Chincholikar B.Tech, M.Tech - IIT-Roorkee

- **⊘ 10+** years Teaching experience
- Taught 1 Million+ Students
- **100+** Aspiring Teachers Mentored


























livedaily.me/jee



Unacademy Subscription







- **+** LIVE Polls & Leaderboard
- **LIVE Doubt** Solving
- + LIVE Interaction







Performance Analysis

- Weekly Test Series
- DPPs & Quizzes

♣ India's **BEST** Educators

Unacademy Subscription
















If you want to be the **BEST** "Learn" from the **BEST**















Top Results



























Ashwin Prasanth 99.94

Tanmay Jain 99.86

Kunal Lalwani 99.81

Utsav Dhanuka 99.75

Aravindan K Sundaram 99.69

Manas Pandey 99.69

Mihir Agarwal 99.63

Akshat Tiwari 99.60



Sarthak Kalankar 99.59



99.58

Devashish Tripathi 99.52



Maroof

99.50



Tarun Gupta 99.50



Siddharth Kaushik 99.48



Mihir Kothari 99.39



Sahil 99.38



Vaibhav Dhanuka 99.34



Pratham Kadam 99.29



Shivam Gupta 99.46



Shrish 99.28



Yash Bhaskar 99.10



99.02



Avush Kale 98.85



Ayush Gupta 98.67




Megh Gupta 98.59



Naman Goyal 98.48



MIHIR PRAJAPATI 98.16







LET'S BEGIN!!










VENN DIAGRAM


Most of the relationships between sets can be represented by means of diagrams which are known as **venn diagrams**.

Example:





Operation on Sets







1

Union of two sets: $A \cup B = \{x : x \in A \text{ or } x \in B\}$ e.g: $A = \{1/2, 3\}, B = \{2, 3/4\} \text{ then } A \cup B = \{1, 2, 3, 4\}$

U A B

 $A \cup B$






2

Intersection of two sets: $A \cap B = \{x : x \in A \text{ and } x \in B\}$

e.g: A = $\{1, 2, 3\}$, B = $\{2, 3, 4\}$ then A \cap B = $\{2, 3\}$








3

Complement of a set : A' = $\{x : x \notin A \text{ but } x \in U \}$

e.g: $U = \{1, 2,10\}, A = \{1, 2, 3, 4, 5\}$ then $A' = \{6, 7, 8, 9, 10\}$










4

Difference of two sets: A - B = $\{x : x \in A \text{ and } x \notin B\}$.


It is also written as $A \cap B'$

e.g: A =
$$\{1, 2, 3\}$$
, B = $\{2, 3, 4\}$; A - B = $\{1\}$

Similarly $B - A = B \cap A'$



$$A - B$$



$$A - B = A - (ADB)$$

$$= ADB'$$






5

Symmetric difference of two sets:

It is denoted by $\underline{A} \triangle \underline{B}$ and $\overline{A} \triangle \underline{B} = (A - B) \cup (B - A)$





$$(A \triangle B) = (A - B) \cup (B - A)$$

$$A \Delta S = (A \cup S) - (A \cap B)$$






6

Disjoint sets : If $A \cap B = \phi$, then A and B are disjoint

e.g: $A = \{1, 2, 3, 4\}, B = \{6, 7, 8, 9\} \text{ then } A \cap B = \emptyset$



Disjoint

Let $A = \{x : x \text{ is a prime factor of 240}\}$

 $B = \{x : x \text{ is the sum of any two prime factors of 240}\}$

Then

$$A = \{2,3,5\}$$

$$B = \{5, 8, 7\}$$



Let $X = \{(x, y, z) \mid x, y, z \in N. x + y + z = 10, x < y < z\}$ and

$$Y = \{(x, y, z) \mid x, y, z \in \mathbb{N}, y = |x - z|\}$$
 then $X \cap Y$ is equal to

$$\begin{cases} x = 1; J = 2; z = 7 \\ x = 1; J = 3; z = 6 \\ x = 1; J = 4; z = 5 \\ x = 2; z = 3; z = 5 \end{cases}$$

$$X = \{(1,2,7), (1,3,6), (1,4,5), (2,3,5)\}$$

$$Y = \{(x, 4, 3) \cdot J = |x - 3|, x, 4, 3 \in \mathbb{N} \}$$

$$X \cap Y = \{ (1,4,5), (2,3,5) \}$$

If U =
$$\{x : x^5 - 6x^4 + 11x^3 - 6x^2 = 0\},$$

 $A = \{x : x^2 - 5x + 6 = 0\}$ and $B = \{x : x^2 - 3x + 2 = 0\}$

what is $(A \cap B)$ ' equal to?

A. {1, 3}

B. {1, 2, 3} **C.** {0, 1, 3} **D.** {0, 1, 2, 3}

$$\frac{x^{5}-6x^{4}+11x^{3}-6x^{2}=0}{x^{2}(x^{3}-6x^{2}+11x-6)=0}$$

jee

$$\chi^{3} - 6\chi^{2} + 11\chi - 6 = 0$$


$$A = \{2, 3\}$$

$$n^{2}(x-1)-5n(n-1)+6(n-1)=9$$

$$= \{ 1/2 \}$$

$$(x-1)(n^2-5n+6)=0$$

 $(x-1)(n-2)(n-3)=0$



Let U be a Universal set and n(U) = 12.


If $A, B \subseteq U$ are such that n(B) = 6 and $n(A \cap B) \neq 2$ then $n(A \cup B')$ is equal to

A. 6

B. 10

C. 7

D. 8



$$n(AUB') = 12 - 4$$

= (8)

Find A - (A - B) if A = $\{5, 9, 13, 17, 21\}$ and B = $\{3, 6, 9, 12, 15, 18, 21, 24\}$

$$(A-B)= \frac{5}{5}, 13, 17\frac{5}{5}$$

$$A - (A - B) = 39,213$$





Let P(X) denote the power set of a set X. For any two sets A and B, if P(A) = P(B), then


A. AUB= $A\Delta B$

B. A=B

C.
$$A \cap B = G$$

C.
$$A \cap B = \emptyset$$
 D. $A \triangle B = \emptyset$

ABB



ANR how all values

$$ADB = (AUB) - (ADB)$$

$$= A - A = \emptyset$$



If $A = \{1, 2, 3, 4\}$, $B = \{1, 2, 5, 6\}$, $C = \{2, 7, 8, 9\}$ and $D = \{2, 4, 8, 9\}$, then $(A \triangle B) \triangle (C \triangle D) =$


$$B = \{(1,2),$$

$$(ADB)D(CDD) = \{3,5,6,7\}$$





Let $S = \{1, 2, 3, 4, 5, 6, 7, 8, 9\}$ and $A = \{2, 3, 4, 5, 6\}$. Then the number of subsets B of S such that $A \triangle B = \{5\}$ is







A, B, C are three finite sets such that $A \cap B \cap C$ has 10 elements. If the sets A Δ B, B Δ C and C Δ A have 100, 150 and 200 elements, respectively, then the number of elements in A U B U C is




A. 450

B. 225

E. 235

D. 215



$$n(A \land B) = a + 3 + b + 7 = 100$$

 $n(B \land C) = x + b + C + 3 = 150$
 $n(C \land A) = a + x + C + 7 = 200$
 $+ 32(a + b + C + x + 4 + 7 = 450$

yjee

$$(a+b+c+x+j+j)=225$$

$$+10$$

$$+10$$

$$+10$$

$$+10$$

$$+10$$

$$+10$$



Let $X = \{1, 2, 3, 4, 5\}$. The number of different ordered pairs (Y, Z) that can be formed such that $Y \subseteq X$, $Z \subseteq X$ and $Y \cap Z$ is empty is




A. 5^2


B. 3⁵

 $C. 2^5$

D. 5^3



$$3 \times 3 \times 3 \times 3 \times 3 = 0$$
 $S_{4} = \{2, 4\}$
 $Z_{7} = \{2, 4\}$
 $Z_{7} = \{1, 4\}$





Let **S** = {1, 2, 3, 4}. The total number of unordered pairs of disjoint subsets of S is equal to

A. 25

B. 34

C. 42

D. 41





Daily | TIMETABLE





Namo Sir | Physics

6:00 - 7:30 PM



Ashwani Sir | Chemistry

7:30 - 9:00 PM



Sameer Sir | Maths

9:00 - 10:30 PM

12th



Jayant Sir | Physics

1:30 - 3:00 PM




Anupam Sir | Chemistry

3:00 - 4:30 PM



Nishant Sir | Maths

4:30 - 6:00 PM



livedaily.me/jee





Unacademy Subscription







- **+** LIVE Polls & Leaderboard
- **LIVE Doubt** Solving
- + LIVE Interaction







Performance Analysis

- Weekly Test Series
- DPPs & Quizzes

♣ India's **BEST** Educators

Unacademy Subscription
















If you want to be the **BEST** "Learn" from the **BEST**
















Step 1




Step 2




















India's Biggest Test Series

USAT

(Unacademy Scholarship Assessment Test)

Every Sunday At 12 PM - 3 PM

Enroll Now for Free

Scholarship Worth Rs 1 Crore*



EVOLVE BATCH

JEE Main & Advanced 2022 Starting on 7th April





MEGA OFFER FOR IIT-JEE 2022 ASPIRANTS

ប ប	ů.	OCCOUNT APRIL			ຸກ ຄູ ຄູ	
SUN	MON	TUE	WED	THU		SAT
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

BUY 12 MONTHS SUBSCRIPTION TODAY

LIMITED TIME OFFER,
GET 3 MONTHS EXTRA SUBSCRIPTION TILL

IIT-JEE ADVANCED 2022



Thank You













Download Now!