
Dense OPM array vs Neuromag (306 channels); paired on identical simulated spikes
pre-specified run (dark)
exploratory run (light; endpoint chosen after the analyses)
(B, C): endpoint ratio of (A)
A Declared endpoint, spikes 10–20 mm deep
locations
OPM : Neuromag
← favors Neuromag
favors OPM →
Adult
24 : 0
11 : 1
School-age size (scaled adult)
25 : 1
13 : 0
2-year size (scaled adult)
27 : 1
17 : 0
24-month template
28 : 2
14 : 2
12-month template
29 : 1
14 : 1
Reported separately
18-month template (misregistered)
30 : 1
16 : 0
Child A (7.8 y)
14 : 3
11 : 4
Child B (8.3 y)
21 : 2
12 : 3
Child C (8.7 y)
25 : 2
14 : 2
0.7
0.8
1
1.25
1.5
2
S50 ratio, Neuromag / OPM (log scale; > 1: the OPM detects at a lower strength)
B Oracle detector
C Mismatched detector
Adult
School-age size (scaled adult)
2-year size (scaled adult)
24-month template
12-month template
Reported separately
18-month template (misregistered)
Child A (7.8 y)
Child B (8.3 y)
Child C (8.7 y)
0.7
1
1.5
2
S50 ratio, Neuromag / OPM
S50 ratio, Neuromag / OPM