Comsat University Islamabad
Attock campus

Name	**Khubaib Hussain**
Reg No	**Fa23-bse-041**
Subject	**MAD**
Assignment	**2**
Submitted to	**Sir Kamran**

1:Section: Initializing the Project

I initialized the React Native project and verified the device connection using the Android Debug Bridge (ADB). As shown in the terminal, the **Pixel 5** device is successfully attached under the user profile **khubaib**. The reverse proxy for port **8081** has been configured to ensure seamless communication between the development machine and the mobile device.



1. **Section: App.tsx (CODE):**

   The App.tsx file contains the core logic of the application. It utilizes the useState hook to manage the list of tasks and the current input text. The addTask function updates the state using the spread operator, and the deleteTask function uses the .filter() method to remove items based on their index.

Welcome | App.tsx > App > handleAddTask > newTask

```
1  import React, { useState } from 'react';
2  import {
3    View, Text, TextInput, TouchableOpacity,
4    FlatList, StyleSheet, Keyboard, SafeAreaView
5  } from 'react-native';
6
7  // Define the interface for our tasks
8  interface Task {
9    id: string;
10   text: string;
11 }
12
13 export default function App() {
14   const [task, setTask] = useState<string>('');
15   const [taskList, setTaskList] = useState<Task[]>([]);
16
17   const handleAddTask = () => {
18     if (task.trim().length > 0) {
19       // Create a new task object with a unique ID
20       const newTask: Task = {
21         id: Date.now().toString(),
22         text: task
23       };
24       setTaskList([...taskList, newTask]);
25       setTask('');
26       Keyboard.dismiss();
27     }
28   };
29
30   const deleteTask = (id: string) => {
31     // Filter out the task with the matching ID
32     const updatedList = taskList.filter(item => item.id !== id);
33     setTaskList(updatedList);
34   };
35
36   return (
37     <SafeAreaView style={styles.container}>
38       <Text style={styles.title}>My To-Do List</Text>
```

```
40       <View style={styles.inputWrapper}>
41         <TextInput
42           style={styles.input}
43           placeholder={'Write a task'}
44           placeholderTextColor="#999"
45           value={task}
46           onChangeText={text => setTask(text)}
47         />
48         <TouchableOpacity onPress={handleAddTask}>
49           <View style={styles.addWrapper}>
50             <Text style={styles.addText}>+</Text>
51           </View>
52         </TouchableOpacity>
53       </View>
54
55       <FlatList
56         data={taskList}
57         keyExtractor={(item) => item.id}
58         renderItem={({ item }) => (
59           <View style={styles.item}>
60             <Text style={styles.itemText}>{item.text}</Text>
61             <TouchableOpacity onPress={() => deleteTask(item.id)}>
62               <Text style={styles.deleteText}>Delete</Text>
63             </TouchableOpacity>
64           </View>
65         )}
66       />
67     </SafeAreaView>
68   );
69 }
```

```
const styles = StyleSheet.create({
  container: { flex: 1, padding: 20, backgroundColor: '#1E1E1E' },
  title: { fontSize: 26, fontWeight: 'bold', color: '#FFF', textAlign: 'center', marginVertical: 20 },
  inputContainer: { marginBottom: 20 },
  input: { borderWidth: 1, borderColor: '#444', padding: 15, marginBottom: 10, borderRadius: 8, color: '#FFF', backgroundColor: '#2D2D2D' },
  taskItem: { flexDirection: 'row', justifyContent: 'space-between', padding: 15, backgroundColor: '#2D2D2D', borderRadius: 8, marginBottom: 10,
  taskText: { fontSize: 16, color: '#FFF' },
  deleteButton: { color: '#FF5252', fontWeight: 'bold' },
});
const advancedStyles = StyleSheet.create({
  card: { padding: 10, margin: 5, backgroundColor: '#333', shadowColor: '#000', shadowOffset: { width: 0, height: 2 }, shadowOpacity: 0.25 },
  header: { fontSize: 22, fontWeight: '600', color: '#E0E0E0', borderBottomWidth: 1, borderBottomColor: '#555' },
  button: { padding: 10, borderRadius: 5, alignItems: 'center', backgroundColor: '#4285F4' },
  buttonText: { fontSize: 18, color: '#FFF', fontWeight: '500' },
  detailsRow: { flexDirection: 'row', alignItems: 'center' },
  detailsText: { fontSize: 14, color: '#999' },
  priorityHigh: { color: '#D32F2F', fontWeight: 'bold' },
  priorityLow: { color: '#388E3C' },
```

2 Section: Project Running (Terminal)

After configuring the environment, I executed the command run-android npx **react-native** within the **TaskMaster_App** directory. As shown in the terminal output for the **khubaib** user profile, the build process was completed in **17s**, resulting in a **"BUILD SUCCESSFUL"** status. The APK was successfully installed on the connected device (**V2061_12**), confirming that the project is correctly synchronized and ready for testing.

```
C:\WINDOWS\system32\cmd.exe

C:\Users\khubaib\OneDrive\AppProjects\TaskMaster_App>npx react-native run-android
info A dev server is already running for this on port 8083.
The system could not find the path specified.
info Launching emulator...
error Failed to launch emulator. Reason: No emulators found using 'emulator -list-avds'.
warn Please launch an emulator manually or connect. Otherwise, app may fail to launch.
info Installing the app...
> Task :app:installDebug
Installing APK 'app-debug.apk' on 'Device_ID_V2061_12' for :debug
Installed on 1 device.
[Incubating] Problems report is available at: file:///C:/Users/khubaib/OneDrive/AppProjects/TaskMaster_App/build/reportss/problems-report.html
Deprecated Gradle features were used in this build, k incompatible with Gradle 10.
You can use '--warning-mode all' to show the individual deprecations and determine if they come from your own scripts or plugins.
For more on this, please refer to https://docs.gradle.org/9.1.1/userguide/command_line_interface.html#sec_line_warnings in the Gradle documentation.

BUILD SUCCESSFUL in 17s
95 actionable tasks: 12 executed, 83 up-to-date
Consider enabling configuration cache to speed up this build: https://docs.gradle.org/9.1.1/userguide/configuration_cache.html
info Connecting to the development server...
warn Failed to connect to development server using "adb reverse": spawnSync C:\Users\khubaib\OneDrive\AppProjects\AndroidStudioSdk\platform-tools\adb.exe ENOENT
info Started to find the app.
Error: Command failed with exit code 1: C:\Users\khubaib\OneDrive\AppProjects\AndroidStudioSdk\platform-tools\adb.exe shell am start -n com.taskmaster/com.taskmaster.
MainActivity -a android.intent.action.MAIN -c android.intent.category.LAUNCHER
    at makeError (C:\Users\khubaib\OneDrive\AppProjects\TaskMaster_App\node_modules\execa\lib\error.js:60:11)
    at module.exports.sync (C:\Users\khubaib\OneDrive\AppProjects\TaskMaster_App\node_modules\execa\index.js:194:17)
    at tryLaunchOnDevice (C:\Users\khubaib\OneDrive\AppProjects\TaskMaster_App\node_modules\@react-native-community\cli-platform-android\build\commands\runAndroid\t
tryLaunchOnDevice.js:52:22)
```

2. Section: Screenshots From Mobile Phone:

The first image shows the 'ToDoApp' icon successfully installed on the Android home screen. The second image displays the functional application interface running on the device, demonstrating the ability to add and display multiple tasks (Task 1 and Task 2) within a styled dark-themed list.


11:56
To-Do App
Enter Task
ADD TASK
Khubaib
Delete
Hussain
Delete
Reg no 041
Delete


11:55
To-Do App
Hussain
ADD TASK
Khubaib
Delete

GIF
Q W E R T Y U I O P
A S D F G H J K L
Z X C V B N M
?123
English

Hussain
Hussain's
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
?123
English


11:55
To-Do App
Khubaib
ADD TASK