
Duration: 4 m 18.448 s Start: Sept 04, 5:29:26.870 pm End: Sept 04, 5:33:45.318 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 8 12 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Library Management	4	0	4	0	4 m 18.448 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Library Management	Logging in	3	0	1	2	37.850 s
2	Library Management	Searching for a book	3	0	1	2	2 m 37.121 s
3	Library Management	Adding a book	3	0	1	2	<i>34.216</i> s
4	Library Management	Updating book details	3	0	1	2	29.152 s

DETAILED SECTION -- 4 --

(F)- Library Management

FAILED	DURATION - 4 m 18.448 s	Scenarios		Steps	
		Total - 4		Total - 12	
/ 5:29:26.870 pm	n // 5:33:45.318 pm /	Pass - 0	4	Pass - 0	12
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 8	

(S)- Logging in



#	Step / Hook Details	Status	Duration
1	Given - Given the user is on the login page	FAILED	0.016 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Steps.LibraryStepDefinitions.user_is_on_login_page(LibraryStepDefinitions.java:15) at ?.the user is on the login page(file:///C:/Users/23jor/Downloads/LatestCucumber6WithPOM-master%20(7)/LatestCucumber6WithPOM-master/src/test/resources/features/library.feature:4) * Not displayable characters are replaced by '?'.		
2	When - When the user logs in with username "user" and password "password"	SKIPPED	0.003 s
3	Then - Then the user should see the home page	SKIPPED	0.002 s
	AFTER - Steps.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.202 s
	Logging_in		
	+		


DETAILED SECTION -- 5 --

(S)- Searching for a book

FAILED DURATION - 2 m 37.121 s	Steps Steps	
/ 5:30:04.787 pm // 5:32:41.908 pm /	1.1 - Total - 3	
Library Management	Pass - 0	3
	Skip - 2	
	1 2 3	

#	Step / Hook Details	Status	Duration
1	Given - Given the user is logged in	FAILED	0.006 s
	Step undefined		
2	When - When the user searches for "Effective Java"	SKIPPED	0.001 s
3	Then - Then the user should see the book in the search results	SKIPPED	0.001 s

(S)- Adding a book



#	Step / Hook Details	Status	Duration
1	Given - Given the user is logged in	FAILED	0.001 s
	Step undefined		
2	When - When the user adds a book with title "New Book", author "Author Name", and isbn "9876543210"	SKIPPED	0.002 s
3	Then - Then the book should be added successfully	SKIPPED	0.001 s

DETAILED SECTION -- 6 -

(S)- Updating book details

FAILED DURATION - 29	152 s 0.º	.15	1	1		Steps	
/ 5:33:16.166 pm // 5:33:45.318	pm /	.1 -				Total - 3	
Library Management	.00	05 -				Pass - 0 Fail - 1	3
	0			<u> </u>		Skip - 2	
			1	2	3		

#	Step / Hook Details	Status	Duration
1	Given - Given the user is logged in	FAILED	0.000 s
	Step undefined		
2	When - When the user updates the book with isbn "9876543210" to have the title "Updated Title"	SKIPPED	0.001 s
3	Then - Then the book details should be updated successfully	SKIPPED	0.001 s

EXPANDED SECTION --- 7 -

(Step) AFTER - Steps.ApplicationHooks. tearDown(io.cucumber.java.Scenario)
(S) Logging in
(F) Library Management