Lab 1: Implementing RBAC

```
159  CREATE ROLE cashier_role;
160
161  -- Tạo User Accounts cho nhân viên
162  CREATE USER mike WITH PASSWORD 'mike123';
163  CREATE USER jon WITH PASSWORD 'jon123';
164
165  -- Gán User vào Group Role
166  GRANT cashier_role TO mike;
167  GRANT cashier_role TO jon;
```

Data Output | Messages | Notifications

```
CREATE ROLE

Query returned successfully in 32 msec.
```


```
161  -- Tạo User Accounts cho nhân viên
162  CREATE USER mike WITH PASSWORD 'mike123';
163  CREATE USER jon WITH PASSWORD 'jon123';
164
165  -- Gán User vào Group Role
166  GRANT cashier_role TO mike;
167  GRANT cashier_role TO jon;
```

Data Output | Messages | Notifications

```
CREATE ROLE

Query returned successfully in 55 msec.
```

```
161  -- Tạo User Accounts cho nhân viên
162  CREATE USER mike WITH PASSWORD 'mike123';
163  CREATE USER jon WITH PASSWORD 'jon123';
164
165  -- Gán User vào Group Role
166  GRANT cashier_role TO mike;
167  GRANT cashier_role TO jon;
```

Data Output | Messages | Notifications

```
CREATE ROLE

Query returned successfully in 57 msec.
```

```
164
165   -- Gán User vào Group Role
166   GRANT cashier_role TO mike;
167   GRANT cashier_role TO jon;
168
169   -- Cấp quyền bảng cho Group Role
170   GRANT SELECT ON film, staff TO cashier_role;
171   GRANT SELECT, INSERT ON payment TO cashier_role;
172
```

Data Output | Messages | Notifications

```
GRANT ROLE

Query returned successfully in 55 msec.
```

```
165   -- Gán User vào Group Role
166   GRANT cashier_role TO mike;
167   GRANT cashier_role TO jon;
168
169   -- Cấp quyền bảng cho Group Role
170   GRANT SELECT ON film, staff TO cashier_role;
171   GRANT SELECT, INSERT ON payment TO cashier_role;
172
```

Data Output | Messages | Notifications

```
GRANT ROLE

Query returned successfully in 80 msec.
```

```
169   -- Cấp quyền bảng cho Group Role
170   GRANT SELECT ON film, staff TO cashier_role;
171   GRANT SELECT, INSERT ON payment TO cashier_role;
172
173
174   -- 2. LAB 2: THỰC HIỆN RLS
175   -- Bật RLS trên bảng payment
176   ALTER TABLE payment ENABLE ROW LEVEL SECURITY;
177
178   -- Tạo Policy cô lập dữ liệu (Dùng LOWER() giúp khớp cả 'Jon', 'JON', hay 'jon')
```

Data Output | Messages | Notifications

```
GRANT

Query returned successfully in 37 msec.
```

```
169   -- Cấp quyền bảng cho Group Role
170   GRANT SELECT ON film, staff TO cashier_role;
171   GRANT SELECT, INSERT ON payment TO cashier_role;
172
```

Data Output | Messages | Notifications

```
GRANT

Query returned successfully in 57 msec.
```

Lab 2: Implementing RLS

```sql
-- 2. LAB 2: THỰC HIỆN RLS
-- Bật RLS trên bảng payment
ALTER TABLE payment ENABLE ROW LEVEL SECURITY;
```

Data Output | Messages | Notifications

```
ALTER TABLE

Query returned successfully in 57 msec.
```

```sql
-- Tạo Policy cô lập dữ liệu
CREATE POLICY isolate_cashier_payments ON payment
FOR SELECT
TO cashier_role
USING (
    staff_id = (SELECT staff_id FROM staff WHERE LOWER(username) = LOWER(current_user))
);
```

Data Output | Messages | Notifications

```
CREATE POLICY

Query returned successfully in 103 msec.
```

```sql
SET ROLE mike;
SELECT COUNT(*) FROM payment;

SET ROLE jon;
SELECT COUNT(*) FROM payment;

-- Trở lại quyền quản trị postgres ban đầu
RESET ROLE;
```

Data Output | Messages | Notifications

	count bigint
1	7292

```sql
SET ROLE jon;
SELECT COUNT(*) FROM payment;
```

Data Output | Messages | Notifications

```
SET

Query returned successfully in 43 msec.
```

```
189  SET ROLE jon;
190  SELECT COUNT(*) FROM payment;
191
192  -- Trở lại quyền quản trị postgres ban đầu
193  RESET ROLE;
```

Data Output | Messages | Notifications

Showing rows: 1 to 1 | Page No: 1 of 1

	count bigint
1	7304

```
192  RESET ROLE;
```

Data Output | Messages | Notifications

```
RESET

Query returned successfully in 92 msec.
```