

STREAMS

- TẠO STREAMS TRÊN GRAYLOG

1. Mục đích:


- Phân nhóm thiết bị dựa vào các ký tự đầu source gửi về
- Trong ví dụ là lọc nhóm thiết bị có tên bắt đầu bằng chữ **Building1**
- Không lọc log mà hiển thị 100% log nhận được

Chú ý:

- Dựa vào **logging origin-id hostname**
- HOẶC **logging origin-id string <do chúng ta định nghĩa>**
- Hướng dẫn này dùng cho tên đã được chuẩn hóa, trong ví dụ là trên Cisco IOS với "logging origin-id string" (phần [99.Scripts](#) cũng có)

2. Thực hiện:

- Tạo Streams



- Tạo Rule

graylog Search Streams Alerts Dashboards Enterprise

0 in / 0 out

Search for streams ? Filters +

Bulk actions ▾

Title	Index Set	Throughput	Status	Data Routing
☐ All events Stream containing all events created by Graylog	Graylog Events	0 msg/s	Running	Data Routing
☐ All system events Stream containing all system events created by Graylog	Graylog System Events	0 msg/s	Running	Data Routing
☐ Default Stream Default Contains messages that are not explicitly routed to other streams	Default index set	0 msg/s	Running	Data Routing
☐ vck_Demo	Default index set	0 msg/s	Paused	Data Routing

Stop Stream
Quick add rule
Edit stream
Manage Rules
Manage Outputs
Manage Alerts
Set as startpage
Clone this stream
Delete this stream

Rules of Stream "vck_Demo" [Streams documentation](#)

This screen is dedicated to an easy and comfortable creation and manipulation of stream rules. You can

1. Load a message to test rules

Recent Message Message ID

Select an Input from the list below and click "Load Message" to load the most recent message received

Select an Input Load Message

2. Manage stream rules

☒ A message must match all of the following rules

☐ A message must match at least one of the following rules

Please load a message in Step 1 above to check if it would match against these rules.

No rules defined.

Add stream rule

- Thêm điều kiện lọc

Rules of Stream "vck_Demo"

This screen is dedicated to an easy and comfortable creation and management of stream rules.

1. Load a message to test rules

Recent Message | Message ID

Select an Input from the list below and click "Load Message"

Select an Input

2. Manage stream rules

☒ A message must match all of the following rules
☐ A message must match at least one of the following rules

Please load a message in Step 1 above to check if it matches the rule.

Lọc theo nhóm thiết bị must match regular expression ^Building-1.*

I'm done!

New Stream Rule

Field: Lọc theo nhóm thiết bị

Type: match regular expression

Value: ^Building-1.*

☐ Inverted

Description (Opt.)

Result: Lọc theo nhóm thiết bị must match regular expression ^Building-1.*

Cancel | Create Rule

Lọc gần đúng

^Building-1.*

Bắt đầu bằng chữ Building-1

The server will try to convert to strings or numbers based on the matcher type as well as it can.

Take a look at the matcher code on GitHub

Regular expressions use Java syntax.

- Nhấn chữ Paused để chuyển trạng thái sang Running

graylog Search Streams Alerts Dashboards Enterprise System

Search for streams Filters

Bulk actions

Title	Index Set	Rules	Status	Actions
☐ All events Stream containing all events created by Graylog	Graylog Events		Running	Data Routing Share More
☐ All system events Stream containing all system events created by Graylog	Graylog System Events		Running	Data Routing Share More
☐ Default Stream Default Contains messages that are not explicitly routed to other streams	Default index set		Running	Data Routing Share More
☐ vck_Demo 1	Default index set	1	Paused 2	Data Routing Share More

- Thực hiện lọc

The screenshot shows the Graylog Search interface. The top navigation bar includes links for Search, Streams, Alerts, Dashboards, Enterprise, Security, and System. The Search tab is active, and the search query is 'vck_Demo'. The time range is set to 'From: 8 hours ago' and 'Until: Now'. A dropdown menu for 'Select time range' is open, showing options from 5 minutes to 1 day. The search results are displayed in a table with columns for timestamp and source. The results show several log messages about MACFLAP notifications.

Search Results:

timestamp	source
2026-06-25 14:45:05.497	Building-1_Factory-2_2960_24_IP_192.168.100
Jun 25 07:44:55.312 UTC: %SW_MATM-4-MACFLAP_NOTIF: Host 88a4.79ce.f0fc in vlan 113 is flapping between port f	
2026-06-25 14:45:04.572	Building-1_Factory-1_2960_48_IP_192.168.100
Jun 25 07:44:53.717 UTC: %SW_MATM-4-MACFLAP_NOTIF: Host 88a4.79ce.f0fc in vlan 113 is flapping between port b	
2026-06-25 14:42:46.673	Building-1_Factory-2_2960_24_IP_192.168.100
Jun 25 07:42:36.497 UTC: %SW_MATM-4-MACFLAP_NOTIF: Host 14d1.9e97.ca20 in vlan 112 is flapping between port	
2026-06-25 14:36:51.203	Building-1_Factory-2_2960_24_IP_192.168.100
Jun 25 07:36:41.046 UTC: %SW_MATM-4-MACFLAP_NOTIF: Host a851.ab71.13fc in vlan 112 is flapping between port	
2026-06-25 14:31:25.125	Building-1_Factory-2_2960_24_IP_192.168.100