

Task1 :

```
#include <iostream>
using namespace std;
int main() {
    int S[6];
    cout<<"Enter salaries of 6 employees ="<<endl;
    cin>>S[0];
    cin>>S[1];
    cin>>S[2];
    cin>>S[3];
    cin>>S[4];
    cin>>S[5];
    cout<<"Salleries are"<<endl;
    cout<<S[0]<<endl;
    cout<<S[1]<<endl;
    cout<<S[2]<<endl;
    cout<<S[3]<<endl;
    cout<<S[4]<<endl;
    cout<<S[5]<<endl;
    return 0;
}
```

Output:

```
Enter salaries of 6 employees =
24000
78000
8900
9800
45000
34500
Salleries are
24000
78000
8900
9800
45000
34500
```

Task2

```
#include <iostream>
using namespace std;
int main(){
    int marks[10];
    int totalmarks=0;
    float avg;
    cout<<"Enetr quiz marks of ten students "<<endl;
    for(int i=0 ;i<10;i++){
        cout<<"Student "<<i+1<<":";
        cin>>marks[i];
    }
    for(int i=0;i<10;i++)
    {totalmarks+=marks[i];
    }
    avg=totalmarks/10.0;
    cout<<"Sum of quiz marks is :"<<totalmarks<<endl;
    cout<<"Average of quiz marks is :"<<avg<<endl;

    return 0;}
```

```
Enetr quiz marks of ten students
Student 1:12
Student 2:13
Student 3:23
Student 4:43
Student 5:23
Student 6:24
Student 7:23
Student 8:23
Student 9:132
Student 10:12
Sum of quiz marks is :328
Average of quiz marks is :32.8
PS E:\Ps AT 1 st semester notes\Pro
```