

Auto saved at 22:05:31

```
1 #include <iostream>
2 using namespace std;
3
4 int main() {
5     int salary[6];
6
7     cout << "Enter salaries of 6 employees:\n";
8
9     // Input using loop
10    for (int i = 0; i < 6; i++) {
11        cout << "Salary " << i + 1 << ": ";
12        cin >> salary[i];
13    }
14
15    cout << "\nSalaries entered:\n";
16
17    // Output using loop
18    for (int i = 0; i < 6; i++) {
19        cout << "Employee " << i + 1 << ": " << salary[i] << endl;
20    }
21
22    return 0;
23 }
24
```

Compile Result

Enter salaries of 6 employees:

Salary 1: 25000

Salary 2: 30000

Salary 3: 28000

Salary 4: 35000

Salary 5: 27000

Salary 6: 32000

Salaries entered:

Employee 1: 25000

Employee 2: 30000

Employee 3: 28000

Employee 4: 35000

Employee 5: 27000

Employee 6: 32000

[Process completed - press Enter]

Auto saved at 22:07:06

```
1 #include <iostream>
2 using namespace std;
3
4 int main() {
5     int marks[10];
6     int total = 0;
7     float average;
8
9     cout << "Enter quiz marks of 10 students:\n";
10
11     // Input and total calculation using loop
12     for (int i = 0; i < 10; i++) {
13         cout << "Student " << i + 1 << ": ";
14         cin >> marks[i];
15         total += marks[i];
16     }
17
18     average = total / 10.0;
19
20     cout << "\nTotal Marks = " << total << endl;
21     cout << "Average Marks = " << average << endl;
22
23     return 0;
24 }
```

Compile Result

Enter quiz marks of 10 students:

Student 1: 8

Student 2: 7

Student 3: 9

Student 4: 10

Student 5: 6

Student 6: 7

Student 7: 8

Student 8: 9

Student 9: 7

Student 10: 8

Total Marks = 79

Average Marks = 7.9

[Process completed - press Enter]