
1. Install nginx and run nginx on port number 81.
2. Deploy a sample index.html file on nginx.
3. Install Apache and run Apache on port number 82
4. Deploy a sample index.html file on Apache.
5. Install Apache tomcat on port number 8082
6. Deploy a sample app on webapps
7. Create a tomcat.service file for tomcat.
8. Configure HA Proxy server

Launched three instances



1. **Install nginx and run nginx on port number 81**

- yum install java-17-amazon-corretto
- java -version
- yum install nginx
- nginx -version
- systemctl status nginx
- systemctl start nginx
- update the port number in **/etc/nginx/nginx.conf**
- netstat -na | grep 81
- ps -ef | frep nginx
- lsof -i tcp:81
- Deployment path is **/usr/share/nginx/html**

```
[root@ip-172-31-18-143 ec2-user]# yum install nginx
Last metadata expiration check: 0:06:33 ago on Wed Oct 14 09:28:07 2026.
Dependencies resolved.
================================================================================
 Package                 Architecture        Version                  Repositor
================================================================================
Installing:
 nginx                   x86_64              1:1.30.5-1.amzn2023.0.1  amazonlin
Installing dependencies:
 generic-logos-httpd     noarch              18.0.0-12.amzn2023.0.3   amazonlin
 gperftools-libs         x86_64              2.9.1-1.amzn2023.0.3     amazonlin
 libunwind               x86_64              1.4.0-5.amzn2023.0.3     amazonlin
 nginx-core              x86_64              1:1.30.5-1.amzn2023.0.1  amazonlin
 nginx-filesystem        noarch              1:1.30.5-1.amzn2023.0.1  amazonlin
 nginx-mimetypes         noarch              2.1.49-3.amzn2023.0.3    amazonlin

Transaction Summary
================================================================================
Install  7 Packages

Total download size: 1.1 M
Installed size: 3.8 M
Is this ok [y/N]: y
Downloading Packages:
(1/7): gperftools-libs-2.9.1-1.amzn2023.0.3.x86_64.rpm
(2/7): generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch.rpm
(3/7): libunwind-1.4.0-5.amzn2023.0.3.x86_64.rpm
(4/7): nginx-1.30.5-1.amzn2023.0.1.x86_64.rpm
(5/7): nginx-core-1.30.5-1.amzn2023.0.1.x86_64.rpm
(6/7): nginx-filesystem-1.30.5-1.amzn2023.0.1.noarch.rpm
(7/7): nginx-mimetypes-2.1.49-3.amzn2023.0.3.noarch.rpm
--------------------------------------------------------------------------------
Total
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing        :
  Running scriptlet: nginx-filesystem-1:1.30.5-1.amzn2023.0.1.noarch
  Installing       : nginx-filesystem-1:1.30.5-1.amzn2023.0.1.noarch
  Installing       : nginx-mimetypes-2.1.49-3.amzn2023.0.3.noarch
```

```
[root@ip-172-31-18-143 ec2-user]# ngnix -version
bash: ngnix: command not found
[root@ip-172-31-18-143 ec2-user]# nginx -version
nginx version: nginx/1.30.5
[root@ip-172-31-18-143 ec2-user]#
[root@ip-172-31-18-143 ec2-user]#
[root@ip-172-31-18-143 ec2-user]# systemctl status nginx
○ nginx.service - The nginx HTTP and reverse proxy server
     Loaded: loaded (/usr/lib/systemd/system/nginx.service; disabled; preset: disabled)
     Active: inactive (dead)
[root@ip-172-31-18-143 ec2-user]# systemctl start nginx
[root@ip-172-31-18-143 ec2-user]# systemctl status nginx
● nginx.service - The nginx HTTP and reverse proxy server
     Loaded: loaded (/usr/lib/systemd/system/nginx.service; disabled; preset: disabled)
     Active: active (running) since Wed 2026-10-14 09:36:01 UTC; 9s ago
    Process: 26967 ExecStartPre=/usr/bin/rm -f /run/nginx.pid (code=exited, status=0/SUCCESS)
    Process: 26968 ExecStartPre=/usr/sbin/nginx -t (code=exited, status=0/SUCCESS)
    Process: 26969 ExecStart=/usr/sbin/nginx (code=exited, status=0/SUCCESS)
   Main PID: 26970 (nginx)
      Tasks: 3 (limit: 1059)
     Memory: 3.6M
        CPU: 61ms
     CGroup: /system.slice/nginx.service
             ├─26970 "nginx: master process /usr/sbin/nginx"
             ├─26971 "nginx: worker process"
             └─26972 "nginx: worker process"

Oct 14 09:36:01 ip-172-31-18-143.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Oct 14 09:36:01 ip-172-31-18-143.ec2.internal nginx[26968]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Oct 14 09:36:01 ip-172-31-18-143.ec2.internal nginx[26968]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Oct 14 09:36:01 ip-172-31-18-143.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
[root@ip-172-31-18-143 ec2-user]#
[root@ip-172-31-18-143 ec2-user]#
```

```
user nginx;
worker_processes auto;
error_log /var/log/nginx/error.log notice;
pid /run/nginx.pid;

# Load dynamic modules. See /usr/share/doc/nginx/README.dynamic.
include /usr/share/nginx/modules/*.conf;

events {
    worker_connections 1024;
}

http {
    log_format  main  '$remote_addr - $remote_user [$time_local] "$request" '
                      '$status $body_bytes_sent "$http_referer" '
                      '"$http_user_agent" "$http_x_forwarded_for"';

    access_log  /var/log/nginx/access.log  main;


    sendfile            on;
    tcp_nopush          on;
    keepalive_timeout   65;
    types_hash_max_size 4096;

    include             /etc/nginx/mime.types;
    default_type        application/octet-stream;

    # Load modular configuration files from the /etc/nginx/conf.d directory.
    # See http://nginx.org/en/docs/ngx_core_module.html#include
    # for more information.
    include /etc/nginx/conf.d/*.conf;


    server {
        listen       81;
        listen       [::]:80;
        server_name  _;
        root         /usr/share/nginx/html;


        # Load configuration files for the default server block.
        include /etc/nginx/default.d/*.conf;
```



2. **Deploy a sample index.html file on nginx**

- cd /usr/share/nginx/html/
- vi index.html





3. Install Apache and run Apache on port number 82.

- yum install httpd
- systemctl start httpd
- update the port number in **/etc/httpd/httpd.conf**
- vi httpd.conf
- netstat -na | grep 82

```
[root@ip-172-31-18-143 html]# yum install httpd
Last metadata expiration check: 0:39:39 ago on Wed Oct 14 09:28:07 2026.
Dependencies resolved.
================================================================================
 Package                 Architecture        Version                 Repository          Size
================================================================================
Installing:
 httpd                   x86_64              2.4.69-1.amzn2023.0.2   amazonlinux         45 k
Installing dependencies:
 apr                     x86_64              1.7.5-1.amzn2023.0.4    amazonlinux        129 k
 apr-util                x86_64              1.6.5-1.amzn2023.0.1    amazonlinux        100 k
 apr-util-lmdb           x86_64              1.6.5-1.amzn2023.0.1    amazonlinux         15 k
 httpd-core              x86_64              2.4.69-1.amzn2023.0.2   amazonlinux        1.4 M
 httpd-filesystem        noarch              2.4.69-1.amzn2023.0.2   amazonlinux         12 k
 httpd-tools             x86_64              2.4.69-1.amzn2023.0.2   amazonlinux         79 k
 mailcap                 noarch              2.1.49-3.amzn2023.0.3   amazonlinux         33 k
Installing weak dependencies:
 apr-util-openssl        x86_64              1.6.5-1.amzn2023.0.1    amazonlinux         17 k
 mod_http2               x86_64              1:2.4.69-1.amzn2023.0.2 amazonlinux        130 k
 mod_lua                 x86_64              2.4.69-1.amzn2023.0.2   amazonlinux         58 k

Transaction Summary
================================================================================
Install  11 Packages


Total download size: 2.0 M
Installed size: 6.1 M
Is this ok [y/N]: y
Downloading Packages:
(1/11): apr-util-1.6.5-1.amzn2023.0.1.x86_64.rpm          3.8 MB/s | 100 kB     00:00
(2/11): apr-util-lmdb-1.6.5-1.amzn2023.0.1.x86_64.rpm     486 kB/s |  15 kB     00:00
(3/11): apr-1.7.5-1.amzn2023.0.4.x86_64.rpm               3.7 MB/s | 129 kB     00:00
(4/11): apr-util-openssl-1.6.5-1.amzn2023.0.1.x86_64.rpm  569 kB/s |  17 kB     00:00
(5/11): httpd-2.4.69-1.amzn2023.0.2.x86_64.rpm            1.5 MB/s |  45 kB     00:00
```

```
2. root@ip-172-31-18-143:/etc/httpd/c
# Mutex directive, if file-based mutexes are used.  If you wish to share the
# same ServerRoot for multiple httpd daemons, you will need to change at
# least PidFile.
#
ServerRoot "/etc/httpd"

#
# Listen: Allows you to bind Apache to specific IP addresses and/or
# ports, instead of the default. See also the <VirtualHost>
# directive.
#
# Change this to Listen on a specific IP address, but note that if
# httpd.service is enabled to run at boot time, the address may not be
# available when the service starts.  See the httpd.service(8) man
# page for more information.
#
#Listen 12.34.56.78:80
Listen 82

#
# Dynamic Shared Object (DSO) Support
#
# To be able to use the functionality of a module which was built as a DSO you
# have to place corresponding `LoadModule' lines at this location so the
# directives contained in it are actually available _before_ they are used.
# Statically compiled modules (those listed by `httpd -l') do not need
# to be loaded here.
#
# Example:
# LoadModule foo_module modules/mod_foo.so
#
Include conf.modules.d/*.conf


#
# If you wish httpd to run as a different user or group, you must run
# httpd as root initially and it will switch.
#
# User/Group: The name (or #number) of the user/group to run httpd as.
# It is usually good practice to create a dedicated user and group for
# running httpd, as with most system services.
#
```



4. Deploy a sample index.html file on Apache.

- Deployment path is **/var/www/html/**
- vi index.html

```
[root@ip-172-31-18-143 ~]# cd /var/www/html/
[root@ip-172-31-18-143 html]# ls
[root@ip-172-31-18-143 html]# vi index.html
[root@ip-172-31-18-143 html]#
[root@ip-172-31-18-143 html]#
```



5. Install Apache tomcat on port number 8082

- wget https://dlcdn.apache.org/tomcat/tomcat-10/v10.1.61/bin/apache-tomcat-10.1.61.tar.gz
- update the port number in tomcat directory **/conf/server.xml**
- vi server.xml ---→>> Change the port number
- To start service manually.
- cd bin/
- ./startup.sh -→>>>> To start service manually

```
[root@ip-172-31-18-143 ~]# wget https://dlcdn.apache.org/tomcat/tomcat-10/v10.1.61/bin/apache-tomcat-10.1.61.tar.gz
--2026-10-14 10:34:01--  https://dlcdn.apache.org/tomcat/tomcat-10/v10.1.61/bin/apache-tomcat-10.1.61.tar.gz
Resolving dlcdn.apache.org (dlcdn.apache.org)... 151.101.2.132, 2a04:4e42::644
Connecting to dlcdn.apache.org (dlcdn.apache.org)|151.101.2.132|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 14488199 (14M) [application/x-gzip]
Saving to: 'apache-tomcat-10.1.61.tar.gz'

apache-tomcat-10.1.61.tar.gz           100%[===================================================================================>]  13.82M  --.-KB/s    in 0.06s

2026-10-14 10:34:02 (244 MB/s) - 'apache-tomcat-10.1.61.tar.gz' saved [14488199/14488199]

[root@ip-172-31-18-143 ~]#
[root@ip-172-31-18-143 ~]# ls
apache-tomcat-10.1.61.tar.gz
[root@ip-172-31-18-143 ~]# tar xvf apache-tomcat-10.1.61.tar.gz
apache-tomcat-10.1.61/conf/
apache-tomcat-10.1.61/conf/catalina.policy
apache-tomcat-10.1.61/conf/catalina.properties
apache-tomcat-10.1.61/conf/context.xml
apache-tomcat-10.1.61/conf/jaspic-providers.xml
apache-tomcat-10.1.61/conf/jaspic-providers.xsd
apache-tomcat-10.1.61/conf/logging.properties
apache-tomcat-10.1.61/conf/server.xml
apache-tomcat-10.1.61/conf/tomcat-users.xml
apache-tomcat-10.1.61/conf/tomcat-users.xsd
```


```
[root@ip-172-31-18-143 ~]# ls
apache-tomcat-10.1.61  apache-tomcat-10.1.61.tar.gz
[root@ip-172-31-18-143 ~]# cd apache-tomcat-10.1.61/
[root@ip-172-31-18-143 apache-tomcat-10.1.61]# ls
BUILDING.txt  CONTRIBUTING.md  LICENSE  NOTICE  README.md  RELEASE-NOTES  RUNNING.txt  bin  conf  lib  logs  temp  webapps  work
[root@ip-172-31-18-143 apache-tomcat-10.1.61]# cd conf/
[root@ip-172-31-18-143 conf]# ls
catalina.policy      context.xml           jaspic-providers.xsd  server.xml       tomcat-users.xsd
catalina.properties  jaspic-providers.xml  logging.properties    tomcat-users.xml  web.xml
[root@ip-172-31-18-143 conf]# vi server.xml
```

```
<Service name="Catalina">

    <!--The connectors can use a shared executor, you can define one or more named thread pools-->
    <!--
    <Executor name="tomcatThreadPool" namePrefix="catalina-exec-"
        maxThreads="150" minSpareThreads="4"/>
    -->


    <!-- A "Connector" represents an endpoint by which requests are received
         and responses are returned. Documentation at :
         HTTP Connector: /docs/config/http.html
         AJP  Connector: /docs/config/ajp.html
         Define a non-SSL/TLS HTTP/1.1 Connector on port 8080
    -->
    <Connector port="8082" protocol="HTTP/1.1"
               connectionTimeout="20000"
               redirectPort="8443"
               maxParameterCount="1000"
               />
    <!-- A "Connector" using the shared thread pool-->
    <!--
    <Connector executor="tomcatThreadPool"
               port="8080" protocol="HTTP/1.1"
               connectionTimeout="20000"
               redirectPort="8443"
               maxParameterCount="1000"
               />
    -->
    <!-- Define an SSL/TLS HTTP/1.1 Connector on port 8443 with HTTP/2
         This connector uses the NIO implementation. The default
         SSLImplementation will depend on the presence of the APR/native
         library and the useOpenSSL attribute of the AprLifecycleListener.
         Either JSSE or OpenSSL style configuration may be used regardless of
         the SSLImplementation selected. JSSE style configuration is used below.
    -->
    <!--
    <Connector port="8443" protocol="org.apache.coyote.http11.Http11NioProtocol"
               maxThreads="150" SSLEnabled="true"
               maxParameterCount="1000"
               >
:wq!
```


```
[root@ip-172-31-18-143 apache-tomcat-10.1.61]# cd bin/
[root@ip-172-31-18-143 bin]# ls
bootstrap.jar       ciphers.bat                configtest.bat  digest.sh     migrate.sh        shutdown.sh      tomcat-native.tar.gz  version.sh
catalina-tasks.xml  ciphers.sh                 configtest.sh   makebase.bat  setclasspath.bat  startup.bat      tool-wrapper.bat
catalina.bat        commons-daemon-native.tar.gz  daemon.sh       makebase.sh   setclasspath.sh   startup.sh       tool-wrapper.sh
catalina.sh         commons-daemon.jar         digest.bat      migrate.bat   shutdown.bat      tomcat-juli.jar  version.bat
[root@ip-172-31-18-143 bin]# ./startup.sh
Using CATALINA_BASE:   /root/apache-tomcat-10.1.61
Using CATALINA_HOME:   /root/apache-tomcat-10.1.61
Using CATALINA_TMPDIR: /root/apache-tomcat-10.1.61/temp
Using JRE_HOME:        /usr
Using CLASSPATH:       /root/apache-tomcat-10.1.61/bin/bootstrap.jar:/root/apache-tomcat-10.1.61/bin/tomcat-juli.jar
Using CATALINA_OPTS:
Tomcat started.
```




6. Deploy a sample app on webapps

- **cd webapps/**
- **wget https://tomcat.apache.org/tomcat-6.0-doc/appdev/sample/sample.war**

```
[root@ip-172-31-18-143 sample]# ll
total 8
drwxr-x---. 2 root root  44 Oct 14 10:46 META-INF
drwxr-x---. 4 root root  47 Oct 14 10:46 WEB-INF
-rw-r-----. 1 root root 376 Jul 30  2007 hello.jsp
drwxr-x---. 2 root root  24 Oct 14 10:46 images
-rw-r-----. 1 root root 636 Jul 30  2007 index.html
[root@ip-172-31-18-143 sample]# cd ..
[root@ip-172-31-18-143 webapps]# ls
ROOT  docs  examples  host-manager  manager  sample  sample.war
[root@ip-172-31-18-143 webapps]# cd sample/
[root@ip-172-31-18-143 sample]# ls
META-INF  WEB-INF  hello.jsp  images  index.html
[root@ip-172-31-18-143 sample]# vi index.html
[root@ip-172-31-18-143 sample]# vi index.html
[root@ip-172-31-18-143 sample]# vi index.html
[root@ip-172-31-18-143 sample]# history
```







7. **Create a tomcat.service file for tomcat.**

- vi **/usr/lib/systemd/system/tomcat.service**
- sudo systemctl daemon-reload
- systemctl status tomcat
- systemctl stop tomcat
- systemctl start tomcat

8. **Configure HA Proxy server**


- Add Ha_proxy servers public ib in sever 1 **/etc/hosts**
- Check the connectivity using ping
- ping HA_proxy -c 4






Server_2

Connect to sever_2



Install nginx using $ yum install nginx



- Add Ha_proxy servers public ib in sever 2 **/etc/hosts**
- Check the connectivity using ping
- ping HA_proxy -c 4

```
[root@ip-172-31-22-123 ~]# cd
[root@ip-172-31-22-123 ~]# cd /etc/
[root@ip-172-31-22-123 etc]# vi hosts
[root@ip-172-31-22-123 etc]# vi hosts
[root@ip-172-31-22-123 etc]# ping HA_proxy -c 4
PING HA_proxy (54.234.131.197) 56(84) bytes of data.


--- HA_proxy ping statistics ---
4 packets transmitted, 0 received, 100% packet loss, time 3117ms

[root@ip-172-31-22-123 etc]#
```


HA_Proxy

```
14/10/2026  18:20.15  /home/mobaxterm  ssh -i Server.pem ec2-user@54.234.131.197
Warning: Permanently added '54.234.131.197' (ECDSA) to the list of known hosts.
X11 forwarding request failed on channel 0
   ,     #_
   ~\_  ####_        Amazon Linux 2023
  ~~  \_#####\
  ~~     \###|
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~ ._.   _/
         _/ _/
       _/m/'
[ec2-user@ip-172-31-25-53 ~]$
```

Install HA proxy using $ yum install haproxy



Add server_1 & server_2 public ip in HA proxy servers **/etc/hosts**



Add server_1 & server_2 public ip in HA proxy servers **vi /etc/haproxy/haproxy.cfg**

```
    timeout connect         10s
    timeout client          1m
    timeout server          1m
    timeout http-keep-alive 10s
    timeout check           10s
    maxconn                 3000

#---------------------------------------------------------------------
# main frontend which proxys to the backends
#---------------------------------------------------------------------
frontend main
    bind *:80
    acl url_static       path_beg       -i /static /images /javascript /stylesheets
    acl url_static       path_end       -i .jpg .gif .png .css .js

    use_backend static          if url_static
    default_backend             app

#---------------------------------------------------------------------
# static backend for serving up images, stylesheets and such
#---------------------------------------------------------------------
backend static
    balance     roundrobin
    server      static 127.0.0.1:4331 check

#---------------------------------------------------------------------
# round robin balancing between the various backends
#---------------------------------------------------------------------
```

$ vi /etc/haproxy/haproxy.cfg

```
    default_backend             app

#---------------------------------------------------------------------
# static backend for serving up images, stylesheets and such
#---------------------------------------------------------------------
backend static
    balance     roundrobin
    server      static 127.0.0.1:4331 check

#---------------------------------------------------------------------
# round robin balancing between the various backends
#---------------------------------------------------------------------
backend app
    balance     roundrobin
    server  app1 127.0.0.1:5001 check
    server  app2 127.0.0.1:5002 check
    server  app3 127.0.0.1:5003 check
    server  app4 127.0.0.1:5004 check
    server  app5 3.91.55.245 check
    server  app6 54.158.234.154 check
-- INSERT --
```

ert MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

$ systemctl status haproxy


$ systemctl start haproxy


```
[root@ip-172-31-25-53 ~]# systemctl status haproxy
× haproxy.service - HAProxy Load Balancer
     Loaded: loaded (/usr/lib/systemd/system/haproxy.service; enabled; preset: disabled)
     Active: failed (Result: exit-code) since Wed 2026-10-14 13:35:15 UTC; 4min 33s ago
    Process: 33803 ExecStartPre=/usr/sbin/haproxy -f $CONFIG -f $CFGDIR -c -q $OPTIONS (code=exited, status=1/FAILURE)
        CPU: 8ms

Oct 14 13:35:15 ip-172-31-25-53.ec2.internal systemd[1]: Starting haproxy.service - HAProxy Load Balancer...
Oct 14 13:35:15 ip-172-31-25-53.ec2.internal systemd[1]: haproxy.service: Control process exited, code=exited, status=1/FAILURE
Oct 14 13:35:15 ip-172-31-25-53.ec2.internal systemd[1]: haproxy.service: Failed with result 'exit-code'.
Oct 14 13:35:15 ip-172-31-25-53.ec2.internal systemd[1]: Failed to start haproxy.service - HAProxy Load Balancer.
[root@ip-172-31-25-53 ~]# systemctl start haproxy
[root@ip-172-31-25-53 ~]# systemctl status haproxy
● haproxy.service - HAProxy Load Balancer
     Loaded: loaded (/usr/lib/systemd/system/haproxy.service; enabled; preset: disabled)
     Active: active (running) since Wed 2026-10-14 13:39:58 UTC; 3s ago
    Process: 34029 ExecStartPre=/usr/sbin/haproxy -f $CONFIG -f $CFGDIR -c -q $OPTIONS (code=exited, status=0/SUCCESS)
   Main PID: 34031 (haproxy)
     Status: "Ready."
      Tasks: 3 (limit: 1059)
     Memory: 10.1M
        CPU: 96ms
     CGroup: /system.slice/haproxy.service
             ├─34031 /usr/sbin/haproxy -Ws -f /etc/haproxy/haproxy.cfg -f /etc/haproxy/conf.d -p /run/haproxy.pid
             └─34033 /usr/sbin/haproxy -Ws -f /etc/haproxy/haproxy.cfg -f /etc/haproxy/conf.d -p /run/haproxy.pid

Oct 14 13:39:58 ip-172-31-25-53.ec2.internal haproxy[34031]: [ALERT]    (34031) : config : parsing [/etc/haproxy/haproxy.cfg:29] : 'pi
Oct 14 13:39:58 ip-172-31-25-53.ec2.internal haproxy[34031]: [NOTICE]   (34031) : New worker (34033) forked
Oct 14 13:39:58 ip-172-31-25-53.ec2.internal haproxy[34031]: [NOTICE]   (34031) : Loading success.
Oct 14 13:39:58 ip-172-31-25-53.ec2.internal systemd[1]: Started haproxy.service - HAProxy Load Balancer.
Oct 14 13:39:58 ip-172-31-25-53.ec2.internal haproxy[34033]: [WARNING]  (34033) : Server static/static is DOWN, reason: Layer4 connect
Oct 14 13:39:58 ip-172-31-25-53.ec2.internal haproxy[34033]: [ALERT]    (34033) : backend 'static' has no server available!
Oct 14 13:39:58 ip-172-31-25-53.ec2.internal haproxy[34033]: [WARNING]  (34033) : Server app/app1 is DOWN, reason: Layer4 connection p
Oct 14 13:39:58 ip-172-31-25-53.ec2.internal haproxy[34033]: [WARNING]  (34033) : Server app/app2 is DOWN, reason: Layer4 connection p
Oct 14 13:39:58 ip-172-31-25-53.ec2.internal haproxy[34033]: [WARNING]  (34033) : Server app/app3 is DOWN, reason: Layer4 connection p
Oct 14 13:39:59 ip-172-31-25-53.ec2.internal haproxy[34033]: [WARNING]  (34033) : Server app/app4 is DOWN, reason: Layer4 connection p
```

Ha proxy works as a load balancer it is sending traffic sometime to server_ where we install Httpd and some time to server_2 where we installed nginx.





Welcome to nginx!

If you see this page, nginx is successfully installed and working. Further configuration is required for the web server, reverse proxy, API gateway, load balancer, content cache, or other features.

For online documentation and support please refer to nginx.org.
To engage with the community please visit community.nginx.org.
For enterprise grade support, professional services, additional security features and capabilities please refer to f5.com/nginx.

Thank you for using nginx.