

Notes: ***Create a Jira ticket for this assignment, work on the tasks listed below, and submit the task completion document by EOD with clear steps and required evidence (outputs/screenshots)***

1. Watch the video and write notes.
2. Create a GitHub account.
3. Set up MFA (Multi-Factor Authentication) for the GitHub account using a mobile app.
4. Execute all commands shown in the video.

Create a GitHub account.




Set up MFA (Multi-Factor Authentication) for the GitHub account using a mobile app.



Execute all commands shown in the video.

Install git using

($ yum install git)



($ git init) → for initialize the git directory

($ git status) → for checking tracked/untracked files

($ git add .) → for adding untracked files in tracked or staging area for commit

($ git config --global user.name "Sharikh")→ for adding name of user

($ git config --global user.email "sknkkhan47@gmail.com) → for adding email.

($ git commit -m “some commit massage for user understand”) → commit to local repository.

(Create a repository on GITHUB)

($ ssh-keygen)→ For generating a key for authentication over GitHub for pull/push/clone/fetch etc.

(Copy the public key in GitHub→settings→SSH & GPG keys)


($ git remote add origin < SSH URL showing in repository created)→ for adding origin of remote repository/GitHub repo


($ git push -u origin master)→ for push the local committed repo or file in remote GitHub repo.


($ git pull)→ for pull the files from remote to local machine

($ git clone <SSH Url>)→ for clone complete remote repository into local machine

($ git restore <deleted file name>)→ for undo the delated file




2. ec2-user@ip-172-31-31-211:~
[ec2-user@ip-172-31-31-211 ~]$ git clone git@github.com:khansharikh/Test_repo.git
Cloning into 'Test_repo'...
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 11 (delta 1), reused 7 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (11/11), done.
Resolving deltas: 100% (1/1), done.
[ec2-user@ip-172-31-31-211 ~]$ ls
Test_repo sharikh10.txt sharikh2.txt sharikh4.txt sharikh6.txt sharikh8.txt
sharikh1.txt sharikh11.txt sharikh3.txt sharikh5.txt sharikh7.txt sharikh9.txt
[ec2-user@ip-172-31-31-211 ~]$


On branch master
No commits yet
Changes to be committed:
(use "git rm --cached <file>..." to unstage)
new file: .bash_logout
new file: .bash_profile
new file: .bashrc
new file: .ssh/authorized_keys
new file: sharikh1.txt
new file: sharikh10.txt
new file: sharikh2.txt
new file: sharikh3.txt
new file: sharikh4.txt
new file: sharikh5.txt
new file: sharikh6.txt
new file: sharikh7.txt
new file: sharikh8.txt
new file: sharikh9.txt
[ec2-user@ip-172-31-31-211 ~]$ git config --global user.name "Sharikh"
[ec2-user@ip-172-31-31-211 ~]$ git config --global user.email "sknkkhan47@gmail.com
>
[ec2-user@ip-172-31-31-211 ~]$ git config --global user.email "sknkkhan47@gmail.com"
[ec2-user@ip-172-31-31-211 ~]$

```
[ec2-user@ip-172-31-31-211 ~]$ git commit -m "My test commit"
[master (root-commit) 1ab2875] My test commit
 14 files changed, 38 insertions(+)
 create mode 100644 .bash_logout
 create mode 100644 .bash_profile
 create mode 100644 .bashrc
 create mode 100644 .ssh/authorized_keys
 create mode 100644 sharikh1.txt
 create mode 100644 sharikh10.txt
 create mode 100644 sharikh2.txt
 create mode 100644 sharikh3.txt
 create mode 100644 sharikh4.txt
 create mode 100644 sharikh5.txt
 create mode 100644 sharikh6.txt
 create mode 100644 sharikh7.txt
 create mode 100644 sharikh8.txt
 create mode 100644 sharikh9.txt
[ec2-user@ip-172-31-31-211 ~]$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitconfig

nothing added to commit but untracked files present (use "git add" to track)
[ec2-user@ip-172-31-31-211 ~]$ git log
commit 1ab2875f16b8ecba7983471fe6713a03d655041f (HEAD -> master)
Author: Sharikh <sknkkhan47@gmail.com>
Date:   Thu Oct 22 09:21:46 2026 +0000

    My test commit
[ec2-user@ip-172-31-31-211 ~]$
```

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? Import a repository.

Required fields are marked with an asterisk (*).

1 **General**

Owner * khansharikh / Repository name * Test_repo

Test_repo is available.

Great repository names are short and memorable. How about cautious-adventure?

Description


0 / 350 characters


2 **Configuration**

Choose visibility *
Choose who can see and commit to this repository — Public


Add README
READMEs can be used as longer descriptions. About READMEs — Off


Add .gitignore
.gitignore tells git which files not to track. About ignoring files — No .gitignore







Created a file name .gitignore and mention some files which I don't want to add in staging area or to commit.


Sessions View Split MultiExec Tunneling Packages Settings Help
2. ec2-user@ip-172-31-31-211:~
[ec2-user@ip-172-31-31-211 ~]$ git status
On branch master
Untracked files:
(use "git add <file>..." to include in what will be committed)
.gitconfig
.lesshst
.ssh/id_rsa
.ssh/id_rsa.pub
nothing added to commit but untracked files present (use "git add" to track)
[ec2-user@ip-172-31-31-211 ~]$ vi .gitignore
[ec2-user@ip-172-31-31-211 ~]$ ls
sharikh1.txt sharikh10.txt sharikh2.txt sharikh3.txt sharikh4.txt sharikh5.txt sharikh6.txt sharikh7.txt sharikh8.txt sharikh9.txt
[ec2-user@ip-172-31-31-211 ~]$ git status
On branch master
Untracked files:
(use "git add <file>..." to include in what will be committed)
.gitignore
.viminfo
nothing added to commit but untracked files present (use "git add" to track)
[ec2-user@ip-172-31-31-211 ~]$ vi .gitignore
[ec2-user@ip-172-31-31-211 ~]$ git status
On branch master
nothing to commit, working tree clean
[ec2-user@ip-172-31-31-211 ~]$ cat .gitignore
.gitconfig
.lesshst
.ssh/id_rsa
.ssh/id_rsa.pub
.gitignore
.viminfo
[ec2-user@ip-172-31-31-211 ~]$


[ec2-user@ip-172-31-31-211 ~]$ git push -u origin master
The authenticity of host 'github.com (140.82.114.4)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? y
Please type 'yes', 'no' or the fingerprint: yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 2 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (8/8), 1.19 KiB | 1.19 MiB/s, done.
Total 8 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:khansharikh/Test_repo.git
* [new branch] master → master
branch 'master' set up to track 'origin/master'.
[ec2-user@ip-172-31-31-211 ~]$ ls -a
. .bash_logout .bashrc .gitconfig .lesshst .viminfo sharikh10.txt sharikh3.txt sharikh5.txt sharikh7.txt sharikh9.txt
.. .bash_profile .git .gitignore .ssh sharikh1.txt sharikh2.txt sharikh4.txt sharikh6.txt sharikh8.txt
[ec2-user@ip-172-31-31-211 ~]$


[ec2-user@ip-172-31-31-211 ~]$ ls
sharikh1.txt sharikh10.txt sharikh11.txt sharikh2.txt sharikh3.txt sharikh4.txt sharikh5.txt sharikh6.txt sharikh7.txt sharikh8.txt sharikh9.txt
[ec2-user@ip-172-31-31-211 ~]$ rm sharikh11.txt
[ec2-user@ip-172-31-31-211 ~]$ ls
sharikh1.txt sharikh10.txt sharikh2.txt sharikh3.txt sharikh4.txt sharikh5.txt sharikh6.txt sharikh7.txt sharikh8.txt sharikh9.txt
[ec2-user@ip-172-31-31-211 ~]$ git status
On branch master
Your branch is up to date with 'origin/master'.
Changes not staged for commit:
(use "git add/rm <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
deleted: sharikh11.txt
Untracked files:
(use "git add <file>..." to include in what will be committed)
.ssh/known_hosts
.ssh/known_hosts.old
no changes added to commit (use "git add" and/or "git commit -a")
[ec2-user@ip-172-31-31-211 ~]$ git restore sharikh11.txt
[ec2-user@ip-172-31-31-211 ~]$ ls
sharikh1.txt sharikh10.txt sharikh11.txt sharikh2.txt sharikh3.txt sharikh4.txt sharikh5.txt sharikh6.txt sharikh7.txt sharikh8.txt sharikh9.txt
[ec2-user@ip-172-31-31-211 ~]$ git status
On branch master
Your branch is up to date with 'origin/master'.
Untracked files:
(use "git add <file>..." to include in what will be committed)
.ssh/known_hosts
.ssh/known_hosts.old
nothing added to commit but untracked files present (use "git add" to track)
[ec2-user@ip-172-31-31-211 ~]$


Test_repo
Public
Pin
Watch 0
master
1 Branch
0 Tags
Go to file
T
Add file
Code
About
No description provided.
khansharikh My test commit
1ab2875 · 17 minutes ago
1 Commit
.ssh My test commit 17 minutes ago
.bash_logout My test commit 17 minutes ago
.bash_profile My test commit 17 minutes ago
.bashrc My test commit 17 minutes ago
sharikh1.txt My test commit 17 minutes ago
sharikh10.txt My test commit 17 minutes ago
sharikh2.txt My test commit 17 minutes ago
sharikh3.txt My test commit 17 minutes ago
sharikh4.txt My test commit 17 minutes ago
sharikh5.txt My test commit 17 minutes ago
Activity
0 stars
0 watching
0 forks
Releases
No releases publi
Create a new rele
Packages
No packages pub
Publish your first
Contributors
No contributors