


- Echo $0 → For checking current shell working.
- Cat /etc/shells → for checking all available shells.




- cat /etc/passwd → For checking users configured with which shell.




- created a file for test_script





- Give the permissions to execute file → chmod 755 test_script.sh




- Executed file using → ./test_script.sh


[root@ip-172-31-18-143 scripts]# ll
total 4
-rw-r--r--. 1 root root 101 Oct 15 09:24 test_script.sh
[root@ip-172-31-18-143 scripts]# chmod 755 test_script.sh
[root@ip-172-31-18-143 scripts]# ll
total 4
-rwxr-xr-x. 1 root root 101 Oct 15 09:24 test_script.sh
[root@ip-172-31-18-143 scripts]#
[root@ip-172-31-18-143 scripts]# ./test_script.sh
Hello this is sharikh khan
i am watching day_6 bashscripting video
for devops
[root@ip-172-31-18-143 scripts]# vi test_script.sh
[root@ip-172-31-18-143 scripts]# ./test_script.sh
Hello this is sharikh khan
i am watching day_6 bashscripting video
for devops
[root@ip-172-31-18-143 scripts]#


2. root@ip-172-31-18-143:~/scripts
#!/bin/bash
#modified 15-10-2026
pwd
ll
date
mkdir -p 1 2 3
ps -ef | head -10 >> process.txt
hostname


2. root@ip-172-31-18-143:~/scripts
[root@ip-172-31-18-143 scripts]# ./test1.bash
/root/scripts
process.txt test1.bash test_script.sh
Thu Oct 15 09:35:54 UTC 2026
ip-172-31-18-143.ec2.internal
[root@ip-172-31-18-143 scripts]# ls
1 2 3 process.txt test1.bash test_script.sh
[root@ip-172-31-18-143 scripts]# cat process.txt
UID   PID   PPID C STIME TTY   TIME CMD
root   1   0 0 09:04 ?   00:00:01 /usr/lib/systemd/systemd --switched-root --system --deserialize=32
root   2   0 0 09:04 ?   00:00:00 [kthreadd]
root   3   2 0 09:04 ?   00:00:00 [pool_workqueue_release]
root   4   2 0 09:04 ?   00:00:00 [kworker/R-rcu_gp]
root   5   2 0 09:04 ?   00:00:00 [kworker/R-sync_wq]
root   6   2 0 09:04 ?   00:00:00 [kworker/R-kvfree_rcu_reclaim]
root   7   2 0 09:04 ?   00:00:00 [kworker/R-slub_flushwq]
root   8   2 0 09:04 ?   00:00:00 [kworker/R-netns]
root   10   2 0 09:04 ?   00:00:00 [kworker/0:0H-events_highpri]
UID   PID   PPID C STIME TTY   TIME CMD
root   1   0 0 09:04 ?   00:00:01 /usr/lib/systemd/systemd --switched-root --system --deserialize=32
root   2   0 0 09:04 ?   00:00:00 [kthreadd]
root   3   2 0 09:04 ?   00:00:00 [pool_workqueue_release]
root   4   2 0 09:04 ?   00:00:00 [kworker/R-rcu_gp]
root   5   2 0 09:04 ?   00:00:00 [kworker/R-sync_wq]
root   6   2 0 09:04 ?   00:00:00 [kworker/R-kvfree_rcu_reclaim]
root   7   2 0 09:04 ?   00:00:00 [kworker/R-slub_flushwq]
root   8   2 0 09:04 ?   00:00:00 [kworker/R-netns]
root   10   2 0 09:04 ?   00:00:00 [kworker/0:0H-events_highpri]
[root@ip-172-31-18-143 scripts]#



2. root@ip-172-31-18-143:~/scripts
#!/bin/bash
#modified 15-10-2026
p=pwd
l=ls
m=mkdir
wi=whoami
d=date
cal='cal 2026'
echo run variable tasks
$p
$m shr
$wi
$d
$cal
~


```
[root@ip-172-31-18-143 scripts]# vi test1.bash
[root@ip-172-31-18-143 scripts]# ./test1.bash
run variable tasks
/root/scripts
root
Thu Oct 15 09:42:49 UTC 2026
                                2026


       January               February                March
Su Mo Tu We Th Fr Sa   Su Mo Tu We Th Fr Sa   Su Mo Tu We Th Fr Sa
             1  2  3    1  2  3  4  5  6  7    1  2  3  4  5  6  7
 4  5  6  7  8  9 10    8  9 10 11 12 13 14    8  9 10 11 12 13 14
11 12 13 14 15 16 17   15 16 17 18 19 20 21   15 16 17 18 19 20 21
18 19 20 21 22 23 24   22 23 24 25 26 27 28   22 23 24 25 26 27 28
25 26 27 28 29 30 31                          29 30 31


        April                  May                   June
Su Mo Tu We Th Fr Sa   Su Mo Tu We Th Fr Sa   Su Mo Tu We Th Fr Sa
          1  2  3  4                   1  2       1  2  3  4  5  6
 5  6  7  8  9 10 11    3  4  5  6  7  8  9    7  8  9 10 11 12 13
12 13 14 15 16 17 18   10 11 12 13 14 15 16   14 15 16 17 18 19 20
19 20 21 22 23 24 25   17 18 19 20 21 22 23   21 22 23 24 25 26 27
26 27 28 29 30         24 25 26 27 28 29 30   28 29 30
                       31
        July                  August                September
Su Mo Tu We Th Fr Sa   Su Mo Tu We Th Fr Sa   Su Mo Tu We Th Fr Sa
          1  2  3  4                      1          1  2  3  4  5
 5  6  7  8  9 10 11    2  3  4  5  6  7  8    6  7  8  9 10 11 12
12 13 14 15 16 17 18    9 10 11 12 13 14 15   13 14 15 16 17 18 19
19 20 21 22 23 24 25   16 17 18 19 20 21 22   20 21 22 23 24 25 26
26 27 28 29 30 31      23 24 25 26 27 28 29   27 28 29 30
                       30 31
       October               November              December
Su Mo Tu We Th Fr Sa   Su Mo Tu We Th Fr Sa   Su Mo Tu We Th Fr Sa
             1  2  3    1  2  3  4  5  6  7          1  2  3  4  5
 4  5  6  7  8  9 10    8  9 10 11 12 13 14    6  7  8  9 10 11 12
11 12 13 14 15 16 17   15 16 17 18 19 20 21   13 14 15 16 17 18 19
18 19 20 21 22 23 24   22 23 24 25 26 27 28   20 21 22 23 24 25 26
25 26 27 28 29 30 31   29 30                  27 28 29 30 31


[root@ip-172-31-18-143 scripts]# ls
1  2  3  process.txt  shr  test1.bash  test_script.sh
```


2. root@ip-172-31-18-143:~/scripts
#!/bin/bash
echo what is your name?
echo
read name
echo hello $name , how much years of experiance you have.
echo
read number
echo
echo Thats great you have total $number of experiance.
~
~
~
~



2. root@ip-172-31-18-143:~/scripts
[root@ip-172-31-18-143 scripts]# vi test2.bash
[root@ip-172-31-18-143 scripts]# ./test2.bash
what is your name?
sharikh khan
hello sharikh khan , how much years of experiance you have.
three years
Thats great you have total three years of experiance.
[root@ip-172-31-18-143 scripts]#


Games
Sessions
View
Split
MultiExec
Tunneling
Packages
Settings
Help
2. root@ip-172-31-18-143:~/scripts
#!/bin/bash
#we need to use the ticks if you want to use this in echo or else not required
a=`hostname`
echo Hello, my name is $a
echo
echo what is your name?
read b
echo
echo Hello $b
echo
~
~
~
~
~


2. root@ip-172-31-18-143:~/scripts
[root@ip-172-31-18-143 scripts]# vi test2.bash
[root@ip-172-31-18-143 scripts]# ./test2.bash
what is your name?
sharikh khan
hello sharikh khan , how much years of experiance you have.
three years
Thats great you have total three years of experiance.
[root@ip-172-31-18-143 scripts]# vi test3.bash
[root@ip-172-31-18-143 scripts]# chmod 755 test3.bash
[root@ip-172-31-18-143 scripts]# ./test3.bash
Hello, my name is ip-172-31-18-143.ec2.internal
what is your name?
sharikh khan
Hello sharikh khan
[root@ip-172-31-18-143 scripts]#


Sessions
View
Split
MultiExec
Tunneling
Packages
Settings
2. root@ip-172-31-18-143:~/scripts
#!/bin/bash
count=1000
if [$count -eq 100]
then
echo count is 100
else
echo count is not 100
fi

```
[root@ip-172-31-18-143 scripts]# vi count.bash
[root@ip-172-31-18-143 scripts]# chmod 755 count.bas
[root@ip-172-31-18-143 scripts]# ./c`
>
[root@ip-172-31-18-143 scripts]# ./count.bash
count is 100
[root@ip-172-31-18-143 scripts]# vi count.bash
[root@ip-172-31-18-143 scripts]# ./count.bash
count is not 100
[root@ip-172-31-18-143 scripts]# vi c
```



```
[root@ip-172-31-18-143 scripts]# cat test4.bash
#!/bin/bash
if [ -e /root/scripts/process.txt ]
then
echo "File exist"
else
echo "File does not exist"
fi
[root@ip-172-31-18-143 scripts]# ./test4.bash
File exist
[root@ip-172-31-18-143 scripts]#
```

```
[root@ip-172-31-18-143 scripts]# ls
1  2  3  count.bash  process.txt  shr  test.bash  test1.bash  test2.bash  test3.bash  test4.bash  test_script.sh
[root@ip-172-31-18-143 scripts]# cat test.bash
#!/bin/bash
echo
echo Please chose one of the options below
echo
echo 'a = Display Date and Time'
echo 'b = List file and directories'
echo 'c = List users logged in'
echo 'd = Check System uptime'
echo

        read choices

        case $choices in

a) date;;
b) ls;;
c) who;;
d) uptime;;
*) echo Invalid choice - Bye.

                esac
[root@ip-172-31-18-143 scripts]# ./test.bash


Please chose one of the options below

a = Display Date and Time
b = List file and directories
c = List users logged in
d = Check System uptime

b
1  2  3  count.bash  process.txt  shr  test.bash  test1.bash  test2.bash  test3.bash  test4.bash  test_script.sh
[root@ip-172-31-18-143 scripts]#
```

```
[root@ip-172-31-18-143 scripts]# vi test.bash
[root@ip-172-31-18-143 scripts]# cat test.bash
#!/bin/bash

for i in 1 2 3 4 5
do
echo "Welcome $i times"
done
[root@ip-172-31-18-143 scripts]# ./test.bash
Welcome 1 times
Welcome 2 times
Welcome 3 times
Welcome 4 times
Welcome 5 times
[root@ip-172-31-18-143 scripts]# vi test.bash
[root@ip-172-31-18-143 scripts]# ./test.bash
Welcome 1 times
Welcome 2 times
Welcome 3 times
Welcome 4 times
Welcome 5...100 times
[root@ip-172-31-18-143 scripts]# vi test.bash
[root@ip-172-31-18-143 scripts]# ./test.bash
Welcome 1 times
Welcome 2 times
Welcome 3 times
Welcome 4 times
Welcome 5 times
[root@ip-172-31-18-143 scripts]#
```


[root@ip-172-31-18-143 scripts]# vi test.bash
[root@ip-172-31-18-143 scripts]# cat test.bash
#!/bin/bash
count=0
num=10
while [$count -lt 10]
do
echo
echo $num seconds left to stop this process $1
echo
sleep 1
num=`expr $num - 1`
count=`expr $count + 1`
done
echo
echo $1 process is stopped!!!
echo
[root@ip-172-31-18-143 scripts]# ./test.bash
10 seconds left to stop this process
9 seconds left to stop this process
8 seconds left to stop this process
7 seconds left to stop this process
6 seconds left to stop this process
5 seconds left to stop this process