

Khant Thu Aung/ 105292912

2.4P

IdentifiableObject.cs

```
namespace SwinAdventure
{
    public class IdentifiableObject
    {
        private List<string> _identifiers = new List<string>();

        public IdentifiableObject(string[] idents)
        {
            foreach(string id in idents)
            {
                AddIdentifier(id);
            }
        }
        public bool AreYou(string id)
        {
            return _identifiers.Contains(id.ToLower());
        }
        public string FirstID
        {
            get
            {
                if ( _identifiers.Count == 0) return "";
                return _identifiers.First();
            }
        }
        public void AddIdentifier(string id)
        {
            _identifiers.Add(id.ToLower());
        }
        public void PrivilegeEscalation(string pin)
        {
            if (pin == "2912")
            {
                _identifiers[0] = "105292912";
            }
        }
    }
}
```

TestIdentifiableObject.cs

```
using NUnit.Framework.Legacy;
using System;
using SwinAdventure;

namespace UnitTest
{
    public class IdentifiableObjectTest
    {
        private IdentifiableObject _identifiableObject;
        [SetUp]
```

```

public void Setup()
{
    _identifiableObject = new IdentifiableObject(new string[] { "105292912", "Khant Thu",
"Aung" });
}

[Test]
public void TestAreYou()
{
    ClassicAssert.True(_identifiableObject.AreYou("105292912"));
    ClassicAssert.IsTrue(_identifiableObject.AreYou("Khant Thu"));
    ClassicAssert.IsTrue(_identifiableObject.AreYou("Aung"));
}

[Test]
public void TestNotAreYou()
{
    ClassicAssert.False(_identifiableObject.AreYou("1052929121"));
    ClassicAssert.IsFalse(_identifiableObject.AreYou("Khant"));
    ClassicAssert.IsFalse(_identifiableObject.AreYou("Aung Aung"));
}

[Test]
public void TestCaseSEnsitive()
{
    ClassicAssert.IsTrue(_identifiableObject.AreYou("aUnG"));
}

[Test]
public void TestFirstID()
{
    ClassicAssert.AreEqual("105292912", _identifiableObject.FirstID);
}

[Test]
public void TestFirstIDWithNoIDs()
{
    IdentifiableObject emptyIdentifiableObject = new IdentifiableObject(new string[] { });
    ClassicAssert.AreEqual("", emptyIdentifiableObject.FirstID);
}

[Test]
public void TestAddID()
{
    string[] testStrings = { "Python", "Dotnet", "Ruby", "Django" };
    foreach (string testString in testStrings)
    {
        _identifiableObject.AddIdentifier(testString);
    }
    foreach (string testString in testStrings)
    {
        ClassicAssert.IsTrue(_identifiableObject.AreYou(testString));
    }
}

public void TestPrivilegeEscalation()
{
    _identifiableObject.PrivilegeEscalation("2912");
    ClassicAssert.AreEqual("105292912", _identifiableObject.FirstID);
}
}
}

```

Screenshot of the Test Explorer

