

Validated head shape differs systematically among genera

rank $\eta^2 = 0.331$ permutation p < 5×10^{-5} n = 488 in 45 genera (n $\geq$ 5)

HW / WL (scale-free head shape)

2.00
1.75
1.50
1.25
1.00
0.75
0.50
0.25

Leptogenys (10) Dolichoderus (9) Neivamyrmex (17) Megaponera (8) Odontomachus (9) Aphaenogaster (11) Pseudomyrmex (6) Eciton (9) Acanthostichus (5) Cerapachys (5) Temnothorax (16) Strumigenys (33) Anochetus (6) Neoponera (8) Ponera (7) Tapinoma (5) Dorylus (21) Formica (10) Crematogaster (8) Myrmica (6) Aenictus (6) Hypoponera (14) Camponotus (16) Myrmecina (6) Pheidole (39) Stigmatomma (9) Solenopsis (10) Polyrhachis (8) Labidus (10) Tetramorium (37) Acropyga (7) Carebara (8) Nomamyrmex (5) Blepharidatta (5) Lasius (8) Typhlomymex (6) Parasyscia (7) Gnaptogenys (5) Pristomyrmex (8) Cyphomyrmex (9) Meranoplus (6) Cephalotes (28) Mycetophylax (7) Sericomymex (5) Acromymex (10)