

1. A 25-year-old woman comes to the physician because of growths on her lips and tongue for several years. Examination shows nodules on the lips, buccal mucosa, and tongue; café au lait spots over the trunk and limbs; and scattered nodules on the skin. This patient is at greatest risk for which of the following conditions?

- ☐ A) Craniopharyngioma
- ☐ B) Ependymoma
- ☐ C) Lymphoma
- ☐ D) Optic nerve glioma
- ☐ E) Pituitary adenoma



Next

<https://t.me/USMLENBME2CK>

Lab Values



Calculator



Review



Help



Pause

3. A 27-year-old man is brought to the emergency department because of multiple trauma sustained in a motor vehicle collision. He is initially arousable, but he is increasingly unresponsive over the next 45 minutes. The pupil of the left eye is dilated, and there is ptosis of the left eyelid. He begins to hyperventilate. Which of the following is the most likely cause?

- |                                                    |                                                  |
|----------------------------------------------------|--------------------------------------------------|
| <input type="radio"/> A) Alcohol withdrawal        | <input type="radio"/> G) HIV encephalopathy      |
| <input type="radio"/> B) Aseptic meningitis        | <input type="radio"/> H) Infratentorial lesion   |
| <input type="radio"/> C) Bacterial meningitis      | <input type="radio"/> I) Myxedema                |
| <input type="radio"/> D) Carbon monoxide poisoning | <input type="radio"/> J) Salicylate intoxication |
| <input type="radio"/> E) Central herniation        | <input type="radio"/> K) Uncal herniation        |
| <input type="radio"/> F) Factitious disorder       | <input type="radio"/> L) Viral meningitis        |



Previous



Next

<https://t.me/USMLENBME2CK>

Lab Values



Calculator



Review



Help



Pause

10. A 19-year-old woman is brought to the emergency department by paramedics after having a seizure at a dormitory party on campus. According to her boyfriend, who accompanied her, she had been drinking more water than usual and then became silent and began staring. He then witnessed her collapse to the floor and begin shaking for approximately 1 minute. On arrival, she is mute and unresponsive to questions. She appears restless and periodically grinds her teeth. Her temperature is 39.6°C (103.3°F), pulse is 90/min, respirations are 24/min, and blood pressure is 150/95 mm Hg. Physical examination shows profuse diaphoresis and piloerection. Pupils are 5 mm bilaterally. The remainder of the examination shows no abnormalities. Laboratory studies show:

|                  |           |
|------------------|-----------|
| Prothrombin time | 16 sec    |
| Serum            |           |
| Na <sup>+</sup>  | 114 mEq/L |
| Urea nitrogen    | 40 mg/dL  |
| Creatinine       | 2 mg/dL   |
| ALT              | 90 U/L    |
| Creatine kinase  | 1200 U/L  |

The most likely diagnosis is intoxication with which of the following substances?

- ☐ A) Amitriptyline
- ☐ B) Clonazepam
- ☐ C) Ecstasy (3,4-methylenedioxymethamphetamine)
- ☐ D) γ-Hydroxybutyrate
- ☐ E) Phencyclidine



Previous



Next

<https://t.me/USMLENBME2CK>

Lab Values



Calculator



Review



Help



Pause

14. A previously healthy 27-year-old man comes to the physician because of a 2-week history of pain in his neck and left shoulder radiating through the lateral surface of his left arm to his thumb and index finger. Examination shows a decreased biceps reflex on the left. Muscle strength is 4/5 on extension of the left wrist. Sensation to light touch is decreased over the left thumb and index finger. The remainder of the examination, including neurologic examination, shows no abnormalities. Which of the following is the most likely diagnosis?

- ☐ A) C4 radiculopathy
- ☐ B) C5 radiculopathy
- ☐ C) C6 radiculopathy
- ☐ D) C7 radiculopathy
- ☐ E) C8 radiculopathy
- ☐ F) Carpal tunnel syndrome
- ☐ G) Cubital tunnel syndrome



19. Over the past year, a 72-year-old man has had progressive aching in his lower extremities when he walks in the shopping mall. Initially, the pain began after 15 minutes of walking and resolved after he stopped; now, it starts after 5 or 10 minutes of walking, and it occasionally occurs when he stands up after sleeping all night. The pain radiates from his buttocks to his feet. He describes it as a "terrible" pain. He has mild chronic obstructive pulmonary disease but continues to smoke one pack of cigarettes daily. He has cervical arthritis and often has neck and arm pain. Examination shows decreased breath sounds bilaterally. Strength and sensation are normal in the extremities. Babinski's sign is absent bilaterally. Deep tendon reflexes are 1+ in both knees and ankles and 2+ in the upper extremities. Dorsalis pedis pulses are normal. Which of the following is the most likely diagnosis?

- |                                                        |                                                             |
|--------------------------------------------------------|-------------------------------------------------------------|
| <input type="radio"/> A) Alcoholic rhabdomyolysis      | <input type="radio"/> J) Hypokalemic periodic paralysis     |
| <input type="radio"/> B) Amyotrophic lateral sclerosis | <input type="radio"/> K) Hypothyroid myopathy               |
| <input type="radio"/> C) Becker muscular dystrophy     | <input type="radio"/> L) Lumbar spinal stenosis             |
| <input type="radio"/> D) Botulism                      | <input type="radio"/> M) Multiple sclerosis                 |
| <input type="radio"/> E) Carcinomatous meningitis      | <input type="radio"/> N) Myasthenia gravis                  |
| <input type="radio"/> F) Cervical spondylosis          | <input type="radio"/> O) Polymyositis                       |
| <input type="radio"/> G) Epidural metastatic carcinoma | <input type="radio"/> P) Sensorimotor peripheral neuropathy |
| <input type="radio"/> H) Epstein-Barr virus infection  | <input type="radio"/> Q) Spinal cord compression            |
| <input type="radio"/> I) Guillain-Barré syndrome       |                                                             |



Previous



Next

<https://t.me/USMLENBME2CK>

Lab Values



Calculator



Review



Help



Pause



20. A 25-year-old man comes to the physician because of a 4-month history of increasing low back pain that is most severe on awakening in the morning. His pain is relieved by stretching. There is no history of trauma. He is otherwise healthy except for occasional dysuria. Examination shows decreased forward flexion of the spine and tenderness over the lumbosacral area and at the insertion site of the Achilles tendon. Which of the following is the most likely diagnosis?

- |                                                    |                                                       |
|----------------------------------------------------|-------------------------------------------------------|
| <input type="radio"/> A) Abdominal aortic aneurysm | <input type="radio"/> G) Metastatic cancer            |
| <input type="radio"/> B) Ankylosing spondylitis    | <input type="radio"/> H) Osteoporosis                 |
| <input type="radio"/> C) Herniated disc at L4–L5   | <input type="radio"/> I) Pyelonephritis               |
| <input type="radio"/> D) Intervertebral discitis   | <input type="radio"/> J) Rheumatoid arthritis         |
| <input type="radio"/> E) Ischemia                  | <input type="radio"/> K) Spondylolisthesis            |
| <input type="radio"/> F) Lumbar spinal stenosis    | <input type="radio"/> L) Systemic lupus erythematosus |



Previous



Next

<https://t.me/USMLENBME2CK>

Lab Values



Calculator



Review



Help



Pause

The response options for the next **2** items are the same. Select one answer for each item in the set.

For each patient who has transient episodes of acute neurologic dysfunction, select the most likely diagnosis.

- |                                                      |                                                                                  |
|------------------------------------------------------|----------------------------------------------------------------------------------|
| <input type="radio"/> A) Cataplexy                   | <input type="radio"/> G) Simple partial (motor) seizure with generalization      |
| <input type="radio"/> B) Complex partial seizure     | <input type="radio"/> H) Simple partial (motor) seizure without generalization   |
| <input type="radio"/> C) Migraine                    | <input type="radio"/> I) Simple partial (sensory) seizure with generalization    |
| <input type="radio"/> D) Panic attack                | <input type="radio"/> J) Simple partial (sensory) seizure without generalization |
| <input type="radio"/> E) Photomyoclonic seizure      | <input type="radio"/> K) Syncope                                                 |
| <input type="radio"/> F) Primary generalized seizure | <input type="radio"/> L) Transient ischemic attack                               |

22. An otherwise healthy 52-year-old man has episodes of loss of consciousness preceded by twitching of the right thumb, then the hand, the wrist, the elbow, and the shoulder. The spread from thumb to shoulder takes about 20 seconds. He then finds himself on the floor; he often bites his tongue and urinates during these episodes.



Previous



Next

<https://t.me/USMLENBME2CK>

Lab Values



Calculator



Review



Help



Pause

For each patient who has transient episodes of acute neurologic dysfunction, select the most likely diagnosis.

- |                                                      |                                                                                  |
|------------------------------------------------------|----------------------------------------------------------------------------------|
| <input type="radio"/> A) Cataplexy                   | <input type="radio"/> G) Simple partial (motor) seizure with generalization      |
| <input type="radio"/> B) Complex partial seizure     | <input type="radio"/> H) Simple partial (motor) seizure without generalization   |
| <input type="radio"/> C) Migraine                    | <input type="radio"/> I) Simple partial (sensory) seizure with generalization    |
| <input type="radio"/> D) Panic attack                | <input type="radio"/> J) Simple partial (sensory) seizure without generalization |
| <input type="radio"/> E) Photomyoclonic seizure      | <input type="radio"/> K) Syncope                                                 |
| <input type="radio"/> F) Primary generalized seizure | <input type="radio"/> L) Transient ischemic attack                               |

23. A 72-year-old man has had episodes of loss of consciousness for the past 2 years. He says that there are no warning symptoms and that he suddenly finds himself on the ground. He has fractured his arm and has bruised himself many times. Bystanders say that he suddenly becomes pale and sweaty and then slumps to the floor like a rag doll. Jerking or twitching movements of the trunk and extremities occur for several seconds during episodes. He recovers completely and is not confused at the end of the episode. He has had two myocardial infarctions.



Previous



Next

<https://t.me/USMLENBME2CK>

Lab Values



Calculator



Review



Help



Pause



50. A previously healthy 24-year-old woman is brought to the emergency department by her brother 1 hour after a generalized tonic-clonic seizure that lasted 5 minutes. The patient and her brother emigrated from Central America 6 months ago. She takes no medications. She is drowsy but cooperative. Her temperature is 37.1°C (98.8°F), pulse is 80/min, respirations are 18/min, and blood pressure is 150/90 mm Hg. Examination and laboratory studies show no other abnormalities. Toxicology screening is negative. A CT scan of the head with contrast is shown. Which of the following is the most likely diagnosis?

- ☐ A) Behçet syndrome
- ☐ B) Central nervous system lymphoma
- ☐ C) Metastatic carcinoma
- ☐ D) Neurocysticercosis
- ☐ E) Progressive multifocal leukoencephalopathy
- ☐ F) Toxoplasmosis
- ☐ G) Tuberculous meningitis

