Importance of mismatch in a winter hatching species: evidence from lesser sandeel

T. Régnier*, F. M. Gibb, P. J. Wright

*Corresponding author: t.regnier@marlab.ac.uk

Marine Ecology Progress Series 567: 185–197 (2017)

Supplement. Data on *Calanus finmarchicus* and *C. helgolandicus* development at different temperatures were obtained from different sources summarised in Table S1. Data were available for either the entire development between the egg and the adult stage or specific developmental stages. When only data on a specific stage were available, the duration between the egg stage and cV stage was extrapolated using the stage durations as proportions of egg to adult development published in Cook et al. 2007. The relationship published by Cook et al. (2007) was judged relevant as no obvious pattern indicating a departure from it, was observed in the data gathered for lower temperatures (Fig. S1).

Table S1. Sources of data for temperature-dependent development in *Calanus*.

Species	Origin	Temperature	Stages	Reference
C. finmarchicus	North-East Atlantic	8	Egg to adult (all stages)	Cook et al. (2007)
		12	Egg to adult (all stages)	Cook et al. (2007)
		15	Egg to adult (all stages)	Cook et al. (2007)
	North Sea	5	Egg to adult	Diel & Klein Breteler (1986)
		10	Egg to adult	Diel & Klein Breteler (1986)
		10	Egg to adult	Diel & Klein Breteler (1986)
	North-West Atlantic	12	Egg to CV	Campbell et al. (2001)
		8	Egg to CV	Campbell et al. (2001)
		4	Egg to CV	Campbell et al. (2001)
	Norwegian Sea	5.7	Egg to CIV (all stages)	Hygum et al. (2000)
C. helgolandicus	North Sea	4.5	Egg to NV (all stages)	Thompson (1982)
		7.55	Egg to adult (all stages)	Thompson (1982)
		9.57	Egg to adult (all stages)	Thompson (1982)
		11.5	Egg to adult (all stages)	Thompson (1982)
		13.3	Egg to adult (all stages)	Thompson (1982)
		13.9	CI to CV (all stages)	Thompson (1982)
		15	Egg to adult (all stages)	Thompson (1982)
		8	Egg to adult (all stages)	Cook et al. (2007)
		12	Egg to adult (all stages)	Cook et al. (2007)
		15	Egg to adult (all stages)	Cook et al. (2007)
		5	Egg to adult	Diel & Klein Breteler (1986)
		10	Egg to adult	Diel & Klein Breteler (1986)
	English Channel	15	Egg to CI, CI to CV (all stages)	Rey Rassat et al. (2002)
		3.9	Egg	Corkett (1972)




Fig. S1. Data for *Calanus* development at different temperatures; the solid line indicates the temperature dependent function published in Cook et al. (2007).

LITERATURE CITED

Campbell RG, Wagner MM, Teegarden GJ, Boudreau C a., Durbin EG (2001) Growth and development rates of the copepod *Calanus finmarchicus* reared in the laboratory. Mar Ecol Prog Ser 221:161-183

Cook KB, Bunker A, Hay S, Hirst AG, Speirs DC (2007) Naupliar development times and survival of the copepods *Calanus helgolandicus* and *Calanus finmarchicus* in relation to food and temperature. J Plankton Res 29:757-767

Corkett CJ (1972) Development rate of copepod eggs of the genus Calanus. J Exp Mar Biol Ecol 10:171-175

Diel S, Klein Breteler WCM (1986) Growth and development of *Calanus* spp. (Copepoda) during spring phytoplankton succession in the North Sea. Mar Biol 91:85-92

Hygum BH, Rey C, Hansen BW, Carlotti F (2000) Rearing cohorts of *Calanus finmarchicus* (Gunnerus) in mesocosms. ICES J Mar Sci 57:1740-1751

Rey-Rassat C, Irigoien X, Harris R, Head R, Carlotti F (2002) Growth and development of *Calanus helgo-landicus* reared in the laboratory. Mar Ecol Prog Ser 238:125-138

Thompson BM (1982) Growth and development of *Pseudocalanus elongatus* and *Calanus* sp. in the laboratory. J Mar Biol Assoc UK 62:359-372