```
# Dictionary Program

college = {
    "name": "crescent",
    "city": "hyderabad",
    "pincode": 500081
}

print(college)

print(college["name"])
print(college["pincode"])
```

```
{'name': 'crescent', 'city': 'hyderabad', 'pincode': 500081}
crescent
500081
```

```
# Rank Dictionary Program

medals = {
    1: "gold",
    2: "silver",
    3: "bronze"
}

print(medals)
print(medals[2])
```

```
{1: 'gold', 2: 'silver', 3: 'bronze'}
silver
```

```
# User Input Dictionary Program

student = {
    "student_name": input(),
    "location": input()
}

print(student)
```

```
shoaib
kadapa
{'student_name': 'shoaib', 'location': 'kadapa'}
```

```
khasim
kadapa
```

```
# Add Value in Dictionary Program

employee = {
    "name": "rahul",
    "id": 101
}

print(employee)

employee["salary"] = 25000

print(employee)
```

```
{'name': 'rahul', 'id': 101}
{'name': 'rahul', 'id': 101, 'salary': 25000}
```

```
# Dictionary Keys Program

data = {
    "x": 10,
```

```
    "y": 20,
    "z": 30,
    "w": 40
}

print(data.keys())
```

```
dict_keys(['x', 'y', 'z', 'w'])
```

```
# Simple Dictionary Program

words = {
    "morning": "good morning",
    "night": "good night"
}

print(words)
```

```
{'morning': 'good morning', 'night': 'good night'}
```

```
# Dictionary Values Program

words = {
    "morning": "good morning",
    "night": "good night"
}

for value in words.values():
    print(value)

for key in words:
    print(key)
```

```
good morning
good night
morning
night
```

```
# Set Program

numbers = {1, 2, 3, 4, 4, 5, 5, 6, 6}

print(numbers)

numbers.add(7)
print(numbers)

numbers.remove(6)
print(numbers)

numbers.pop()
print(numbers)

numbers.clear()
print(numbers)
```

```
{1, 2, 3, 4, 5, 6}
{1, 2, 3, 4, 5, 6, 7}
{1, 2, 3, 4, 5, 7}
{2, 3, 4, 5, 7}
set()
```

```
# Set Intersection Program

a = {1, 2, 3, 4, 5, 6}
b = {4, 5, 6, 7, 8, 9}

print(a | b)

print(a.intersection(b))
```

```
{1, 2, 3, 4, 5, 6, 7, 8, 9}
{4, 5, 6}
```

```
# Set AND Program

x = {2, 4, 6, 8}
y = {4, 6, 10, 12}

print(x & y)
```

```
{4, 6}
```

```
# Set Difference Program

x = {1, 2, 3, 4}
y = {3, 4, 5, 6}

print(x - y)
```

```
{1, 2}
```

```
# Set XOR Program

x = {1, 2, 3, 4}
y = {3, 4, 5, 6}

print(x ^ y)
```

```
{1, 2, 5, 6}
```

```
# Function Program

def intro():
    print("My name is arjun")

print(intro())
```

```
My name is arjun
None
```

```
# Print Array Program

size = int(input())

numbers = list(map(int, input().split()))

print(numbers)
```

```
23
21
[21]
```

```
# Array Sum Program

size = int(input())

values = list(map(int, input().split()))

print(sum(values))
```

```
21
2
2
```