```
import { useState } from "react";

const style = document.createElement("style");
style.textContent = `
  @import url('https://fonts.googleapis.com/css2?family=Bebas+Neue&family=DM+Sans
  *, *::before, *::after { box-sizing: border-box; margin: 0; padding: 0; }
  :root {
    --green: #2D6A4F; --green-light: #40916C; --green-bright: #52B788;
    --green-pale: #D8F3DC; --cream: #FEFAE0; --orange: #E76F51;
    --dark: #081C15; --gray: #6B7280; --border: rgba(45,106,79,0.15);
    --red: #DC2626; --red-pale: #FEE2E2;
  }
  body { font-family: 'DM Sans', sans-serif; background: var(--cream); color: var
  .bebas { font-family: 'Bebas Neue', sans-serif; letter-spacing: 0.05em; }
  .mono  { font-family: 'DM Mono', monospace; }
  ::-webkit-scrollbar { width: 4px; }
  ::-webkit-scrollbar-thumb { background: var(--green-bright); border-radius: 4px
  @keyframes pulse-dot { 0%,100%{opacity:1;transform:scale(1)} 50%{opacity:.5;tra
  @keyframes slide-in { from{opacity:0;transform:translateY(10px)} to{opacity:1;t
  .slide-in { animation: slide-in 0.25s ease forwards; }

  /* ── BOTTOM NAV (mobile) ── */
  .bottom-nav {
    position: fixed; bottom: 0; left: 0; right: 0;
    background: white; border-top: 1.5px solid var(--border);
    display: flex; z-index: 100; padding-bottom: env(safe-area-inset-bottom, 0);
  }
  .bnav-item {
    flex: 1; display: flex; flex-direction: column; align-items: center;
    justify-content: center; padding: 10px 4px 8px; cursor: pointer;
    transition: all 0.2s; gap: 3px;
  }
  .bnav-item .icon { font-size: 22px; line-height: 1; }
  .bnav-item .label { font-size: 10px; font-weight: 600; color: var(--gray); lett
  .bnav-item.active .label { color: var(--green); }
  .bnav-item.active .icon { transform: scale(1.15); }

  .card { background: white; border-radius: 16px; border: 1.5px solid var(--borde
  .btn-primary { background: var(--green); color: white; border: none; padding: 1
  .btn-primary:hover { background: var(--green-light); }
  .btn-primary:disabled { background: #ccc; cursor: not-allowed; }
  .btn-ghost { background: transparent; border: 1.5px solid var(--border); paddin
  .btn-ghost:hover { border-color: var(--green); color: var(--green); }
  .btn-danger { background: transparent; border: 1.5px solid var(--red-pale); pad
```

```
  .btn-danger:hover { background: var(--red-pale); }
  .input { width: 100%; padding: 11px 14px; border-radius: 10px; border: 1.5px so
  .input:focus { border-color: var(--green-bright); }
  .select { width: 100%; padding: 11px 14px; border-radius: 10px; border: 1.5px s
  .qty-btn { width: 30px; height: 30px; border-radius: 50%; border: 1.5px solid v
  .badge { display: inline-flex; align-items: center; gap: 4px; padding: 3px 9px;
  .badge-green { background: var(--green-pale); color: var(--green); }
  .badge-gray { background: #F3F4F6; color: var(--gray); }
  .badge-red { background: var(--red-pale); color: var(--red); }
  .dot { width: 8px; height: 8px; border-radius: 50%; display: inline-block; flex
  .dot-live { background: #22C55E; animation: pulse-dot 1.5s infinite; }
  .dot-pending { background: var(--orange); }
  .dot-done { background: var(--gray); }
  .divider { height: 1px; background: var(--border); margin: 12px 0; }
  .toast { position: fixed; bottom: 80px; left: 50%; transform: translateX(-50%);
  .modal-bg { position: fixed; inset: 0; background: rgba(0,0,0,0.45); z-index: 2
  .modal { background: white; border-radius: 20px 20px 0 0; padding: 24px 20px 32
  .toggle { width: 44px; height: 24px; border-radius: 100px; border: none; cursor
  .toggle::after { content: ''; position: absolute; top: 3px; width: 18px; height
  .toggle.on { background: var(--green); }
  .toggle.on::after { left: 23px; }
  .toggle.off { background: #D1D5DB; }
  .toggle.off::after { left: 3px; }
  .row-item { display: flex; align-items: center; justify-content: space-between;
  label { font-size: 12px; font-weight: 600; color: var(--gray); display: block;
  .cat-pill { padding: 7px 14px; border-radius: 100px; font-size: 12px; font-weig
  .cat-pill.active { background: var(--dark); color: white; border-color: var(--d
`;
document.head.appendChild(style);

// ── CATALOGUE COMPLET RUNGIS ──────────────────────────────────────────────
const CATALOGUE_INIT = [
  // LÉGUMES
  { id: 1,  emoji:"🍅", name:"Tomates grappe",      unit:"kg",    price:3.2,  cat
  { id: 2,  emoji:"🍅", name:"Tomates cerises",      unit:"barq.", price:3.8,  ca
  { id: 3,  emoji:"🥦", name:"Brocolis",             unit:"pièce", price:2.1,  ca
  { id: 4,  emoji:"🥕", name:"Carottes",             unit:"kg",    price:1.4,  ca
  { id: 5,  emoji:"🧅", name:"Oignons jaunes",       unit:"kg",    price:1.1,  ca
  { id: 6,  emoji:"🧅", name:"Oignons rouges",       unit:"kg",    price:1.4,  ca
  { id: 7,  emoji:"🧄", name:"Ail rose de Lautrec",  unit:"tête",  price:0.9,  ca
  { id: 8,  emoji:"🥬", name:"Salade frisée",        unit:"pièce", price:1.8,  ca
  { id: 9,  emoji:"🥬", name:"Mâche",                unit:"sachet",price:2.4,  ca
  { id: 10, emoji:"🥬", name:"Roquette",             unit:"sachet",price:2.2,  ca
  { id: 11, emoji:"🫑", name:"Poivrons rouges",      unit:"kg",    price:4.5,  ca
  { id: 12, emoji:"🫑", name:"Poivrons verts",       unit:"kg",    price:3.8,  ca
  { id: 13, emoji:"🥒", name:"Concombres",           unit:"pièce", price:1.2,  ca
  { id: 14, emoji:"🍆", name:"Aubergines",           unit:"kg",    price:3.0,  ca
```

```
{ id: 15, emoji:"🌽", name:"Courgettes",           unit:"kg",    price:2.5,  ca
{ id: 16, emoji:"🥔", name:"Pommes de terre",      unit:"kg",    price:1.0,  ca
{ id: 17, emoji:"🥔", name:"PDT grenaille",        unit:"kg",    price:2.2,  ca
{ id: 18, emoji:"🫛", name:"Haricots verts fins",  unit:"kg",    price:4.8,  ca
{ id: 19, emoji:"🫛", name:"Petits pois",          unit:"kg",    price:3.5,  ca
{ id: 20, emoji:"🍄", name:"Champignons de Paris", unit:"kg",    price:3.2,  ca
{ id: 21, emoji:"🍄", name:"Pleurotes",            unit:"kg",    price:6.5,  ca
{ id: 22, emoji:"🥬", name:"Céleri branche",       unit:"pièce", price:1.8,  ca
{ id: 23, emoji:"🥬", name:"Fenouil",              unit:"pièce", price:1.6,  ca
{ id: 24, emoji:"🧅", name:"Poireaux",             unit:"botte", price:2.0,  ca
{ id: 25, emoji:"🥬", name:"Épinards frais",       unit:"sachet",price:2.8,  ca
{ id: 26, emoji:"🥬", name:"Endives",              unit:"kg",    price:2.6,  ca
{ id: 27, emoji:"🌽", name:"Maïs",                 unit:"épi",   price:0.8,  ca
{ id: 28, emoji:"🥬", name:"Betteraves crues",     unit:"kg",    price:1.5,  ca
// FRUITS
{ id: 29, emoji:"🍋", name:"Citrons",              unit:"kg",    price:2.8,  ca
{ id: 30, emoji:"🍋", name:"Citrons verts",        unit:"kg",    price:3.5,  ca
{ id: 31, emoji:"🍊", name:"Oranges",              unit:"kg",    price:2.0,  ca
{ id: 32, emoji:"🍊", name:"Clémentines",          unit:"kg",    price:2.6,  ca
{ id: 33, emoji:"🍎", name:"Pommes Golden",        unit:"kg",    price:2.2,  ca
{ id: 34, emoji:"🍎", name:"Pommes Pink Lady",     unit:"kg",    price:2.9,  ca
{ id: 35, emoji:"🍐", name:"Poires Williams",      unit:"kg",    price:2.8,  ca
{ id: 36, emoji:"🍇", name:"Raisins Italia",       unit:"kg",    price:4.2,  ca
{ id: 37, emoji:"🍇", name:"Raisins muscat",       unit:"kg",    price:4.8,  ca
{ id: 38, emoji:"🍓", name:"Fraises Gariguette",   unit:"barq.", price:3.9,  ca
{ id: 39, emoji:"🫐", name:"Myrtilles",            unit:"barq.", price:4.5,  ca
{ id: 40, emoji:"🍒", name:"Cerises",              unit:"kg",    price:6.8,  ca
{ id: 41, emoji:"🍑", name:"Pêches plates",        unit:"kg",    price:3.6,  ca
{ id: 42, emoji:"🍑", name:"Nectarines",           unit:"kg",    price:3.4,  ca
{ id: 43, emoji:"🥭", name:"Mangues",              unit:"pièce", price:2.5,  ca
{ id: 44, emoji:"🍍", name:"Ananas",               unit:"pièce", price:3.2,  ca
{ id: 45, emoji:"🥝", name:"Kiwis",                unit:"kg",    price:3.1,  ca
{ id: 46, emoji:"🍌", name:"Bananes",              unit:"kg",    price:1.8,  ca
{ id: 47, emoji:"🍉", name:"Pastèque",             unit:"pièce", price:5.5,  ca
{ id: 48, emoji:"🍈", name:"Melon Charentais",     unit:"pièce", price:3.0,  ca
{ id: 49, emoji:"🥑", name:"Avocats",              unit:"pièce", price:1.2,  ca
// HERBES & AROMATES
{ id: 50, emoji:"🌿", name:"Basilic frais",        unit:"botte", price:1.5,  ca
{ id: 51, emoji:"🌱", name:"Coriandre",            unit:"botte", price:1.2,  ca
{ id: 52, emoji:"🌿", name:"Persil plat",          unit:"botte", price:1.0,  ca
{ id: 53, emoji:"🌿", name:"Persil frisé",         unit:"botte", price:1.0,  ca
{ id: 54, emoji:"🌿", name:"Thym frais",           unit:"botte", price:1.3,  ca
{ id: 55, emoji:"🌿", name:"Romarin",              unit:"botte", price:1.3,  ca
{ id: 56, emoji:"🌿", name:"Menthe fraîche",       unit:"botte", price:1.2,  ca
{ id: 57, emoji:"🌿", name:"Estragon",             unit:"botte", price:1.5,  ca
{ id: 58, emoji:"🌿", name:"Cerfeuil",             unit:"botte", price:1.4,  ca
{ id: 59, emoji:"🌿", name:"Ciboulette",           unit:"botte", price:1.2,  ca
```

```
  { id: 60, emoji:"🌿", name:"Laurier frais",        unit:"botte", price:1.5,  ca
  { id: 61, emoji:"🌿", name:"Sauge fraîche",        unit:"botte", price:1.4,  ca
];

const CLIENTS_INIT = [
  { id: 1, name: "Le Bistrot de la Tour",  contact: "Marc D.",    fondateur: true
  { id: 2, name: "Brasserie Puteaux",      contact: "Sophie L.",  fondateur: true
  { id: 3, name: "L'Atelier Gourmand",     contact: "Pierre M.",  fondateur: true
  { id: 4, name: "Resto du Port",          contact: "Julie R.",   fondateur: true
  { id: 5, name: "Chez Tonton",            contact: "Paul B.",    fondateur: true
];

const ORDERS_INIT = [
  { id:"CMD-001", clientId:1, clientName:"Le Bistrot de la Tour", date:"2025-03-2
  { id:"CMD-002", clientId:2, clientName:"Brasserie Puteaux",     date:"2025-03-2
];

const CATS  = ["Légumes","Fruits","Herbes"];
const UNITS = ["kg","pièce","botte","barq.","litre","sachet","tête","épi"];
const EMOJIS= ["🥦","🍅","🥕","🧅","🥬","🫑","🍋","🍓","🍇","🍊","🌿","🌱","🥝"

function computeTotal(items, fondateur) {
  const sub = items.reduce((s, i) => s + i.qty * i.price, 0);
  return fondateur ? sub * 0.95 : sub;
}

// ── ROOT ──────────────────────────────────────────────────────────────
export default function App() {
  const [view, setView]           = useState("commande");
  const [clients, setClients]     = useState(CLIENTS_INIT);
  const [catalogue, setCatalogue] = useState(CATALOGUE_INIT);
  const [orders, setOrders]       = useState(ORDERS_INIT);
  const [toast, setToast]         = useState(null);

  const showToast = (msg) => { setToast(msg); setTimeout(() => setToast(null), 30
  const addOrder  = (o)   => { setOrders(p => [o, ...p]); showToast("✅ Commande
  const updStatus = (id, s) => setOrders(p => p.map(o => o.id === id ? {...o, sta

  const NAV = [
    { id:"commande",  icon:"🛒", label:"Commander" },
    { id:"dashboard", icon:"📊", label:"Dashboard"  },
    { id:"admin",     icon:"⚙️", label:"Admin"      },
  ];

  return (
    <div style={{ minHeight:"100vh", background:"var(--cream)", paddingBottom:72
      {/* TOP BAR */}
```

```
      <header style={{ background:"white", borderBottom:"1.5px solid var(--border
        <div style={{ maxWidth:860, margin:"0 auto", display:"flex", alignItems:"
          <span style={{ fontSize:22, marginRight:8 }}>🥦</span>
          <div>
            <div className="bebas" style={{ fontSize:18, color:"var(--green)", li
            <div style={{ fontSize:9, color:"var(--gray)", letterSpacing:"0.08em"
          </div>
        </div>
      </header>

      {/* CONTENT */}
      <main style={{ maxWidth:860, margin:"0 auto", padding:"20px 14px" }}>
        {view === "commande"  && <CommandeView  clients={clients} catalogue={cata
        {view === "dashboard" && <DashboardView orders={orders}   onUpdateStatus=
        {view === "admin"     && <AdminView     clients={clients}  setClients={se
      </main>

      {/* BOTTOM NAV */}
      <nav className="bottom-nav">
        {NAV.map(n => (
          <div key={n.id} className={`bnav-item ${view === n.id ? "active" : ""}`
            <span className="icon">{n.icon}</span>
            <span className="label">{n.label}</span>
          </div>
        ))}
      </nav>

      {toast && <div className="toast">{toast}</div>}
    </div>
  );
}

// ── COMMANDE ──────────────────────────────────────────────────────────────
function CommandeView({ clients, catalogue, onOrder }) {
  const [step, setStep]         = useState(1);
  const [client, setClient]     = useState(null);
  const [customName, setCustom] = useState("");
  const [cart, setCart]         = useState({});
  const [catF, setCatF]         = useState("Tous");
  const [done, setDone]         = useState(false);

  const active  = clients.filter(c => c.actif);
  const prods   = catalogue.filter(p => p.actif);
  const cats    = ["Tous", ...CATS.filter(c => prods.some(p => p.cat === c))];
  const shown   = catF === "Tous" ? prods : prods.filter(p => p.cat === catF);

  const setQty = (id, d) => setCart(prev => {
```

```
  const next = {...prev, [id]: Math.max(0, (prev[id]||0)+d)};
  if (!next[id]) delete next[id];
  return next;
});

const items    = Object.entries(cart).map(([id,qty]) => ({...catalogue.find(x=>
const sub      = items.reduce((s,i) => s + i.qty*i.price, 0);
const disc     = client?.fondateur ? sub*0.05 : 0;
const total    = sub - disc;
const count    = Object.values(cart).reduce((a,b)=>a+b,0);

const submit = () => {
  onOrder({ id:"CMD-"+String(Date.now()).slice(-4), clientId:client?.id||99, cl
  setDone(true);
};

if (done) return (
  <div style={{textAlign:"center",padding:"60px 20px"}} className="slide-in">
    <div style={{fontSize:72}}>🎉</div>
    <div className="bebas" style={{fontSize:42,color:"var(--green)",marginTop:1
    <p style={{color:"var(--gray)",marginTop:8}}>Livraison demain matin avant 1
    <button className="btn-primary" style={{marginTop:28,maxWidth:280,margin:"2
  </div>
);

return (
  <div>
    {/* Steps */}
    <div style={{display:"flex",alignItems:"center",gap:8,marginBottom:20}}>
      {[["1","Client"],["2","Produits"],["3","Récap"]].map(([n,label],i)=>(
        <div key={n} style={{display:"flex",alignItems:"center",gap:6}}>
          <div style={{width:26,height:26,borderRadius:"50%",background:step>i+
          <span style={{fontSize:12,fontWeight:step===i+1?600:400,color:step===
          {i<2&&<div style={{width:20,height:2,background:step>i+1?"var(--green
        </div>
      ))}
    </div>

    {step===1&&(
      <div className="slide-in">
        <div className="bebas" style={{fontSize:32,marginBottom:4}}>Qui êtes-vo
        <p style={{color:"var(--gray)",fontSize:13,marginBottom:16}}>Sélectionn
        <div style={{display:"grid",gap:8,marginBottom:14}}>
          {active.map(c=>(
            <div key={c.id} onClick={()=>setClient(c)} style={{padding:"12px 14
              <div><div style={{fontWeight:600,fontSize:14}}>{c.name}</div><div
              {c.fondateur&&<span className="badge badge-green">⭐ -5%</span>}
```

```
        </div>
      ))}
    </div>
    <div style={{display:"flex",alignItems:"center",gap:10,marginBottom:12}
      <div style={{flex:1,height:1,background:"var(--border)"}}/>
      <span style={{fontSize:12,color:"var(--gray)"}}>ou</span>
      <div style={{flex:1,height:1,background:"var(--border)"}}/>
    </div>
    <input className="input" placeholder="Nom de votre restaurant…" value={
    <button className="btn-primary" style={{marginTop:14}} disabled={!clien
  </div>
)}

{step===2&&(
  <div className="slide-in">
    <div style={{display:"flex",alignItems:"center",justifyContent:"space-b
      <div className="bebas" style={{fontSize:32}}>Commande</div>
      {count>0&&<div style={{background:"var(--green)",color:"white",paddin
    </div>
    <p style={{color:"var(--gray)",fontSize:12,marginBottom:12}}>{client?.f

    {/* Cat filter */}
    <div style={{display:"flex",gap:6,marginBottom:14,overflowX:"auto",padd
      {cats.map(c=><button key={c} className={`cat-pill ${catF===c?"active"
    </div>

    {/* Grid */}
    <div style={{display:"grid",gridTemplateColumns:"repeat(auto-fill,minma
      {shown.map(p=>{
        const q=cart[p.id]||0;
        return (
          <div key={p.id} style={{background:q>0?"var(--green-pale)":"white
            <div style={{fontSize:24,marginBottom:4}}>{p.emoji}</div>
            <div style={{fontWeight:600,fontSize:12,lineHeight:1.3,marginBo
            <div style={{color:"var(--gray)",fontSize:11,marginBottom:8}}>{
            <div style={{display:"flex",alignItems:"center",gap:6}}>
              <button className="qty-btn" style={{fontSize:16}} onClick={()
              <span className="mono" style={{fontSize:13,fontWeight:700,min
              <button className="qty-btn" style={{background:"var(--dark)",
            </div>
          </div>
        );
      })}
    </div>

    <div style={{display:"flex",gap:10,marginTop:18}}>
      <button className="btn-ghost" onClick={()=>setStep(1)}>←</button>
```

```
            <button className="btn-primary" disabled={items.length===0||sub<50} o
              {sub<50?`Min. 50€ (${sub.toFixed(2)}€)`:"Récapitulatif →"}
            </button>
          </div>
        </div>
      )}

      {step===3&&(
        <div className="slide-in">
          <div className="bebas" style={{fontSize:32,marginBottom:4}}>Récapitulat
          <div className="card" style={{padding:16,marginBottom:12}}>
            <div style={{fontWeight:600,marginBottom:8,display:"flex",alignItems:
              🏪 {client?.name||customName} {client?.fondateur&&<span className="
            </div>
            <div className="divider"/>
            {items.map(item=>(
              <div key={item.id} style={{display:"flex",justifyContent:"space-bet
                <span>{item.emoji} {item.name} × {item.qty}</span>
                <span className="mono" style={{fontWeight:600}}>{(item.qty*item.p
              </div>
            ))}
            <div className="divider"/>
            <div style={{display:"flex",justifyContent:"space-between",fontSize:1
            {disc>0&&<div style={{display:"flex",justifyContent:"space-between",f
            <div style={{display:"flex",justifyContent:"space-between",fontWeight
          </div>
          <div className="card" style={{padding:"12px 14px",marginBottom:18,backg
            <span style={{fontSize:13,color:"var(--green)",fontWeight:600}}>🚚 Li
          </div>
          <div style={{display:"flex",gap:10}}>
            <button className="btn-ghost" onClick={()=>setStep(2)}>← Modifier</bu
            <button className="btn-primary" onClick={submit}>✅ Valider</button>
          </div>
        </div>
      )}
    </div>
  );
}

// ── DASHBOARD ──────────────────────────────────────────────────────────────
function DashboardView({ orders, onUpdateStatus }) {
  const totalCA = orders.reduce((s,o)=>s+computeTotal(o.items,o.fondateur),0);
  const pending = orders.filter(o=>o.status==="en cours").length;
  const statusColor = {"en cours":"var(--orange)","livré":"var(--green)","annulé"

  return (
    <div className="slide-in">
```

```
<div style={{marginBottom:20}}>
  <div className="bebas" style={{fontSize:36,lineHeight:1}}>Dashboard</div>
  <div style={{fontSize:12,color:"var(--gray)",marginTop:3,display:"flex",a
    <span className="dot dot-live"/> Temps réel · {new Date().toLocaleDateS
  </div>
</div>
<div style={{display:"grid",gridTemplateColumns:"repeat(3,1fr)",gap:10,marg
  {[
    {label:"CA total",  value:totalCA.toFixed(0)+"€", icon:"💰", sub:"toute
    {label:"En cours",  value:pending,                icon:"🚚", sub:"à li
    {label:"Commandes", value:orders.length,          icon:"📦", sub:"au t
  ].map(kpi=>(
    <div key={kpi.label} className="card" style={{padding:14}}>
      <div style={{fontSize:20}}>{kpi.icon}</div>
      <div className="bebas" style={{fontSize:26,color:"var(--green)",lineH
      <div style={{fontSize:10,fontWeight:700,marginTop:2}}>{kpi.label}</di
      <div style={{fontSize:10,color:"var(--gray)"}}>{kpi.sub}</div>
    </div>
  ))}
</div>
<div className="bebas" style={{fontSize:22,marginBottom:10}}>Commandes</div
<div style={{display:"flex",flexDirection:"column",gap:10}}>
  {orders.length===0&&<div className="card" style={{padding:40,textAlign:"c
  {orders.map((order,idx)=>{
    const total=computeTotal(order.items,order.fondateur);
    return (
      <div key={order.id} className="card" style={{padding:"13px 14px",anim
        <div style={{display:"flex",alignItems:"flex-start",justifyContent:
          <div style={{flex:1,minWidth:0}}>
            <div style={{display:"flex",alignItems:"center",gap:6,marginBot
              <span className={`dot ${order.status===="en cours"?"dot-pendin
              <span style={{fontWeight:700,fontSize:14}}>{order.clientName}
              {order.fondateur&&<span className="badge badge-green" style={
            </div>
            <div style={{fontSize:11,color:"var(--gray)",marginBottom:7}}><
            <div style={{display:"flex",flexWrap:"wrap",gap:4}}>
              {order.items.map(item=><span key={item.name} className="badge
            </div>
          </div>
          <div style={{textAlign:"right",flexShrink:0}}>
            <div className="mono" style={{fontWeight:700,fontSize:17,color:
            {order.fondateur&&<div style={{fontSize:10,color:"var(--green)"
            <select value={order.status} onChange={e=>onUpdateStatus(order.
              <option value="en cours">🚚 En cours</option>
              <option value="livré">✅ Livré</option>
              <option value="annulé">❌ Annulé</option>
            </select>
```

```
                </div>
              </div>
            </div>
          );
        })}
      </div>
    </div>
  );
}

// ── ADMIN ──────────────────────────────────────────────────────────────────
function AdminView({ clients, setClients, catalogue, setCatalogue, showToast }) {
  const [tab,      setTab]      = useState("clients");
  const [cModal,   setCModal]   = useState(null);
  const [pModal,   setPModal]   = useState(null);
  const [cForm,    setCForm]    = useState({name:"",contact:"",fondateur:false,ac
  const [pForm,    setPForm]    = useState({name:"",emoji:"🥦",price:"",unit:"kg"

  const openC = (c) => { setCForm(c===="new"?{name:"",contact:"",fondateur:false,a
  const saveC = () => {
    if (!cForm.name.trim()) return;
    if (cModal===="new") { setClients(p=>[...p,{id:Date.now(),...cForm}]); showToa
    else { setClients(p=>p.map(c=>c.id===cModal.id?{...c,...cForm}:c)); showToast
    setCModal(null);
  };

  const openP = (p) => { setPForm(p===="new"?{name:"",emoji:"🥦",price:"",unit:"kg
  const saveP = () => {
    if (!pForm.name.trim()||!pForm.price) return;
    const data={...pForm,price:parseFloat(pForm.price)};
    if (pModal===="new") { setCatalogue(p=>[...p,{id:Date.now(),...data}]); showTo
    else { setCatalogue(p=>p.map(x=>x.id===pModal.id?{...x,...data}:x)); showToas
    setPModal(null);
  };

  return (
    <div className="slide-in">
      <div className="bebas" style={{fontSize:36,lineHeight:1,marginBottom:4}}>Ad
      <p style={{color:"var(--gray)",fontSize:13,marginBottom:18}}>Gérez vos clie

      <div style={{display:"flex",gap:6,marginBottom:20,background:"#F9FAFB",padd
        {[["clients",`👥 Clients (${clients.length})`],["catalogue",`🥦 Catalogue
          <div key={v} className={`bnav-item ${tab===v?"active":""}`} style={{pad
            <span style={{fontSize:14,color:tab===v?"white":"var(--gray)",fontWei
          </div>
        ))}
      </div>
```

```
{/* CLIENTS */}
{tab==="clients"&&(
  <div>
    <div style={{display:"flex",justifyContent:"space-between",alignItems:"
      <span className="badge badge-green">⭐ {clients.filter(c=>c.fondateur
      <button className="btn-ghost" style={{fontSize:13,padding:"8px 14px"}
    </div>
    <div style={{display:"flex",flexDirection:"column",gap:8}}>
      {clients.map(c=>(
        <div key={c.id} className="row-item" style={{opacity:c.actif?1:0.5}
          <div style={{flex:1,minWidth:0}}>
            <div style={{display:"flex",alignItems:"center",gap:6,flexWrap:
              <span style={{fontWeight:600,fontSize:13}}>{c.name}</span>
              {c.fondateur&&<span className="badge badge-green" style={{fon
              {!c.actif&&<span className="badge badge-gray" style={{fontSiz
            </div>
            <div style={{fontSize:11,color:"var(--gray)"}}>{c.contact}</div
          </div>
          <div style={{display:"flex",alignItems:"center",gap:6}}>
            <button onClick={()=>setClients(p=>p.map(x=>x.id===c.id?{...x,a
            <button className="btn-ghost" style={{fontSize:12,padding:"6px
            <button className="btn-danger" onClick={()=>{setClients(p=>p.fi
          </div>
        </div>
      ))}
    </div>
  </div>
)}

{/* CATALOGUE */}
{tab==="catalogue"&&(
  <div>
    <div style={{display:"flex",justifyContent:"space-between",alignItems:"
      <div style={{display:"flex",gap:5,flexWrap:"wrap"}}>
        {CATS.map(c=>{const n=catalogue.filter(p=>p.cat===c&&p.actif).lengt
      </div>
      <button className="btn-ghost" style={{fontSize:13,padding:"8px 14px"}
    </div>
    <div style={{display:"flex",flexDirection:"column",gap:7}}>
      {catalogue.map(p=>(
        <div key={p.id} className="row-item" style={{opacity:p.actif?1:0.5}
          <span style={{fontSize:20,flexShrink:0}}>{p.emoji}</span>
          <div style={{flex:1,minWidth:0}}>
            <div style={{display:"flex",alignItems:"center",gap:5,flexWrap:
              <span style={{fontWeight:600,fontSize:13}}>{p.name}</span>
              <span className="badge badge-gray" style={{fontSize:10}}>{p.c
```

```
              {!p.actif&&<span className="badge badge-red" style={{fontSize
            </div>
            <div style={{fontSize:11,color:"var(--gray)"}}><span className=
          </div>
          <div style={{display:"flex",alignItems:"center",gap:6}}>
            <button onClick={()=>setCatalogue(prev=>prev.map(x=>x.id===p.id
            <button className="btn-ghost" style={{fontSize:12,padding:"6px
            <button className="btn-danger" onClick={()=>{setCatalogue(prev=
          </div>
        </div>
      ))}
    </div>
  </div>
)}

{/* MODAL CLIENT */}
{cModal!==null&&(
  <div className="modal-bg" onClick={()=>setCModal(null)}>
    <div className="modal" onClick={e=>e.stopPropagation()}>
      <div className="bebas" style={{fontSize:26,marginBottom:16}}>{cModal=
      <div style={{display:"flex",flexDirection:"column",gap:12}}>
        <div><label>Nom du restaurant *</label><input className="input" pla
        <div><label>Contact</label><input className="input" placeholder="Ex
        <div style={{display:"flex",alignItems:"center",justifyContent:"spa
          <div><div style={{fontWeight:600,fontSize:13}}>⭐ Membre Fondateu
          <button onClick={()=>setCForm(f=>({...f,fondateur:!f.fondateur}))
        </div>
        <div style={{display:"flex",gap:10,marginTop:4}}>
          <button className="btn-ghost" style={{flex:1}} onClick={()=>setCM
          <button className="btn-primary" style={{flex:1}} onClick={saveC}
        </div>
      </div>
    </div>
  </div>
)}

{/* MODAL PRODUIT */}
{pModal!==null&&(
  <div className="modal-bg" onClick={()=>setPModal(null)}>
    <div className="modal" onClick={e=>e.stopPropagation()}>
      <div className="bebas" style={{fontSize:26,marginBottom:16}}>{pModal=
      <div style={{display:"flex",flexDirection:"column",gap:12}}>
        <div>
          <label>Emoji</label>
          <div style={{display:"flex",flexWrap:"wrap",gap:5,padding:8,backg
            {EMOJIS.map(e=><span key={e} onClick={()=>setPForm(f=>({...f,em
          </div>
```

```
              </div>
              <div><label>Nom *</label><input className="input" placeholder="Ex :
              <div style={{display:"grid",gridTemplateColumns:"1fr 1fr 1fr",gap:1
                <div><label>Prix (€) *</label><input className="input" type="numb
                <div><label>Unité</label><select className="select" value={pForm.
                <div><label>Catégorie</label><select className="select" value={pF
              </div>
              <div style={{display:"flex",gap:10,marginTop:4}}>
                <button className="btn-ghost" style={{flex:1}} onClick={()=>setPM
                <button className="btn-primary" style={{flex:1}} onClick={saveP}
              </div>
            </div>
          </div>
        </div>
      )}
    </div>
  );
}
```