Algorithms Level 4

PROGRAMMING ADVICES
LEARN THE RIGHT WAY

Mohammed Abu-Hadhoud

MBA, PMOC, PgMP®, PMP®, PMI-RMP®, CM, ITILF, MCPD, MCSD

26+ Years of Experience

ProgrammingAdvices.com

```cpp
#include <iostream>
using namespace std;

struct stDate
{
    short Year;
    short Month;
    short Day;
};

bool isLeapYear(short Year)
{
    return (Year % 4 == 0 && Year % 100 != 0) || (Year % 400 == 0);
}

bool IsDate1BeforeDate2(stDate Date1, stDate Date2)
{
    return  (Date1.Year < Date2.Year) ? true : ((Date1.Year ==
Date2.Year) ? (Date1.Month < Date2.Month ? true : (Date1.Month ==
Date2.Month ? Date1.Day < Date2.Day : false)) : false);
}

short NumberOfDaysInAMonth(short Month, short Year)
{

    if (Month < 1 || Month>12)
        return  0;

    int days[12] = { 31,28,31,30,31,30,31,31,30,31,30,31 };
    return (Month == 2) ? (isLeapYear(Year) ? 29 : 28) :
days[Month – 1];

}

bool IsLastDayInMonth(stDate Date)
{

    return (Date.Day == NumberOfDaysInAMonth(Date.Month,
Date.Year));

}

bool IsLastMonthInYear(short Month)
{
    return (Month == 12);
}
```

```cpp
stDate IncreaseDateByOneDay(stDate Date)
{
    if (IsLastDayInMonth(Date))
    {
        if (IsLastMonthInYear(Date.Month))
        {
            Date.Month = 1;
            Date.Day = 1;
            Date.Year++;
        }
        else
        {
            Date.Day = 1;
            Date.Month++;
        }
    }
    else
    {
        Date.Day++;
    }

    return Date;
}

int GetDifferenceInDays(stDate Date1, stDate Date2, bool
IncludeEndDay = false)
{

    int Days = 0;
    while (IsDate1BeforeDate2(Date1, Date2))
    {
        Days++;
        Date1 = IncreaseDateByOneDay(Date1);
    }

    return IncludeEndDay ? ++Days : Days;
}

short ReadDay()
{
    short Day;
    cout << "\nPlease enter a Day? ";
    cin >> Day;
    return Day;
}
```

```cpp
short ReadMonth()
{
    short Month;
    cout << "Please enter a Month? ";
    cin >> Month;
    return Month;
}


short ReadYear()
{
    short Year;
    cout << "Please enter a Year? ";
    cin >> Year;
    return Year;
}

stDate ReadFullDate()
{
    stDate Date;

    Date.Day = ReadDay();
    Date.Month = ReadMonth();
    Date.Year = ReadYear();

    return Date;
}

int main()
{
    stDate Date1 = ReadFullDate();
    stDate Date2 = ReadFullDate();

    cout << "\nDiffrence is: "
        << GetDifferenceInDays(Date1, Date2) << " Day(s).";

    cout << "\nDiffrence (Including End Day) is: "
        << GetDifferenceInDays(Date1, Date2, true) << " Day(s).";

    system("pause>0");
    return 0;
}
```