



## 75As LC-ICPMS




**LC-ESIMS. EIC = 663.213 lysoAsSugPL662**


**Max intensity = 169470 Scans = 90**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 665.228 lysoAsSugPL664**  
**Max intensity = 140230 Scans = 40**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 677.228 lysoAsSugPL676**

**Max intensity = 134920 Scans = 114**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 679.244 lysoAsSugPL678**


**Max intensity = 291110 Scans = 94**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 826.4 AsPC825**  
**Max intensity = 324320 Scans = 72**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 826.494 AsPC825


Max intensity = 55210 Scans = 5




## 75As LC-ICPMS




**LC-ESIMS. EIC = 834.369 AsPC833**  
**Max intensity = 173150 Scans = 98**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 836.479 AsPC835**  
**Max intensity = 101530 Scans = 5**







## 75As LC-ICPMS




**LC-ESIMS. EIC = 838.494 AsPC837**  
**Max intensity = 190070 Scans = 115**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 840.51 AsPC839**  
**Max intensity = 228650 Scans = 265**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 854.526 AsPC853**  
**Max intensity = 824080 Scans = 14**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 856.447 AsPC855**  
**Max intensity = 983700 Scans = 109**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 862.4 AsPC861**  
**Max intensity = 364880 Scans = 100**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 864.51 AsPC863**  
**Max intensity = 202650 Scans = 37**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 866.526 AsPC865**  
**Max intensity = 281040 Scans = 225**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 868.541 AsPC867**  
**Max intensity = 1481190 Scans = 188**






# 75As LC-ICPMS




**LC-ESIMS. EIC = 875.427 AsSugPL874**


**Max intensity = 0 Scans = 0**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 884.479 AsPC883**  
**Max intensity = 1853310 Scans = 75**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 890.526 AsPC889


Max intensity = 226040 Scans = 5




## 75As LC-ICPMS




**LC-ESIMS. EIC = 892.541 AsPC891**  
**Max intensity = 175930 Scans = 123**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 894.557 AsPC893**  
**Max intensity = 287210 Scans = 442**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 896.573 AsPC895**  
**Max intensity = 316110 Scans = 575**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 912.51 AsPC911**  
**Max intensity = 995460 Scans = 36**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 955.489 AsSugPL954

Max intensity = 1179490 Scans = 49







## 75As LC-ICPMS




**LC-ESIMS. EIC = 966.651 AsPC965**  
**Max intensity = 1015320 Scans = 30**




## 75As LC-ICPMS




**LC-ESIMS. EIC = 992.666 AsPC991**  
**Max intensity = 2374100 Scans = 81**




## 75As LC-ICPMS



**LC-ESIMS. EIC = 994.682 AsPC993**  
**Max intensity = 1330640 Scans = 47**




## 75As LC-ICPMS




## LC-ESIMS. EIC = 1006.682 AsPC1005

Max intensity = 295840 Scans = 26




## 75As LC-ICPMS




## LC-ESIMS. EIC = 1008.698 AsPC1007

Max intensity = 2507620 Scans = 86




## 75As LC-ICPMS




## LC-ESIMS. EIC = 1016.666 AsPC1015

Max intensity = 1270140 Scans = 98




## 75As LC-ICPMS




**LC-ESIMS. EIC = 1018.682 AsPC1017**


**Max intensity = 4333270 Scans = 157**



## 75As LC-ICPMS




**LC-ESIMS. EIC = 1020.698 AsPC1019**  
**Max intensity = 28998340 Scans = 411**






## 75As LC-ICPMS




## LC-ESIMS. EIC = 1022.713 AsPC1021

Max intensity = 1324640 Scans = 152




## 75As LC-ICPMS




## LC-ESIMS. EIC = 1025.568 AsSugPL1024

Max intensity = 896360 Scans = 14




## 75As LC-ICPMS




**LC-ESIMS. EIC = 1037.568 AsSugPL1036**

**Max intensity = 1957980 Scans = 83**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 1039.583 AsSugPL1038

Max intensity = 0 Scans = 0




# 75As LC-ICPMS




**LC-ESIMS. EIC = 1043.614 AsSugPL1042**

**Max intensity = 1339010 Scans = 79**




# 75As LC-ICPMS




## LC-ESIMS. EIC = 1051.583 AsSugPL1050

Max intensity = 461720 Scans = 30




## 75As LC-ICPMS




## LC-ESIMS. EIC = 1061.568 AsSugPL1060

Max intensity = 243070 Scans = 14



# 75As LC-ICPMS



**LC-ESIMS. EIC = 1071.646 AsSugPL1070**

**Max intensity = 1878710 Scans = 196**

